

*Gravity Survey along the Lines of Precise Levels
throughout Japan by Means of
a WORDEN Gravimeter.*

Part V. Kinki District.

By Chuji TSUBOI, Akira JITSUKAWA and Hirokazu TAJIMA,
Earthquake Research Institute.

(Read March 17, 1953.—Received Sept. 20, 1954.)

CONTENTS

	Page
1. Introduction	130
2. Lines of Precise Levels in the Kinki District.....	130
3. Method of Calculations	132
4. Results	133
5. Acknowledgements	134
References	134
Table I Number of Gravimeter Stations	130
Table II Apparent Rate of Drift for Various Loops.....	132
Table III Results along the Routes 4 ₁ , 4 ₂	136
Table IV Results along the Route 5	142
Table V Results along the Routes 6 ₁ , 6 ₂ , 6 ₃ , 6 ₄	143
Table VI Results along the Route 7	154
Table VII Results along the Routes 8 ₁ , 8 ₂ , 8 ₃	155
Table VIII Results along the Routes 9 ₁ , 9 ₂ , 9 ₃	159
Table IX Results along the Routes 10 ₁ , 10 ₂ , 10 ₃ , 10 ₄	162
Table X Synoptic Results for Mie Prefecture	167
Table XI Synoptic Results for Shiga Prefecture	172
Table XII Synoptic Results for Kyôto Prefecture.....	175
Table XIII Synoptic Results for Ôsaka Prefecture.....	181
Table XIV Synoptic Results for Hyôgo Prefecture.....	184
Table XV Synoptic Results for Nara Prefecture.....	190
Table XVI Synoptic Results for Wakayama Prefecture.....	193
Fig. 1. Lines of Precise Levels in the Kinki District with the Prefecture Boundaries	131

Fig. 2. Gravity Stations in Mie Prefecture	166
Fig. 3. Gravity Stations in Shiga Prefecture.....	171
Fig. 4. Gravity Stations in Kyôto Prefecture	174
Fig. 5. Gravity Stations in Ôsaka Prefecture	180
Fig. 6. Gravity Stations in Hyôgo Prefecture.....	183
Fig. 7. Gravity Stations in Nara Prefecture	189
Fig. 8. Gravity Stations in Wakayama Prefecture.....	192
Fig. 9. BOUGUER Anomalies in the Kinki District Based on the International Formula	(in pocket)

1. Introduction

Since the spring of 1951, the writers have been engaged in the gravity survey along the lines of precise levels throughout Japan by means of a WORDEN gravimeter.

The net work of the lines of precise levels covers the whole country pretty densely as shown in Fig. 1 of Part I, and the bench marks are laid at an average distance of 2 km. along these level lines. We are measuring the gravity value at every other one of the bench marks. The results that were obtained in the Shikoku and Chûgoku districts were already published as Parts I and II of these serial reports (TSUBOI et al.: 1953, 1954).

The present report is the fourth of them and is concerned particularly with the results obtained in the Kinki District (TSUBOI et al.: 1953).

2. Lines of Precise Levels in the Kinki District

The Kinki District occupies the middle western part of Honshû, the main island of Japan (Fig. 9). The district is approximately 33,000 km² in area and comprises seven administrative prefectures, viz. (23) Mie, (24) Shiga, (25) Kyôto, (26) Ôsaka, (27) Hyôgo, (28) Nara and (29) Wakayama. The lines of precise levels in this district, along which we measured gravity values are shown in Fig. 1 with the prefecture boundaries. The lines are altogether about 2,000 km. in length, and at 480 points along them, the gravity values were determined. In this number are included several identifiable points, such as local weather stations, of which the

Table I.
Number of Gravimeter Stations.

Prefecture	Number
(23) Mie	89
(24) Shiga	48
(25) Kyôto	93
(26) Ôsaka	31
(27) Hyôgo	93
(28) Nara	30
(29) Wakayama	96
Total	480




Fig. 1. Lines of Precise Levels in the Kinki District with the Prefecture Boundaries.

altitudes are known with a sufficiently high accuracy for the purpose of our gravity reductions. The number of points at which the gravity values were determined in each of the seven prefectures is as in Table I. The measurements were made in June, July, November, and December, 1951, and partly in April, 1953.

3. Method of Calculations

Our methods of measurements and reductions are similar to those described in Parts I and II and no further comments need be added. However, we must state that no attempt has been made to adjust the measured gravity values by simultaneous net calculations. In our actual process, we covered the whole length of the lines of measurements by making a gravimetric loop for each section of the lines successively in order to make the drift correction of the gravimeter spring possible. These small loops are numbered as illustrated in Fig. 1. We determined the gravity values at the points along each one of the loops separately and the results are merely connected in succession. This process cannot be called a very rational one, but owing to unavoidable circumstances regarding transportation facilities on the one hand and to the rather urgent demand for a general picture of the distribution of the gravity anomalies on the other, we have been compelled to adopt the process stated above. Although we do not claim that our results show the highest attainable accuracy, it is not likely that any difference in the process

Table II. Apparent Rate of Drift for Various Loops.

Routes	Residual (0.01 mgal.)	Time (hour)	<i>R</i> (mgal./hour)
4 ₁	561	67.5	0.0831
5	145	15.3	0.0942
6 ₁	762	112.6	0.0687
6 ₂	61	9.3	0.0656
6 ₃	207	24.8	0.0835
6 ₄	440	46.1	0.0954
7	99	13.0	0.0762
8 ₁	99	26.9	0.0368
8 ₂	11	2.4	0.0458
8 ₃	14	7.7	0.0182
9 ₁	124	15.6	0.0795
9 ₂	72	9.5	0.0758
9 ₃	38	6.2	0.0613
10 ₁	42	10.6	0.0396
10 ₂	22	5.5	0.0407
10 ₃	55	10.2	0.0539
10 ₄	19	7.4	0.0257

of reduction will sensibly alter the final results. It is of course our wish to make a simultaneous net adjustment when the survey over the whole country is completely finished.

Our WORDEN gravimeter has been working with admirable perfectness. But the rate of drift of the gravimeter spring apparently differed notably from one loop to another. It will be interesting to compare the rate for each of the loops given in Table II.

4. Results

The gravity values at all the stations are given in Tables III~IX for each of the loops separately. In Tables X~XVI the materials are arranged synoptically according to the seven prefectures separately. The explanations of the Tables precede them. The lines of equal BOUGUER anomalies based on the International Gravity Formula are shown in Fig. 9, with 2 mgal. intervals. The figure is in the pocket attached to the back cover. The positions of the contour lines are accurate where they meet the lines of precise levels but obviously no great accuracy can be claimed for those in the intervening parts.

Reserving the geophysical interpretations of the distribution of the BOUGUER anomalies for future studies, we will briefly enumerate only the especially notable facts in Fig. 9.

1) The BOUGUER anomaly increases both towards north and south. On the Japan Sea coast, a positive anomaly of 48 mgal. was found, while on the Pacific coast, positive anomaly of as large as 153 mgal. was found. Along the Japan Sea coast, the isoanomaly lines are roughly parallel to the coast line, except for the western part of the Bay of Wakasa.

2) It has been known geologically that the Median Tectonic Line runs about the middle of the island of Shikoku in WSW-ENE direction and keeping almost the same trend, crosses the southern part of the Kinki District. It is interesting to note that the isoanomaly lines in the southern part of this district do not perfectly agree in trend with the geological structure of it. It is rather surprising that while the gravity anomalies in Shikoku so clearly suggest the anomalous subterranean density distribution which must be closely related to this tectonic line, those in the Kinki District apparently do not.

3) There is an area near the city of Ōsaka in which the anomaly is minimum. Probably this may be related to the alluvial deposits with small densities on which the city is situated.

4) Almost perfectly conforming to the shape of Lake Biwa, there is an area of conspicuous negative anomaly. That Lake Biwa is a depression basin has been known from geological as well as from geomorphological studies. The strong negative gravity anomaly here suggests that the amount of depression of the earth's crust is larger than indicated by the present surface relief. Also the isoanomaly lines indicate that the dip of depression is steep on the west side while it is less so on the east side.

5. Acknowledgements

We cannot close this report without expressing our sincere gratitude to the many officials and individuals who helped us in various ways in accomplishing this survey. Particularly, we wish to thank the Ministry of Education for financial support. Mrs. S. INOUE and Miss K. SEKI have helped us greatly in numerical computations and in preparing the present paper. We acknowledge gratefully their help.

References

- TSUBOI, C., JITSUKAWA, A., TAJIMA, H. and OKADA, A.:
1953 "Gravity Survey along the Lines of Precise Levels throughout Japan by Means of a WORDEN Gravimeter. Part I. Shikoku District".
Bull. Earthq. Res. Inst., Suppl. Vol., IV, Part I.
1954 "Gravity Survey along the Lines of Precise Levels throughout Japan by Means of a WORDEN Gravimeter. Part II. Chûgoku District".
Bull. Earthq. Res. Inst., Suppl. Vol., IV, Part II.
TSUBOI, C., JITSUKAWA, A. and TAJIMA, H.:
1953 "Gravity Measurements along the Lines of Precise Levels over Whole Japan by Mean of a WORDEN Gravimeter." III. Kinki District.
Proc. Japan Acad., **29**, 316.

Explanation of Tables

Tables III-IX Results along Each of the Routes

Pref.	Prefecture
No.	Number of Measurement
B.M.	Bench Mark Number
Time	Time of Measurement
$\sum \delta T$	Net Time needed to arrive at the Station from the Starting Point
<i>LD</i>	Large Dial Reading
<i>SD</i>	Small Dial Reading
$0.9150 \times SD$	Conversion of Small Dial Reading to 0.01 mgal.
<i>h</i>	Height of the Gravimeter above the Bench Mark Head
$0.3086 \times h$	Free-air Reduction to the Bench Mark Head
<i>E.T.</i>	Correction for the Earth Tides (Factor 1.20)
Drift.....	Correction for Drift
$\sum \delta g$	Gravity Difference from the Starting Point
<i>g</i>	Gravity Value (corrected for Drift and Earth Tides)

Tables X-XVI Synoptic Results for Each of the Prefectures

φ	Latitude
λ	Longitude
<i>H</i>	Height of the Bench Mark above the Sea Level
<i>g</i>	Gravity Value (Corrected for Drift and Earth Tides)
g_0	Gravity Value after the Free-air Reduction
g_0''	Gravity Value after the BOUGUER Reduction
γ	Normal Gravity
Δg_0	Free-air Anomaly
$\Delta g_0''$	BOUGUER Anomaly

Table III. Results along Route 4. (0.01 mgal.).
 Route 4₁ B.M. 234—B.M. 241—B.M. J. 213—Ôtsu—B.M. 196—Ôgaki—B.M. J. 185—B.M. 176—Nagoya
 —Tsu—Ueno—B.M. 1398—B.M. 246—B.M. 234.

Pref.	No.	B.M.	Date 1951	Time h m 0 08	$\Sigma \delta T$	LD	SD	0.9180	\bar{h}	0.3086	$E.T.$	$8.31 \times \sum \delta T$	Drift	$\Sigma \delta g$	g	Field No.
26	304	234	VII 16	9 34	453	3568	3265	114	35	14	0	0	71760	9		
"	305	232	"	9 34	26	4402	4028	88	27	16	3	754	72514	"		
"	306	229	"	10 03	55	4461	4082	85	26	16	7	803	72563	"		
"	307	228	"	10 26	1 18	4820	4410	68	21	16	11	1122	72882	"		
"	308	472	"	10 43	1 35	4840	4429	64	20	14	13	1136	72896	"		
"	309	227	"	11 00	1 52	"	4704	4304	59	18	14	16	1006	72766	"	
"	310	226	"	11 15	2 07	"	4556	4169	72	22	14	17	874	72634	"	
"	311	225	"	11 33	2 25	"	4597	4206	69	21	10	20	903	72663	"	
"	312	224	"	12 10	3 02	"	4528	4143	226	70	10	25	884	72644	"	
"	313	223	"	12 29	3 21	"	5395	4936	75	23	10	28	1627	73387	"	
"	314	222	"	12 45	3 37	"	5770	5280	56	17	5	30	1958	73718	"	
25	315	221	"	13 15	4 07	"	5205	4763	58	18	5	34	1438	73198	"	
"	316	219 ₁	"	13 39	4 31	"	4912	4494	190	59	-1	37	1201	72961	"	
"	317	218 ₁	"	14 17	5 09	"	4588	4198	66	20	-1	43	860	72620	"	
"	318	217 ₁	"	14 43	5 35	"	4445	4067	63	19	-5	47	720	72480	"	
"	319	J. 216 ₁	"	15 01	5 53	"	4558	4171	69	21	-5	49	824	72584	"	
"	320	Kyôto W.S.*	"	15 34	6 26	"	4892	4476	-01	0	-8	53	1101	72861	"	
"	321	J. 241 Univ.**	"	16 05	6 57	"	4555	4168	53	16	-8	53	804	72564	"	
"	322	Kyôto Univ.***	"	16 20	7 12	"	4042	3698	27	8	-8	60	324	72084	"	
"	323	"	"	16 35	7 27	"	4300	3935	66	20	-8	62	571	72331	"	
"	324	F. 214 ₁	"	17 10	8 02	"	3715	3399	97	30	-8	66	41	71801	"	
"	325	F. 20 J. 213	"	17 45	8 37	"	1376	1259	48	15	-7	71	-2118	69642	"	
24	326	Ôtsu	"	18 07	8 59	"	2117	1937	104	32	-7	75	-1427	70333	"	
"	"	"	"	19 24	10 16	"	1956	1790	27	8	-5	86	-1607	70153	"	
"	"	"	VI 17	8 03	"	1935	1825	"	"	14	"	"	"	"	"	"

* Weather Station Seismometer Room, on the Surface of the Concrete Block for Seismometer Installation.

** Second Laboratory of Theoretical Geology Kyôto University, International Fundamental Station.

*** Cellar, formerly Department of Astronomy, Kyôto University.

"	326	J.	213	"	8 25	10 38	"	2153	1970	98	30	14	88	-1442	70318	"	
"	327		212	"	8 59	11 12	"	2117	1937	69	21	17	33	-1486	70274	"	
"	328		211 ¹	"	9 15	11 28	"	2201	2014	58	18	17	36	-1415	70345	"	
"	329		210 ¹	"	9 36	11 49	"	1776	1625	78	24	18	38	-1799	63961	"	
"	"		"		9 40	9 49	449	3601	3295	"	18	18	18				
"	330		209 ₁	"	10 11	12 20	"	3591	3286	55	17	18	102	-1819	69941	"	
"	331		208 ₁	"	10 32	12 41	"	3800	3477	70	22	16	106	-1629	70131	"	
"	332		207 ₁	"	10 55	13 04	"	3769	3449	63	19	16	109	-1663	70097	"	
"	333		206 ₁	"	11 11	13 20	"	4049	3705	67	21	16	111	-1407	70353	"	
"	334		205 ₁	"	11 30	13 39	"	3890	3559	63	19	16	114	-1558	70202	"	
"	335		204 ₁	"	11 52	14 01	"	4090	3742	58	18	16	116	-1378	70382	"	
"	336		203 ₁	"	12 09	14 18	"	3895	3564	80	25	16	119	-1552	70208	"	
"	337		202 ₁	"	12 30	14 39	"	3192	2921	62	19	16	122	-2204	69556	"	
"	338		201 ₁	"	12 51	15 00	"	3641	3332	59	18	11	125	-1802	69938	"	
"	339		200 ₁	"	13 09	15 18	"	4388	4015	74	23	11	127	-1116	70644	"	
"	340	Hikone	199 ₁	"	13 24	15 33	"	5109	4675	57	18	11	130	-464	71296	"	
"	341		W.S.*	"	13 58	16 07	"	4996	4571	72	22	5	134	-574	71186	"	
"	342		"**	"	14 06	16 15	"	5015	4589	19	6	5	135	-573	71187	"	
"	343		198 ₁	"	16 00	18 09	"	5712	5226	64	20	-7	151	-50	71810	"	
"	344		197	"	16 37	18 46	"	6086	5569	66	20	-10	156	385	72145	"	
"	345		196	"	16 57	19 06	"	6101	5582	44	14	-10	159	389	72149	"	
"	346		195	"	17 20	19 29	"	5167	4728	70	22	-10	162	-460	71300	"	
20	347		194	"	17 57	20 06	"	5510	5042	72	22	-10	167	-151	71609	"	
"	348		193	"	18 16	20 25	"	6164	5640	55	17	-10	170	-439	72199	10	
"	349		192	"	18 36	20 45	"	7583	6938	70	22	-9	173	1740	73500	"	
"	"		"		18 39	21 04	458	3526	3226	"	23	-9	175	2984	74744	"	
"	350	Ôgaki	191	"	18 58	21 40	"	4886	4471	73	23	8	-6	180	2481	74241	"
"	"		VII	18	19 34	21 40	"	4355	3985	27	"	11	17	189	2970	74730	"
"	350		191	"	19 56	22 44	"	4380	4008	79	24	17	189				

* Weather Station Bench Mark.

** Weather Station Seismometer Room, on the Surface of the Concrete Block for Seismometer Installation.

Table III. (Continued)

Pref.	No.	B.M.	Date 1951	Time	$\Sigma \delta T$	LD	SD	$0.9150 \times$ $\frac{h}{SD}$	h (cm)	$0.3086 \times$ $\frac{h}{h}$	E.T.	$\frac{8.31 \times}{\Sigma \delta T}$ Drift	$\Sigma \delta y$	g 979.	Field Note No.	
20	351	190	VI 18	9 17 ^m	23 01	458	4994	4570	63	19	17	191	3049	74809	10	
"	352	189	"	9 35	23 19	"	4567	4179	63	19	20	194	2658	74148	"	
"	353	188	"	9 55	23 39	"	5294	4844	34	10	20	197	3311	75071	"	
"	354	187	"	10 10	23 54	"	5542	5071	69	21	20	199	3547	75307	"	
"	355	186	"	10 25	24 09	"	6112	5592	68	21	20	201	4066	75826	"	
"	356	J. 185	"	11 35	25 19	"	6339	5800	56	17	20	210	4261	76021	"	
22	357	184	"	11 50	25 34	"	5666	5184	61	19	20	213	3644	75404	"	
"	358	182 ₁	"	12 16	26 00	"	5720	5234	100	31	20	216	3703	75463	"	
"	359	181 ₁	"	12 34	26 18	"	5372	4915	81	25	16	219	3371	75131	"	
"	360	180 ₁	"	12 57	26 41	"	5012	4586	74	23	16	222	3037	74797	"	
"	361	179 ₁	"	13 10	26 54	"	5293	4843	59	18	16	224	3287	75047	"	
"	362	178 ₁	"	13 27	27 11	"	5069	4638	91	28	16	226	3090	74850	"	
"	363	177 ₁	"	13 45	27 29	"	4667	4270	82	26	10	229	2711	74471	"	
"	301	177	"	14 35	28 19	"	4811	4402	69	21	3	235	3825	74585	"	
"	364	176 ₁	"	14 50	28 34	"	5208	4765	71	22	3	238	3186	74946	"	
"	302	176	"	15 00	28 44	"	5138	4701	69	21	3	239	3120	74880	"	
"	365	175 ₁	"	15 45	29 29	"	5105	4671	76	23	-3	245	3080	74840	"	
"	303	175	"	16 00	29 44	"	4739	4336	66	20	-3	247	2740	74500	"	
"	366	J. 174 ₁	"	16 20	30 04	"	4020	3678	58	18	-3	250	2077	73837	"	
"	367	1479	"	16 35	30 19	"	3262	2985	69	21	-8	252	1380	73140	"	
"	368	Nagoya	M.O.*	"	17 37	31 21	"	4865	4451	27	8	-11	261	2821	74581	"
"	"	"	"	19 04	32 48	"	4860	4447	27	8	-11	273	2805	74565	"	
"	"	303	VI 19	7 35	33 42	"	4894	4478	"	7	7	280	2738	74498	"	
"	"	369	"	8 29	34 29	"	4815	4406	65	20	7	287	982	72742	"	
"	370	1475	"	9 33	34 46	"	2623	2400	64	20	19	289	735	72495	"	
"	371	1473	"	9 59	35 12	"	2082	1905	51	16	19	293	-232	71992	"	
"	372	1471	"	10 16	35 29	"	1824	1669	25	8	19	295	-14	71746	"	
"	373	"	"	10 20	37 39	"	4045	3701	"	20	22	313	-	99	71661	"
23	1469	"	"	12 30	37 39	"	3955	3619	65	21	-	-	-	-	-	

* Meteorological Observatory Barometer Room, on the Floor.

"	374		1467	"	12 44	37 53	"	3784	3462	72	22	21	315	- 257	71503	"
"	375		1465	"	13 05	38 14	"	3587	3282	68	21	21	317	- 440	71320	"
"	376		1463	"	13 26	38 35	"	3347	3063	61	19	21	321	- 665	71095	"
"	377		1461	"	13 47	38 56	"	3040	2782	95	29	16	323	- 943	70817	"
"	378		1459	"	14 15	39 24	"	2865	2621	62	19	16	327	- 1118	70642	"
"	379		1457	"	14 32	39 41	"	2611	2389	67	21	9	330	- 1358	70402	"
"	380		1455	"	14 59	40 08	"	2750	2516	57	18	9	333	- 1237	70523	"
"	381		1453	"	15 31	40 40	"	3288	3009	53	16	2	338	- 758	71002	"
"	382		1451	"	15 53	41 02	"	4303	3937	104	32	2	341	- 183	71943	"
"	383		1449	"	16 28	41 37	"	4827	4417	86	27	2	346	- 653	72413	"
"	384		1447	"	16 46	41 55	"	5273	4825	81	25	- 5	348	1050	72810	"
"	385		1445	"	17 03	42 12	"	5367	4911	80	25	- 5	351	1133	72833	"
"	386		1482	"	17 35	42 44	"	5334	4881	86	27	- 9	355	1097	72857	"
"	Tsu		"	"	19 00	44 09	"	5383	4925	27	8	- 11	367	1108	72868	"
"	"		VI	20	7 30	"	"	5429	4968	"	"	- 5				
"	386	Tsu	1482	"	8 20	44 59	"	5373	4916	97	30	2	374	1078	72838	"
"	387		W.S.*	"	8 42	45 21	"	5246	4800	105	32	4	377	963	72723	"
"	388		1443	"	9 30	46 09	"	5435	4973	64	20	4	384	1117	72877	"
"	389		1441	"	9 55	46 34	"	4304	3938	54	17	11	387	83	71843	"
"	390		1459	"	10 13	46 52	"	3893	3562	67	21	11	390	- 292	71468	"
"	391		1437	"	10 33	47 12	"	3887	3557	64	20	17	392	- 294	71466	"
"	392		1435	"	10 50	47 29	"	4235	3875	62	19	17	395	20	71780	"
"	393		1433	"	11 10	47 49	"	3145	2878	69	21	17	397	- 977	70783	"
"	394		1431	"	11 35	48 14	"	1822	1667	46	14	21	401	- 2195	69565	"
"	"		"	"	11 40	44 49	"	3619	3311	"	"	21				
"	395		1429	"	12 05	48 39	"	1667	1525	57	18	21	405	- 3981	67779	11
"	396		1427	"	12 25	48 59	"	2958	2707	76	23	21	407	- 2796	68964	"
"	397		1425	"	14 20	50 54	"	4187	3831	67	21	19	423	- 1692	70068	"
"	398		1423	"	14 40	51 14	"	5777	5286	55	17	14	426	- 249	71511	"
"	399		1421	"	15 00	51 34	"	6391	5848	56	17	14	429	310	72070	"
"	"		"	"	"	"	"	"	"	"	"	"	"			
"	"	Ueno	1420	"	15 02	51 52	"	451	5495	5028	"	14	431	396	72156	"
"	"	400	1420	"	15 20	55 02	"	5587	5112	69	21	14	457	385	72145	"
"	"	400	1420	VI	21	18 30	"	5639	5160	27	8	- 10	466	401	72161	"
"	"		"	"	7 00	56 03	"	5698	5214	"	21	- 6				
"	"		"	"	8 01	56 03	"	5707	5222	68						

* Weather Station Seismometer Room, on the Surface of the Concrete Block for Seismometer Installation.

Table III. (Continued)

Pref.	No.	B.M.	Date 1951	Time	$\Sigma \delta T$	LD	SD	$0.9150 \times$ SD	h	$0.3086 \times$ h	$E.T.$	$8.31 \times$ $\sum \delta T$	Drift	g	Field Note No.	
23	401	1418	VI 21	8 21 h mm	56 23 8 41	451 " " "	5196 56 43	4754 " "	68 53	21 19	- 6 - 1	469 471	- 70 - 1	71690 72625	11	
"	402	1416	"	9 13	57 15	456	6220 6420	5691 5874	63	16	- 1	865 1046	- 476	72806	"	
25	403	1414	"	9 15	4884	4469	3816 " "	4171	47	15	- 1	1046	73458	"		
"	"	1412	"	9 33	57 33	"	4884	4469	"	"	- 1	5	479	1698		
"	405	1410	"	9 50	57 50	"	4592	4202	65	20	5	480	1435	73195	"	
"	406	1408	"	10 07	58 07	"	4816	4407	27	8	5	483	1625	73385	"	
"	407	1406	"	10 27	58 27	"	4888	4473	86	27	5	486	1707	73467	"	
"	408	1404	"	10 49	58 49	"	4974	4551	53	16	12	489	1778	73538	"	
"	409	1402	"	11 12	59 12	"	5003	4578	59	18	12	492	1804	73564	"	
"	410	10727	"	12 42	60 42	"	4525	4140	76	23	20	504	1367	73127	"	
"	411	1400	"	13 02	61 02	"	3790	3468	65	20	20	507	689	72449	"	
28	412	1398	"	14 35	62 35	"	3239	2964	63	19	16	520	167	71927	"	
"	"	"	VI 23	8 14	3489	3192	61	19	- 7	- 5	523	836	72596	"		
"	421	1396	"	8 31	62 52	"	4221	3862	62	19	- 5	523	836	72596	"	
"	422	1394	"	8 50	63 11	"	4516	4132	70	22	- 5	525	1107	72867	"	
"	423	1392	"	9 13	63 34	"	5257	4810	49	15	- 5	529	1774	73534	"	
"	424	1390	"	9 30	63 51	"	5748	5259	72	22	- 5	531	2228	73988	"	
"	425	1388	"	9 50	64 11	"	5967	5460	75	23	- 3	534	2429	74189	"	
"	426	1387	"	10 06	64 27	"	5845	5348	36	11	- 3	536	2303	74063	"	
26	427	1384	"	10 43	65 04	"	5687	5204	77	24	1	541	2171	73931	"	
"	428	1382	"	11 02	65 23	"	3272	2994	(60)	19	1	544	- 47	71713	"	
"	429	1383	"	11 15	65 36	"	3778	3457	60	19	1	545	415	72175	"	
"	430	1380	"	11 38	65 59	"	3370	3084	80	25	5	549	48	71808	"	
"	431	1378	"	11 54	66 15	"	3916	3583	79	24	5	551	544	72304	"	
"	432	246	"	12 12	66 33	"	3717	3401	106	33	5	554	368	72128	"	
"	433	244	"	12 42	67 03	"	3416	3126	122	38	9	558	98	71858	"	
"	434	234	"	13 09	67 30	"	3315	3033	117	36	9	561	0	71760	"	

Route 4, B.M. 1398—B.M. 241—Nara—B.M. 1398.

Pref.	No.	B.M.	Date 1951	Time	$\Sigma \delta T$	LD	SD	h ^m 0.9150 \times SD (cm)	h ^m 0.3086 \times h	8.48 × $\Sigma \delta T$ E.T. Drift	adjust- ment		$\Sigma \delta \theta$	g 979.	Field Note No.		
											8.48 × $\Sigma \delta T$ E.T. Drift	8.48 × $\Sigma \delta T$ E.T. Drift					
28	412		1398	VI 22	8 13	0 02	456	3339	3055	60	19	- 8	0	0	71927	11	
25	413		10732	"	9 15	1 25	"	4879	4464	73	23	- 5	8	52	1356	73283	"
"	414		10725	"	9 38	1 42	"	5017	4591	61	19	0	12	56	1476	73403	"
"	415		10723	"	9 55	1 42	"	4441	4064	54	17	0	14	37	964	72891	"
"	416		10721	"	10 20	2 07	"	4105	3756	71	22	0	18	26	668	7295	"
"	417		10719	"	10 40	2 27	"	4739	4336	60	19	6	21	47	1227	73154	"
"	418		10717	"	10 55	2 42	"	4027	3665	64	20	6	23	23	599	72526	"
"	321		241	"	13 15	5 02	"	4066	3721	56	17	15	42	24	621	72548	"
"	322	Kyôto Univ.	"*	"	13 33	5 20	"	3551	3249	27	8	17	45	6	157	72084	"
"	419		"	"	13 45	5 32	"	3729	3412	"	17	47	12	12	312	72239	"
"	420	Nara	1398	"	14 00	5 47	"	3799	3476	"	17	49	14	14	372	72299	"
"	28		"	"	18 31	10 18	"	3230	2955	27	8	- 3	87	- 7	- 186	71741	"
"	412		"	"	20 41	12 28	"	3457	3163	59	18	- 9	106	0	0	71927	"

16th Laboratory. Department of Fuel Chemistry, Kyôto University.

ASSA Laboratory Department of Geophysics, Kyôto University.

Table IV. Results along Route 5. (0.01 mgal.).
 Route 5 B.M. 234—B.M. 1482.

Pref.	No.	B.M.	Date 1951	Time	$\Sigma \delta T$	LD	SD	0.9150 \times h	0.3086 \times h	E.T.	$\sum \delta g$	Drift	g	Field Note No.	
								h	m	h	m				
26	304	234	VI 23	13 09	0 00	456	3315	3033	117	36	9	0	71760	11	
"	434	235 ²	"	13 27	18	"	2885	2640	110	34	9	3	-398	"	
"	435	237	"	13 43	34	"	2777	2541	133	41	12	6	-490	71270	
"	436	10697	"	14 11	1 02	"	2543	2327	102	31	12	9	-717	71043	
"	305	232	"	14 58	1 49	"	4156	3803	108	33	13	17	754	72514	
"	308	Suita	472	"	15 28	2 19	"	4607	4215	61	19	13	22	1147	72907
"			*	"	18 40	5 31	"	4712	4311	27	8	0	52	1189	72949
"	308		472	VI 24	7 00	"	4774	4368	"	"	-3			"	
"	435		237	"	10 44	9 15	"	4735	4333	64	20	0	88	1133	72893
"	437	Osaka	M.O.**	"	11 50	10 21	"	2923	2675	132	41	0	91	-507	71253
"	438		"***	"	12 04	10 35	"	3617	3310	27	8	4	98	92	71852
23	386		1482	"	16 50	15 21	"	3588	3283	67	21	9	145	1088	71836
								4328	4328	90	28				72848

* Suita Road Machine Operation Office, Entrance.

** Meteorological Observatory Seismometer Room, on the Surface of the Concrete Block for Seismometer Installation.

*** Meteorological Observatory Bench Mark.

Table V. Results along Route 6. (0.01 mgal.).

Route 61 B.M. 1482—Ôga—B.M. J. 1510—Kimoto—Shingû—Kushimoto—Shirahama—Tanabe—B.M. J. 9184
 B.M. 4910—B.M. J. 273—Ôsaka—B.M. 234—B.M. 246.

Pref.	No.	B.M.	Date 1951	Time	$\Sigma \delta T$	LD	SD	(cm)	0.9150	h	0.3086	$E.T.$	$\frac{6.87}{\Sigma \delta T}$	g	Field Note No.
									$\frac{h}{m}$	$\frac{h}{m}$	$\frac{h}{m}$	Drift	$\Sigma \delta g$	979.	
23	386		1482	VI 25	8 43	0 00	456	4845	4433	88	27	- 2	0	72848	12
"	439		1484	"	8 58	0 15	"	4976	4553	62	19	- 2	2	110	72958
"	440		1486	"	9 22	39	5159	4720	51	16	- 2	5	271	73119	
"	441		1488	"	9 42	59	6142	5620	59	18	- 2	7	1171	74019	
"	"		"	"	9 45	463	3043	2784	"	"	- 2			"	
"	442		1490	"	10 20	1 34	"	3245	2969	65	20	- 2	11	1354	74202
"	443		1492	"	10 35	1 49	"	3270	2992	77	24	- 1	12	1381	74229
"	444		1494	"	10 49	2 03	"	2386	2183	86	27	- 1	14	573	73421
"	445		1496	"	11 00	2 14	"	2743	2510	71	22	- 1	15	894	73742
"	446		1498	"	11 18	2 32	"	2658	2432	65	20	- 1	17	812	73660
"	447		1500	"	11 38	2 52	"	2396	2192	55	17	0	20	567	73415
"	448		1502	"	13 12	4 26	"	2226	2037	63	19	3	30	407	73255
"	449		1504	"	13 30	4 44	"	2256	2064	48	15	3	32	428	73276
"	450		1506	"	13 52	5 06	"	2050	1876	69	21	5	35	245	73093
"	451		1508	"	14 10	5 24	"	2365	2164	50	15	5	37	525	73373
"	Ôga		VI 26	19 46	11 00	"	2545	2329	27	8	- 2	76	637	73485	"
"	"		"	8 20	"	"	2600	2379	"	"	4	4	118	494	73343
"	451		1508	14 30	17 10	458	2486	2275	44	14	"	1	118	494	73343
"	"		"	14 33	"	"	4718	4317	"	"	2	2	120	294	73142
"	452		J. 1510	14 55	17 32	"	4494	4112	68	21	"				"
"	"		VI 27	8 05	458'	4630	4236	70	22	5	2	136	482	73330	"
"	451		1508	10 18	19 45	"	4864	4451	44	14	4	4	139	61	72999
"	461		4737	10 48	20 15	"	4411	4036	29	9	4	4	141	- 613	72235
"	462		4739	11 08	20 35	"	3660	3349	78	24	4	4	144	- 1398	71450
"	463		4741	11 32	20 59	"	2812	2573	69	21	1	1			"

Table V. (Continued)

Pref.	No.	B.M.	Date 1951	Time	$\Sigma \delta T$	LD	SD	$0.9150 \times$ SD	h \times h	$0.3086 \times$ h	E.T.	$\frac{6.87}{\Sigma \delta T} \times$ Drift	$\Sigma \delta g$	g	Field Note No.
23	464	4743	VI 27	11 52	21 19	458	2984	2730	48	15	1	146	-1249	71599	12
"	465	4745	"	14 08	23 35	"	2599	2378	49	15	-2	162	-1620	71228	"
"	466	4747	"	14 39	24 06	"	2061	1886	63	19	-2	165	-2111	70737	"
"	467	4750	"	15 37	25 04	"	1559	1426	8	2	-1	172	-2394	70254	"
"	"	"	"	15 40	449	5553	5081	"	"	"	"	"	"	"	"
"	468	4753	"	16 14	25 38	"	5038	4610	61	19	-1	176	-3052	69796	"
"	469	4755	"	16 38	26 02	"	4289	3924	65	20	-1	178	-3739	69109	"
"	470	4756	"	16 53	26 17	"	3358	3073	74	23	-1	181	-4590	68288	"
"	"	"	"	17 00	453	1568	1435	"	"	"	"	"	"	"	"
"	470R ₁	"	"	17 15	26 32	"	2526	2311	"	"	-1	182	-3738	69110	"
"	"	"	"	17 19	456	1221	1117	"	"	"	"	"	"	"	"
"	470R ₂	"	"	17 32	26 45	"	2176	1991	"	"	"	"	"	"	"
"	470R ₃	"	"	17 47	27 00	"	4989	4565	"	"	"	"	"	"	"
"	"	"	"	17 51	464	1416	1236	"	"	"	"	"	-291	72557	"
"	471	4759	"	18 08	27 17	"	2062	1887	17	5	1	187	303	73151	"
"	"	"	"	18 34	27 43	"	2223	2034	80	25	1	190	467	73315	"
"	472	4761	VI 28	8 20	"	2280	2086	74	23	9	"	"	"	"	"
"	"	"	"	8 36	27 59	"	1372	1255	43	13	8	192	-377	72471	13
"	473	4762	"	8 55	28 18	"	1806	1652	-29	-9	8	194	-4	72844	"
"	474	4764	"	9 27	28 50	"	2103	1924	49	15	8	198	-288	73136	"
"	"	4766	"	"	"	"	6252	5721	"	"	"	"	"	"	"
"	476	4769	"	9 54	29 17	"	2371	2169	125	39	7	201	553	73401	"
"	"	4771	"	10 17	29 40	"	1980	1812	73	23	7	204	177	73025	"
"	4772	4772	"	10 32	29 55	"	2139	1957	-18	-6	4	205	289	73137	"
"	4774	4774	"	10 44	30 07	"	0451	0413	68	21	4	207	-1230	71618	"
"	"	"	"	10 58	451	6252	5721	"	"	"	"	"	"	"	"
"	480	4776	"	12 35	31 44	"	7557	6915	55	17	0	218	-55	72793	"
"	"	"	"	12 38	455	5784	5292	"	"	"	"	"	"	"	"
"	481	4777	"	12 51	31 57	"	6294	5759	99	31	0	220	424	73272	"
"	482	W.S.*	"	13 17	32 23	"	5988	5479	27	8	0	222	119	72967	"
"	483	4779	"	14 33	33 39	"	5219	4775	52	16	-3	231	-589	72259	"

* Weather Station Seismometer Room, on the Surface of the Concrete Block for Seismometer Installation.

"	484		4780	"	14 50	33 56	"	4013	3672	38	12	- 3	233	- 1698	71150	"
"	484R ₁			"	15 09	34 15	"	1262	1155	"	- 3	235	- 4229	68619	"	
"	484R ₂			"	15 14	442	7088	6486	"	- 3	235	- 4229	68619	"		
"	"			"	16 01	35 02	"	0800	0732	"	- 2	240	- 9987	62861	"	
"	"			"	16 04	428	7050	6451	"	- 2	240	- 9987	62861	"		
"	485		4784	"	16 15	35 13	"	2436	2229	13	4	- 2	242	- 14207	58641	"
"	"			"	16 18	422	5099	4666	"	- 2	242	- 14207	58641	"		
"	486		4785	"	16 35	35 30	"	2148	1965	- 6	- 2	- 2	244	- 16916	55932	"
"	"			"	16 39	426	0415	0380	"	- 2	246	- 12294	60554	"		
"	487		4787	"	17 04	35 55	"	5450	4987	48	15	- 2	246	- 12294	60554	"
"	"			"	17 07	36 18	437	0530	0485	"	- 2	249	- 8350	64498	"	
"	488		4789	"	17 30	444	1691	1547	54	17	- 1	252	- 6996	65852	"	
"	"			"	17 33	"	3181	2911	34	10	- 1	252	- 6816	66032	"	
"	489		4791	"	17 56	36 41	"	3368	3082	70	22	- 1	255	- 6816	66032	"
"	"		4794	"	18 28	37 13	"									
"	"			"	18 31	37 33	448	1578	1444	"	- 1	258	- 4287	68561	"	
"	490R ₁			"	18 51	444	4369	3998	54	17	- 1	258	- 4287	68561	"	
"	"			"	18 53	456	0795	0727	54	17	- 1	258	- 4287	68561	"	
"	491		4798	"	19 17	37 57	"	4780	4374	64	20	- 1	261	- 623	72225	"
"	"			"	19 40	38 20	"	4803	4395	27	8	- 2	263	- 617	72231	"
"	"			"	VII 29	11 45	"	4855	4442	"	5	5	265	- 626	72222	"
"	491		4798	"	11 58	38 33	"	4836	4425	58	18	5	268	- 314	72534	"
"	492		4800	"	12 22	38 57	"	5179	4739	61	19	5	268	- 314	72534	"
"	"			"	12 27	463	2063	1888	61	19	5	270	- 210	72638	"	
"	493		4802	"	12 45	39 15	"	2194	2008	26	8	2	270	- 210	72638	"
"	"			"	13 03	39 33	"	1768	1618	- 47	- 15	2	272	- 625	72223	"
"	494		4804	"	13 23	39 53	"	1886	1726	66	20	2	274	- 484	72364	"
"	495		4806	"	13 43	40 13	"	1899	1738	75	23	- 1	281	- 474	72374	"
"	496		4808	"	14 21	40 51	"	2006	1835	27	8	- 1	281	- 397	72451	"
29	497		4810	*	15 19	41 49	"	2080	1903	80	25	- 4	287	- 321	72527	"
"	498															
"	"	Shingū		"	18 30	45 00	"	2087	1910	27	8	- 4	309	- 353	72495	"
"	499		VII 30	"	7 00	"	2154	1971	"	6	17	13	320	- 196	72652	"
"	497		J. 4810	"	8 35	46 35	"	2320	2123	55	17	13	322	- 383	72465	"
"	500		4967	"	8 55	46 55	"	2128	1947	27	8	13	324	- 694	72154	"

* Broadcasting Room, Shingū High School.

Table V. (Continued)

Pref.	No.	B.M.	Date 1951	Time	$\Sigma \delta T$	L.D.	SD	$0.9150 \times SD$ (cm)	$h \times \hbar$	0.3086 $\times \hbar$	E.T. Drift	$\Sigma \delta g$	g 979.	Field Note No.	
29	501	4969	VI 30	9 31 h m	47 31 9 54	463	2625	2402	80	25	14	326	- 86	72934 13	
"	502	4972	"	9 54	47 54	"	2492	2280	51	16	14	329	- 48	72800 "	
"	503	4975	"	10 43	48 20	"	3567	3264	56	17	14	332	- 934	73782 "	
"	504	4977	"	11 23	48 43	"	3906	3576	56	17	13	334	- 1243	74091 "	
"	505	4979	"	"	"	"	4426	4050	53	16	13	339	- 1711	74559 "	
"	506	4981	"	11 42	49 42	"	4525	4140	58	18	10	341	- 1798	74646 "	
"	507	4983	"	12 03	50 03	"	5092	4659	140	43	10	344	- 2339	75187 "	
"	508	4985	"	12 35	50 35	"	5299	4849	- 60	- 6	6	347	- 2473	75321 "	
"	509	4987	"	14 22	52 22	"	5243	4797	59	- 18	1	360	- 2427	75275 "	
"	510	Shionomisaki W.S.*	"	15 48	53 48	"	3877	3547	- 42	- 13	- 6	369	- 1130	73978 "	
"	511	Kushimoto	9221	"	16 25	54 25	"	5378	4921	81	25	- 6	373	- 2538	75386 "
"	"	"	"	19 00	57 00	"	5502	5034	27	8	- 5	391	- 2617	75465 "	
"	"	"	VII 1	7 30	57 21	"	5553	5081	27	8	6	394	- 2530	75378 "	
"	"	"	9221	"	7 51	"	5438	4976	80	25	10	397	- 1979	74827 "	
"	"	"	"	8 18	57 48	"	4809	4400	171	53	10	397	- 2617	75465 "	
"	"	"	9219	"	"	"	"	"	"	"	"	"	"	"	
"	513	9216	"	8 44	58 14	"	4534	4149	59	18	13	400	- 1693	74541 ≈	
"	514	9214	"	9 14	58 44	"	3900	3569	65	20	13	403	- 1112	73960 "	
"	515	9213	"	9 35	59 05	"	3483	3187	232	72	15	406	- 781	73629 "	
"	516	9211	"	9 57	59 27	"	2896	2650	55	17	15	408	- 187	73035 "	
"	517	9209	"	10 37	60 07	"	2157	1974	132	41	13	413	- 472	72376 "	
"	518	9207	"	11 15	60 45	"	0971	0888	16	5	13	417	- 1598	71250 14	
"	"	"	"	11 20	61 33	450	6775	6199	"	13	"	"	"	"	
"	519	9205	"	12 08	61 55	"	6677	6109	22	7	10	423	- 1695	71153 "	
"	520	9203	"	12 30	61 55	"	6705	6135	98	30	10	425	- 1648	71200 "	
"	521	9201	"	14 40	64 05	"	6634	6070	59	18	0	440	- 1750	71098 "	

* Weather Station, on Concrete Corridor.

"	522		9197	"	16	28	65	53	"	5743	5255	61	19	- 5	452	- 2581	70267	"
"	523		9191	"	18	18	67	43	"	4947	4527	76	23	- 8	465	- 3321	69527	"
"	524		9189	"	18	36	68	01	"	4876	4462	47	15	- 8	467	- 3396	69452	"
"	Shirahama		"		19	17	68	42	"	3679	3366	27	8	- 8	472	- 4504	68344	"
"	"				2	7	40		"	3757	3438	"	22	16	14	- 3286	69562	"
"	525	Tanabe	Shirahama M.B.S.*	"	11	50	72	52	"	4147	3795	27	8	14	500	- 4169	68679	"
"	"		VII	3	14	37	75	39	"	4906	4489	27	8	0	520	- 3509	69339	"
"	524	"	9189	"	8	00	79	09	"	5009	4583	"	5	14	537	- 3439	69409	"
"	526	"	9188	"	10	30	78	09	"	5086	4654	50	15	14	539	- 3286	69562	"
"	527	J.	9186	"	11	11	78	50	"	5383	4925	55	17	16	541	- 3168	69680	"
"	528		9184*	"	11	30	79	09	"	4958	4537	100	31	16	544	- 3545	69303	"
"	529		4930	"	11	52	79	31	"	5062	4632	62	19	16	546	- 3464	69384	"
"	530		4932	"	12	15	79	54	"	4964	4542	86	27	16	549	- 3549	69299	"
"	531		4927	"	14	22	82	01	"	4783	4376	50	15	9	563	- 3748	69100	"
"	532		4925	"	14	43	82	22	"	4419	4043	54	17	3	566	- 4088	68760	"
"	533		4923	"	15	30	83	09	"	3341	3057	55	17	3	571	- 5079	67769	"
"	534		4921	"	15	52	83	31	"	3781	3460	51	16	- 2	573	- 4684	68164	"
"	535		4919	"	16	52	84	31	"	3739	3421	50	15	- 6	580	- 4735	68113	"
"	536		4917	"	17	30	85	09	"	4428	4052	97	30	- 6	585	- 4094	68754	"
"	537		4915	"	17	53	85	32	"	4078	3731	66	20	- 8	587	- 4429	68419	"
"	538		4913	"	18	14	85	53	"	4069	3723	80	25	- 8	590	- 4435	68413	"
"	539		4911	"	18	34	86	13	"	4390	4017	101	31	- 9	592	- 4138	68710	"
"	540		4910	"	18	55	86	34	"	4303	3937	62	19	- 9	595	- 4233	68615	"
"	"		"		6	9	25		"	449	5166	4727	65	20	3		15	15
"	556		4908	"	9	52	87	01	"	4831	4420	51	16	8	597	- 4541	68307	"
"	557		4905	"	10	28	87	37	"	5008	4582	55	17	8	601	- 4382	68466	"
"	558		4903	"	10	53	88	02	"	3850	3523	54	17	13	604	- 5439	67409	"
"	559		4898	"	13	34	90	43	"	5835	5339	51	16	15	623	- 3641	69207	"
"	560		"		14	04	91	13	"	6174	5649	78	24	15	626	- 3326	69522	"

* Marine Biological Station Oceanographic Laboratory, on the Stand for Chemical Balances.

** Seismometer Room, Taikyū High School.

Table V. (Continued)

Pref.	No.	B.M.	Date 1951	Time	$\Sigma \delta T$	LD	SD	$0.9150 \times$ SD	h	$0.3086 \times$ h	$E.T.$	$6.87 \times$ $\sum \delta T$ Drift	$\Sigma \delta y$	g	Field Note No.
29	561	4896	VII 6	14 37 h m	91 46 h m	449	6320	5783	54	17	12	630	-3206	69642	15
"	562	4895	"	14 49	91 58	"	6409	5864	62	19	12	632	-3125	69723	"
"	563	4893	"	15 05	92 14	"	6577	6018	68	21	12	633	-2970	69878	"
"	564	4891	"	15 21	92 30	"	6549	5992	58	18	12	635	-3001	69847	"
"	565	4889	"	15 45	92 54	"	6422	5876	4	1	8	638	-3141	69707	"
"	566	4887	"	16 05	93 14	"	6754	6180	76	23	8	640	-2817	70031	"
"	567	4885	"	16 07	93 34	458	2757	2523	"	8	8	643	-3840	69008	"
"	568	4883	"	16 27	93 59	"	1649	1509	54	17	8	645	-2924	69924	"
"	569	4881	"	17 15	94 22	"	2660	2434	49	35	11	648	-2931	69917	"
"	570	F. 33	"	17 43	94 50	"	2965	2713	54	17	-2	651	-2654	70194	"
"	571	4877	"	18 04	95 11	"	3292	3012	73	23	-2	654	-2352	70456	"
"	573	J. 273	VII 7	11 10	"	"	3354	3169	71	22	9	656	-3101	69747	"
"	"	"	VII 14	11 29	95 30	"	2537	2321	75	23	9	656	-3101	69747	16
"	580	1583	"	13 33	96 07	"	4486	4105	52	16	-4	660	-1663	71185	"
"	615	269	"	14 05	96 39	"	3456	3162	69	21	-4	664	-2605	70243	"
"	616	268	"	14 48	97 22	"	2437	2230	70	22	-5	669	-3542	69306	"
26	Osaka	"	"	19 43	102 17	"	5483	5017	27	8	-3	702	-800	72048	"
"	619	"	VII 15	8 15	"	"	5535	5065	"	"	15	727	-783	72065	"
"	304	234	"	10 10	104 12	"	5199	4757	115	35	15	715	-1094	71754	"
"	432	246	"	10 48	104 50	"	5614	5137	104	32	11	719	-725	72123	"
"	617	248	"	11 14	105 16	"	5418	4957	83	26	11	723	-915	71933	"
"	618	250	"	11 35	105 37	"	5225	4808	122	38	6	725	-1059	71789	"
"	619	252	"	11 53	105 55	"	5567	5094	96	30	6	727	-783	72065	"
"	620	254	"	12 11	106 13	"	4940	4520	45	14	6	729	-1375	71473	"
"	621	256	"	12 31	106 33	"	4706	4306	105	32	2	732	-1578	71270	"
"	622	258	"	12 53	106 55	"	4280	3916	50	15	2	734	-1987	70861	"
"	623	260	"	13 12	107 14	"	3742	3424	60	19	2	736	-2477	70371	"
"	624	262	"	13 33	107 35	"	3568	3265	55	17	-3	739	-2646	70202	"

"	625		263	"	13 47	107 49	"	3555	3253	81	25	- 3	740	- 2651	70197	"
"	626		265	"	14 10	108 12	"	2107	1928	53	16	- 3	743	- 3988	68860	"
29	627		266	"	14 25	108 27	"	1264	1157	29	9	- 3	745	- 4768	68080	"
26	625		263	"	14 55	108 57	"	3578	3274	82	26	- 6	748	- 2640	70208	"
"	624		262	"	15 10	109 12	"	3599	3293	46	14	- 6	750	- 2635	70213	"
"	623		260	"	15 30	109 32	"	3780	3459	63	19	- 6	752	- 2466	70382	"
"	621		256	"	16 00	110 02	"	4763	4358	102	31	- 7	755	- 1559	71289	"
"	619		252	"	16 30	110 32	"	5646	5166	97	30	- 7	759	- 756	72092	"
"	432		246	"	16 57	110 59	"	5690	5206	101	31	- 9	762	- 720	72128	"

Route 6₂ B.M. J. 1510—B.M. 1533—Miyamae—B.M. J. 1510.

Pref. No.	B.M.	Date 1951	Time	$\Sigma \delta T$	LD	SD	0.9150 $\frac{h}{x}$ SD	0.3086 $\frac{h}{x}$ (cm)	E.T.	6.56 x $\sum \delta T$	Drift	$\Sigma \delta y$	g 979.	Field Note No.		
23	452	J.	1510	VI 26	14 55 0 00	458	4494	4112	68	21	2	0	0	73142	12	
"	453	J.	1513	"	15 25 0 30	"	4455	4076 (40)	12	2	3	- 48	73094	"		
"	454		1515	"	15 45 0 50	"	3377	3090	55	17	3	5	- 1030	72112	"	
"	455		1518	"	16 15 1 20	"	3012	2756	48	15	3	9	- 1370	71772	"	
"	456		1521	"	17 05 2 10	"	2303	2107	54	17	3	14	- 2022	71120	"	
"	457		1524	"	17 35	2 40	"	1776	1625	53	16	3	18	- 2509	70633	"
"	458		1527	"	18 00	3 05	"	1089	996	59	18	3	20	- 3138	70004	"
"	"		"	"	18 05	4 50	"	4659	4263	"	"	3	25	- 4583	68559	"
"	459		1530	"	18 45 19 20	3 45 4 20	"	3092	2829	41	13	2	25	- 5784	67358	"
"	460		1533	"			"	1772	1621	75	23	2	28			
"	458		1527	"	20 15	5 15	"	4690	4291	60	19	0	35	- 3127	70015	"
"	"		"	"	20 18	4 58	"	1141	1044	"	"	0	0			
"	Miyamae		"	"	23 10	8 07	"	2509	2296	27	8	- 6	53	- 1910	71232	"
"	452	J.	1510	VI	27	6 55 9 17	"	2547	2331	"	"	6	61	0	73142	"
						8 05	"	4630	4236	70	22	5	61			

Route 6₃ B.M. 4910—B.M. J. 9184—Hongū—B.M. 4830—B.M. 9184—Gobō—B.M. 4910.

Pref.	No.	B.M.	Date 1951	Time	$\Sigma \delta T$	LD	SD	$0.9150 \times \frac{\delta T}{SD}$	h	$0.3086 \times \frac{h}{\delta T}$	$E.T.$	$8.35 \times \frac{\delta T}{Drift}$	$\Sigma \delta g$	g	Field Note No.	
29	540	J. 4910	VII 4	8 ^h 00 ^m	450	4358	3988	66	20	1	0	68615	14			
"	528	9184	"	10 10	0 08	5089	4656	99	31	12	672	69287	"			
"	526	9188	"	11 05	3 03	5389	4931	71	22	16	934	69549	"			
"	541	4939	"	12 00	3 58	2843	2601	33	10	17	33	-1414	67201	"		
"	"	"	"	12 05	441	6898	6312	"	"	17						
"	542	4937	"	13 36	5 29	2448	2240	44	14	12	46	-5500	63115	"		
"	543	"	"	13 40	7 24	445	0676	0619	"	12	12	-				
"	"	4942	"	15 35	7 24	6435	5888	8	2	1	62	-	68345	"		
"	544	"	"	15 42	443	7295	6675	"	"	1	- 4	70	-3979	64636	"	
"	"	4951	"	16 41	8 23	3227	2980	3	1	-						
"	545	4953	"	17 10	8 52	0754	0690	70	22	- 4	74	-6252	62363	"		
"	"	"	"	17 14	441	1643	1503	"	"	- 4						
"	546	4955	"	17 38	9 16	0846	0774	77	24	- 7	78	-6986	61629	"		
"	547	4957	"	18 14	9 52	4443	4065	41	13	- 7	83	-3711	64904	"		
"	548	4959	"	18 53	10 31	6803	6225	27	8	- 9	88	-1563	67052	"		
"	"	"	"	"	"	"	"	"	"	-						
"	549	4962	"	19 00	455	0548	0501	"	"	- 9						
"	550	4964	"	19 27	10 58	3235	2960	50	15	- 9	92	899	69514	"		
"	551	4826	"	19 49	11 20	4437	4060	40	12	- 8	94	1995	70610	"		
"	552	4827	"	20 16	11 47	5661	5180	62	19	- 8	98	3118	71733	"		
"	Hongū	"	"	20 37	12 08	4947	4527	39	12	- 6	101	2457	71072	"		
"	"	"	"	"	"	"	"	"	"	-						
"	552	4827	VII 5	21 11	12 42	4181	3826	27	8	- 6	106	1747	70362	"		
"	553	4829	"	10 10	13 12	4231	3871	"	"	8						
"	554	4830	"	10 32	13 34	4993	4569	46	14	8						
"	"	"	"	10 49	13 51	4599	4208	65	20	13						
"	548	4959	"	12 39	15 41	4465	4085	47	15	13						
"	544	"	"	12 44	449	0620	0567	26	8	16	131	-1574	67041	"		
"	543	4951	"	13 47	16 44	0671	3291	1	0	16	14	139	-3989	64626	"	
"	528	4942	"	14 46	17 43	4738	4335	28	9	10	148	-	272	68343	"	
"	"	9184	"	17 48	20 45	5811	5317	99	31	- 5	174	691	69306	"		

	555	533	536	539	Gōjō	"	540	4910	VII 6	9 00	9 25	24 49	"	5260	4813	"	65	20	3	207	0	68615	15
"	4923	4917	4911	"	"	*	"	18 56	21 53	"	5868	5369	27	8	- 8	183	768	69323	"	"	"	"	"
"	4917	4911	"	4910	"	"	"	19 46	22 43	"	4179	3824	63	19	- 8	189	- 832	67783	"	"	"	"	"
"	4911	"	"	"	"	"	"	20 36	23 33	"	5224	4780	55	197	- 7	197	- 153	68768	"	"	"	"	"
"	"	"	"	"	"	"	"	21 17	24 14	"	5194	4753	101	31	- 7	202	97	68712	"	"	"	"	"
"	"	"	"	"	"	"	"	21 27	24 24	"	5200	4758	27	8	- 7	204	77	68692	"	"	"	"	"

* Second Step from Bottom Entrance, Civil Engineering Branch Station at Tanabe.

Rout 6₄ B.M. J. 273—B.M. 279—Shinwakanoura—Kamichi—B.M. 1539—Gōjō—B.M. 4847—Gōjō—Shinwakanoura—B.M. J. 273.

Pref.	No.	B.M.	Date 1951	Time	$\Sigma \delta T$	LD	SD	0.9160 \times SD	h \times SD	cm	E.T.	$\Sigma \delta T$	Drift	$\Sigma \delta g$	g 979.	Field Note No.	
29	573	J. 273	VII 7	11 29 ^m 0 00 ^m	458	2537	2321	75	23	9	0	- 0	69747	15			
"	574	274	"	11 45 ^m 0 16 ^m	"	2420	2214	73	23	12	3	- 107	69640	"			
"	575	276	"	12 10 ^m 0 41 ^m	"	1790	1638	58	18	12	7	- 692	69055	"			
"	576	278	"	12 29 ^m 1 00 ^m	"	2233	2043	57	18	12	10	- 290	69457	"			
"	577	279	"	12 45 ^m 1 16 ^m	"	2228	2039	51	16	15	12	- 295	69452	"			
"	Shinwakanoura		VII 9	15 55	4 26	"	2768	2533	27	8	7	42	153	69900	"		
"	"		273	8 30	"	3029	2772	"	"	- 4							
"	573	"	9	9 37	5 33	"	2876	2632	69	21	- 2	53	17	69764	"		
"	578	"	271	9 45	5 41	"	3423	3132	54	17	- 2	54	512	70239	"		
"	579	"	1585	9 59	5 55	"	3752	3433	56	17	- 2	56	811	70558	"		
"	580		1583	"	10 30	6 26	"	4456	4077	48	15	- 2	61	1448	71195	"	
"	581		1582	"	10 44	6 40	"	4447	4069	59	18	- 1	64	1443	71190	"	
"	582		1580	"	12 12	8 08	"	3973	3635	32	10	4	77	991	70738	"	
"	583		1578	"	12 30	8 26	"	3561	3258	66	20	4	80	621	70368	"	
"	584		1576	"	13 27	9 23	"	3654	3343	63	19	7	90	698	70445	"	
"	585		1575	"	14 03	9 59	"	3987	3648	35	11	9	95	992	70739	"	
"	586		1573	"	14 20	10 16	"	3254	2977	137	42	9	98	349	70096	"	
"	587		1572	"	14 33	10 29	"	3309	3028	56	17	9	100	373	70120	"	
"	588		1569	"	14 58	10 54	"	2705	2475	49	15	9	104	- 186	69561	"	
"	589		1567	"	15 21	11 17	"	3268	2990	35	11	9	108	- 321	70068	"	

Tabel V. (Continued)

Pref.	No.	B.M.	Date 1951	Time	$\Sigma \delta T$	SD	0.9150 \times SD	h	0.3086 \times h	E.T.	$9.54 \times$ $\Sigma \delta T$	Drift	$\Sigma \delta g$	g	Field Note No.	
29	590		1565	VII 9	15 56 h m	11 52 h m	458	2877	2632	74	23	8	114	- 32	69715 15	
28	591		1563	"	16 17 h m	12 13 h m	"	3032	2774	61	19	8	116	- 104	69851 "	
"	592	J. 1562	"	16 35 h m	12 31 h m	"	3298	3018	38	12	6	119	- 336	70083 "		
"	593	1560	"	16 58 h m	12 54 h m	"	2998	2743	58	18	6	123	- 63	69810 "		
"	594	1558	"	17 16 h m	13 12 h m	"	3393	3105	58	18	6	126	- 422	70169 "		
"	595		1556	"	17 48 h m	13 44 h m	"	3324	3041	59	18	2	131	- 349	70096 "	
"	596	Kamichi	1554	"	18 03 h m	13 59 h m	"	3124	2858	55	17	2	134	- 162	69909 "	
"	"		"	19 05 h m	15 01 h m	"	2938	2688	27	8	- 2	143	- 30	69717 "		
"	596		1554	VII 10	9 00 h m	"	2978	2725	"	"	- 3	146	- 153	69900 "		
"	597		1552	"	9 40 h m	15 41 h m	"	1885	1725	62	19	- 2	150	- 1025	68722 "	
"	598		1549	"	10 05 h m	16 06 h m	"	1295	1185	46	14	- 2	154	- 1574	68173 "	
"	599		1546	"	10 30 h m	16 31 h m	"	1403	1284	64	20	- 2	157	- 1472	68275 "	
"	"		"	"	10 48 h m	16 48 h m	"	7220	6606	"	"	0	0	160	- 1637	68110 "
"	600		1544	"	11 05 h m	16 48 h m	"	7041	6443	67	21	0	160	- 1637	68110 "	
"	601		1542	"	11 21 h m	17 04 h m	"	5802	5309	60	19	0	163	- 2776	66971 "	
"	602		1540	"	11 40 h m	17 23 h m	"	3970	3633	49	15	3	166	- 4456	65291 16	
"	603		1539	"	11 54 h m	17 37 h m	"	2914	2666	55	17	3	168	- 5423	64324 "	
"	599		1546	"	12 33 h m	18 16 h m	"	7235	6638	66	20	6	175	- 1452	68295 "	
"	"		"	"	12 38 h m	18 16 h m	"	3657	3346	"	"	6	6	"	"	
"	596		1554	"	14 26 h m	20 04 h m	"	5463	4999	52	16	8	192	182	69929 "	
"	594		1558	"	14 55 h m	20 33 h m	"	5731	5244	68	21	8	197	427	70174 "	
"	592	J. 1562	"	15 38 h m	21 16 h m	"	5678	5195	47	15	7	203	365	70112 "		
"	Gojō	"	"	19 00 h m	24 38 h m	"	5591	5116	27	8	0	235	240	69987 "		
"	"		VIII 11	7 30	"	"	5690	5206	"	"	2	"	"	"	"	
"	592		J. 1562	"	8 27 h m	25 35 h m	"	5837	5341	39	12	1	244	369	70116 "	
"	604		4875	"	8 47 h m	25 55 h m	"	4731	4329	70	22	- 1	247	- 638	69109 "	
"	605		4873	"	9 09 h m	26 17 h m	"	4375	4003	25	8	- 1	251	- 982	68765 "	
"	606		4856	"	11 52 h m	29 00 h m	"	0698	0639	30	9	0	277	- 4370	65377 "	
"	"		"	"	11 55 h m	444	4759	4354	"	"	"	"	"	"	"	

"	607		4853	"	13 07	30 12	"	4233	3873	47	15	2	288	-4854	64893	"	
"	608		4847	"	14 07	31 12	"	6733	6161	40	12	3	298	-2578	67169	"	
"	609		4858	"	15 41	32 46	"	3114	2849	57	18	5	313	-5897	63850	"	
"	610		4860	"	15 59	33 04	"	2830	2589	63	19	5	316	-6159	63588	"	
"	611		4862	"	16 18	33 23	"	2140	1958	85	26	5	319	-6786	62961	"	
"	612		4864	"	16 42	33 43	"	2358	2158	50	15	4	322	-6601	63146	"	
"	"	612R	"	"	17 13	34 14	"	7246	6630	"	"	4	326	-9324	60423	"	
"	"	613R ₁	"	"	17 17	34 31	"	4291	3926	"	"	4	326	-11736	58011	"	
"	"	613R ₂	"	"	17 34	34 31	"	427	6978	6385	"	"	2	329	-4031	65716	"
"	"	"	"	"	17 38	34 51	434	1213	1110	"	"	2	333	-8705	61042	"	
"	"	"	"	"	17 58	34 01	443	4550	4163	"	"	2	336	-4031	65716	"	
"	"	"	"	"	18 22	35 12	453	5645	5165	"	"	2	336	-4031	65716	"	
"	"	"	"	"	18 25	453	1161	1062	"	"	"	2	336	-4031	65716	"	
"	592		J. 1562	"	19 20	36 07	"	5931	5427	41	13	-1	345	335	70082	"	
"	Gojō		"	"	21 13	38 00	"	5799	5306	27	8	-6	363	186	69933	"	
"	"		VIII12	"	14 15	38 56	"	5903	5401	"	-1	0	371	-53	69694	"	
29	590		1565	"	15 11	38 56	"	5635	5156	69	21	8	-1	406	151	69888	"
"	Shinwakanoura		"	"	18 46	42 31	"	5912	5469	27	"	"	12	12	670	70417	"
"	"	"	VII14	"	9 13	9 19	"	6164	5640	"	"	"	12	12	670	70417	"
"	"	"	"	"	10 56	44 08	460	3029	2772	"	"	"	6	421	507	70254	"
"	572		Wakayama P.O.*	"	12 34	45 46	"	3620	3312	27	8	-1	437	507	69747	0	"
"	614		Wakayama W.S.**	"	12 56	46 08	"	3467	3172	27	8	-1	440	0	69747	"	"
"	573		J. 273	"	"	"	"	2900	2654	72	22	-1	"	"	"	"	"

* Wakayama Prefecture Office.

** Weather Station, Outdoor Seismometer Pier.

Table VI. Results along Route 7. (0.01 mgol.).
Route 7. B.M. 213—Kinomoto—B.M. 196.

Pref.	No.	B.M.	Date 1951	Time	$\Sigma \delta T$	SD*	0.9150 \times SD	h \times (cm)	0.3086 \times h	E.T.	$7.62 \times$ $\sum \delta T$ Drift	$\Sigma \delta g$	g 979.	Field Note No.	
24	326	Ôtsu	213 P.O.**	XII 4	8 51 ^{h m} 8 56 9 20 9 34	0 00 0 05 29 41	1807 1866 3149 3281	1653 1707 2881 3002	85 27 84 50	26 8 26 15	-3 -3 -3 -6	0 1 4 5	70325 70360 69484 69590	26 " " " "	
"	1042		1301	"	9 20	29	0892		"	"	-3	1	35	70360	"
"	1043		1301	"	9 22	29	0892		"	"	-3	4	-841	69484	"
"	1044		1303	"	9 34	41	3281		"	"	-3	5	-735	69590	"
"	1045		1305	"	9 52	59	3470	3175	98	30	-6	8	-550	69775	"
"	1046		1307	"	10 05	1 12	3780	3459	52	16	-6	9	-281	70044	"
"	1047		1309	"	10 21	1 28	3764	3444	57	18	-6	11	-296	70029	"
"	1048		1311	"	10 33	1 40	3635	3326	47	15	-7	13	-420	69905	"
"	1049		1313	"	10 50	1 57	3388	3100	55	17	-7	15	-646	69679	"
"	1050		1315	"	11 02	2 09	4178	3823	88	27	-7	17	85	70410	"
"	1051		1317	"	11 13	2 20	4805	4397	51	16	-7	18	647	70972	"
"	1052		1320	"	11 32	2 39	4133	3782	66	20	-8	8	32	70357	"
"	1053		1322	"	11 43	2 50	4872	4458	56	17	-8	21	705	71030	"
"	1054		1324	"	12 03	3 10	5408	4948	56	17	-8	24	1192	71517	"
"	1055		1326	"	12 15	3 22	5745	5257	51	16	-8	26	1498	71823	"
"	1056		1328	"	13 14	4 21	6080	5563	73	23	-6	34	1805	72130	"
"	1057		1331	"	13 32	4 39	5195	4753	26	8	-4	36	980	71305	"
"	1058		1333	"	14 02	5 09	5858	5360	67	21	-4	40	1596	71921	"
"	"		"	"	14 06	4021	3679	"	"	-4					
"	1059		10504	"	15 45	6 48	5016	4590	59	18	-1	52	2495	72820	"
"	1060		10506	"	16 00	7 03	5347	4893	54	17	-1	54	2795	73120	"
"	1061		10508	"	16 15	7 18	5009	4583	52	16	-1	56	2482	72807	"
"	Kinomoto		"	"	16 44	7 47	5102	4668	27	8	-1	59	2556	72881	"
"	"		XII 5	8 35			5191	4750	"	"	-4				

* The large dial was removed. Main spring resetting was made by a screw driver.
** Shiga Prefecture Office.

"	1062	10502	"	9 22	8 34	5334	4881	62	19	- 4	65	2692	73017	"
"	1063	10500	"	9 36	8 48	5634	5155	48	15	- 3	67	2961	73286	"
"	1064	10498	"	9 54	9 06	5654	5173	75	23	- 3	69	2985	73310	"
"	1065	10495	"	10 32	9 44	4791	4384	63	19	- 6	74	2184	72509	"
"	1066	10493	"	10 46	9 58	3903	3571	77	24	- 6	76	1374	71699	"
"	1067	10491	"	10 58	10 10	4031	3688	53	16	- 6	78	1481	71806	"
"	1068	Ibukiyama W.S.*	"	11 16	10 28	3909	3577	27	8	- 6	80	1380	71685	"
"	345	196	"	13 50	13 02	4432	4055	42	13	- 6	99	1824	72149	"

* Weather Station Seismometer Room, on the Surface of the Concrete Block for Seismometer Installation.

Route 8₁ Kyôto—B.M. 241—B.M. 1257—Fukuchiyama—No. 880—Miyazu—B.M. 1229—Mineyama—No. 1039—Kyôto.

Pref.	No.	B.M.	Date 1951	Time	$\Sigma \delta T$	SD	0.9150 \times SD	h (cm)	0.3086 \times h	E.T.	$\frac{3.68}{\sum \delta T}$ Drift	$\sum \delta g$	g 979.	Field Note No.
25	Kyôto	XI 29	9 04 ^m	0 00 ^m	2767	2532	27		8	- 8	0	0	72371	24
"	321	241	"	9 10	0 06	2963	2711	45	14	- 8	0	185	72556	"
"	975	1298	"	9 42	38	3548	3246	87	27	- 5	2	734	73105	"
"	976	1296	"	10 00	56	2915	2667	59	18	- 5	3	145	72516	"
"	977	1293	"	10 20	1 16	0650	0595	101	31	- 5	5	-1916	70455	"
"	978	1291	"	10 36	1 32	2707	2477	57	18	- 2	6	- 45	72326	"
"	979	1289	"	10 55	1 51	2738	2505	51	16	- 2	7	- 20	72351	"
"	980	1287	"	11 05	2 01	2724	2492	64	20	- 2	7	- 29	72342	"
"	981	1285	"	11 24	2 20	3242	2966	44	14	- 2	8	- 438	72809	"
"	982	1283	"	11 35	2 31	3724	3407	70	22	- 1	9	- 887	72358	"
"	983	1281	"	11 55	2 51	3950	3614	93	29	- 1	11	1099	73470	"
"	984	1278	"	12 10	3 06	2870	2626	71	22	- 1	11	104	72475	"
"	985	1275	"	12 50	3 46	2967	2715	55	17	- 2	14	184	72555	"
"	986	1273	"	13 05	4 01	3204	2932	49	15	- 2	15	398	72769	"
"	987	1270	"	13 25	4 21	4298	3933	58	18	- 2	16	1401	73772	"

Table VII. (Continued)

Pref.	No.	B.M.	Date 1951	Time	$\Sigma \delta T$	SD	h \times SD (cm)	0.9150 \times h	0.3086 \times h	3.68 \times			g 979.	Field Note No.
										Drift	$\Sigma \delta T$	$E.T.$		
25	988	1268	XI 29	13 ^h 35 ^m	4 31	4832	4421	57	18	- 5	17	1885	74256	24
"	989	1265	"	14 00	4 56	6046	5532	72	22	- 5	18	2999	75370	"
"	990	1263	"	14 20	5 16	6726	6154	53	16	- 5	20	3613	75984	"
"	"	"	"	14 25	4 014	3673	"	"	"	- 5	20	4366	76737	"
"	991	1261	"	14 30	5 21	4834	4423	60	19	- 5	20	4366	76737	"
"	992	1259	"	14 50	5 41	5438	4976	69	21	- 8	21	4917	77288	25
"	993	1257	"	15 50	6 41	6292	5757	72	22	- 10	25	5693	78064	"
"	Fukuchiyama	"	"	18 15	6 51	6363	5767	71	22	- 9	25	5269	77640	"
"	"	"	"	18 25	6 51	5835	5357	27	8	- 9	25	5269	77640	"
"	999	1365	"	10 15	8 15	7445	6812	67	21	- 7	31	8408	80779	"
"	"	"	"	10 20	8 30	3515	3216	"	"	- 7	31	8408	80779	"
"	1000	1363	"	10 35	8 30	1775	1624	62	19	- 5	31	6816	79187	"
"	1001	1361	"	10 55	8 50	3237	2962	65	20	- 5	32	8154	80625	"
"	1002	1359	"	11 05	9 00	2550	2333	57	18	- 5	33	7522	79893	"
25.17	880	P.B.*	"	11 15	9 10	1595	1459	27	8	- 5	34	6637	79008	"
25	1003	Maizuru M.O.**	"	11 46	9 41	2745	2512	27	8	- 3	36	7690	80061	"
"	1004	"	"	11 57	9 52	2688	2460	27	8	- 3	36	7638	80009	"
"	1005	***	"	13 20	11 15	3334	3051	27	8	- 3	42	8223	80594	"
"	1006	"	"	13 55	11 50	3519	3220	47	15	- 4	43	8397	80768	"
"	1007	1368	"	14 25	12 20	4210	3852	66	20	- 4	45	9032	81403	"
"	1008	1370	"	14 35	12 30	4044	3700	60	19	- 7	46	8875	81246	"
"	1009	F. 11	"	14 55	12 50	2982	2729	50	15	- 7	47	7899	80270	"
"	1010	1375	"	15 15	13 10	2879	2634	54	17	- 7	49	7804	80175	"
"	1011	***	"	16 10	14 05	3873	3544	75	23	- 9	52	8715	81086	"

* Prefecture Boundary.

** Marine Observatory, on Concrete Road.

*** Marine Observatory Seismometer Room, on the Surface of the Concrete Block for Seismometer Installation.

**** Marine Observatory, Entrance to the Main Building.

***** Ground Level Entrance, Civil Engineering Branch Station at Miyazu.

"	1012		1241	"	16 25	14 20	3833	3507	67	21	- 9	53	8675	81046	"
"	1013		1239	"	16 40	14 35	4508	4125	83	26	-11	54	9295	81666	"
"	1014		1237	"	16 55	14 50	4459	4080	67	21	-11	54	9245	81616	"
"	1015		10460	"	18 00	15 55	3094	2831	57	18	-10	59	7989	80360	"
"	1016		1235	"	18 15	16 10	3733	3416	90	28	-10	60	8583	80954	"
"	Miyazu			"	19 03	16 58	4020	3678	27	8	- 8	63	8824	81195	"
"	"			XII 1	8 20	4097	3749	"	22	- 9	68	9528	81899	"	"
"	1017		1233	"	9 07	17 45	3423	3132	54	17	-10	66	8212	80583	"
"	1018		1231	"	9 22	18 00	4241	3881	135	42	-10	66	8986	81357	"
"	1019		1229	"	9 36	18 14	4854	4441	96	30	- 9	67	9534	81905	"
"	"	Mineyama		"	17 18	18 21	4878	4463	71	22	- 9	68	9528	81899	"
"	"			XII 2	8 45	4887	4472	27	8	- 9	71	7410	79781	"	"
"	1036		10463	"	9 35	19 11	4998	4573	"	-14	- 9	72	6635	79006	"
"	1037		10466	"	10 00	19 36	2710	2480	-45	19	- 9	72			"
"	1038		10468	"	10 25	20 01	1169	1070	60	19	- 9	74	6030	78401	"
"	"		"	"	10 27	23 14	7508	6870	"	8	- 9	85	4882	77253	"
"	1039		*	"	13 40	6271	5738	27	"	- 3	90	333	72704	"	"
"	"			"	13 50	7464	6830	"	71	22	- 3	90			"
"	1040		1277	"	15 08	24 32	2483	2272							"
"	320	Kyôto	W.S.*	"	16 51	26 15	2691	2462	27	8	- 7	97	498	72869	"
"	1041	Kyôto	242	"	17 10	26 34	2511	2298	107	33	- 7	98	358	72729	26
"				"	17 30	26 54	2149	1966	27	8	- 7	99	0	72371	"

* Right Side Entrance, Civil Engineering Branch Station at Ayabe.

** Weather Station Seismometer Room, on the Surface of the Concrete Block for Seismometer Installation.

Route 8₂ B.M. 1257—B.M. 1245—B.M. 1257.

Pref.	No.	B.M.	Date 1951	Time	$\Sigma \delta T$	$\frac{h}{SD}$	$0.9150 \frac{h}{SD}$	$0.3086 \frac{h}{SD}$	$4.58 \times \frac{\sum \delta T}{E.T.}$	adjust- ment	$\sum \delta g$	g 979.	Field Note No.	
25	993	1257	XI 29	15 50 ^{h m}	0 00	6292	5757	72	-10	0	0	78064	25	
"	994	1255	"	16 00	10	6877	6292	48	-10	1	-64	591	"	
"	995	1253	"	16 15	25	6443	5895	48	-10	2	-16	145	"	
"	996	1251	"	16 30	40	6648	6083	45	-10	3	-38	353	"	
"	997	1249	"	16 45	55	6260	5728	64	-11	4	-4	-40	"	
"	27	998	1247	"	17 00	1 10	6073	5557	53	16	5	26	77826	"
		950	1245	"	17 15	1 25	5533	5233	40	12	6	307	75216	"
		993	1257	"	18 15	2 25	6303	5767	71	22	-9	0	78064	"

Route 8₃ B.M. 1229—Kawanashi Pass (No. 959)—B.M. 10476—B.M. 1229.

Pref.	No.	B.M.	Date 1951	Time	$\Sigma \delta T$	$\frac{h}{SD}$	$0.9150 \frac{h}{SD}$	$0.3086 \frac{h}{SD}$	$E.T.$	$\frac{1.82 \times}{\sum \delta T}$ Drift	$\sum \delta g$	g 979.	Field Note No.	
25	1019	1229	XII 1	9 36 ^{h m}	0 00	4854	4441	96	30	-9	0	0	81905	25
"	1020	10477	"	9 57	21	5085	4653	74	23	-9	1	204	82109	"
"	1021	10479	"	10 53	1 17	6299	5764	50	15	-7	2	1308	83213	"
"	1022	10481	"	11 07	1 31	6256	5724	100	31	-7	3	1283	83188	"
"	1023	10483	"	11 36	2 00	5486	5020	65	20	-5	4	569	82474	"
"	1024	10486	"	12 06	2 30	5692	5208	221	68	-5	5	804	82709	"
"	1025	10488	"	12 21	2 45	5642	5162	71	22	-5	5	712	82617	"
"	1026	1218	"	12 35	2 59	5503	5035	81	25	-4	5	589	82494	"
"	1027	1216	"	13 28	3 52	3971	3633	153	47	-4	7	793	81112	"
27	959	Kawanashi Pass P.B.*	"	13 41	4 05	1009	0923	56	17	-3	7	-3532	78373	"
25	1028	1221	"	14 29	4 53	4650	4255	61	19	-3	9	-200	81705	"
"	1029	1223	"	14 47	5 11	3556	3254	72	22	-5	9	-1200	80705	"
"	1030	1225	"	14 58	5 22	2405	2201	88	10	-5	10	-2249	79656	"
"	1031	1227	"	15 10	5 34	4078	3731	54	17	-5	10	-729	81176	"
"	1032	10470	"	15 34	5 58	5185	4744	63	19	-7	11	283	82188	"

* Kawanashi Pass Prefecture Boundary.

"	1033		10472	"	15 48	6 12	6183	5657	66	20	- 7	11	1197	83102	"
"	1034		10474	"	16 00	6 24	6720	6149	70	22	- 7	12	1690	83595	"
"	1035		10476	"	16 13	6 37	6533	5978	87	27	- 7	12	1524	83429	"
"	1019		1229	"	17 18	7 42	4878	4463	71	22	- 9	14	0	81905	"

Route 9₁ B.M. J. 1164—Kawanashi Pass No. 959—Yōka—B.M. 1137—Yōka—B.M. J. 1164.

Pref.	No.	B.M.	Date	Time	$\Sigma \delta T$	SD	$0.9150 \frac{h}{SD}$	h	$0.3086 \frac{x}{h}$	E.T.	$7.96 \times \frac{\sum \delta T}{Drift}$	$\Sigma \delta g$	g	Field Note No.	
27	953	J. 1164	XI 26	15 ^h 43 ^m 0 00	6278	5744	51	16	- 7	0	0	78223	24		
"	954	1204	"	16 21 38	6941	6351	51	16	- 7	5	602	78825	"		
"	"	"	"	16 25	3973	3635	"	"	- 4	8	1257	79480	"		
"	955	1207	"	16 44 57	4690	4291	49	13	- 4	10	1908	80131	"		
"	956	1209	"	16 57	5406	4946	41	13	- 4	11	2400	80623	"		
"	957	1211	"	17 10	5944	5439	41	13	- 4	13	2886	81109	"		
"	958	1213	"	17 22	6475	5925	48	15	- 4	15	150	78373	"		
"	959	Kawanashi Pass P.B. Toyooka W.S.*	"	17 40	3150	2882	64	20	0	19	2073	80296	"		
"	960	"	"	18 12	2 25	5597	5121	27	8	0	20	2062	80285	"	
"	961	"	"	18 16	2 29	5572	5098	69	21	0	20	-	-	"	
"	Yōka	"	XI 27	19 35	3 48	3323	3041	27	8	11	30	-	7	78216	"
"	"	1162	"	9 02	4 14	3451	3139	"	- 1	33	- 1105	77118	"		
"	962	1160	"	9 28	4 26	2220	2031	69	21	- 1	35	- 2271	75952	"	
"	963	"	"	9 40	0946	0866	67	21	0	0	0	-	-	"	
"	"	"	"	9 43	5027	4600	"	"	-	-	-	-	-	"	
"	964	1158	"	9 57	4 40	4038	3635	61	19	0	37	- 3180	75043	"	
"	965	1157	"	10 06	4 49	3416	3126	51	16	0	38	- 3753	74470	"	
"	966	1153	"	10 52	5 35	1332	1219	64	20	0	45	- 5663	72560	"	
"	967	1151	"	11 10	5 53	3512	3213	54	17	0	47	- 3674	74549	"	
"	968	1149	"	11 35	6 18	4571	4182	30	9	- 1	50	- 2717	75506	"	

* Weather Station Seismometer Room, on the Surface of the Concrete Block for Seismometer Installation.

** Weather Station Bench Mark.

Table VIII. (Continued)

Pref.	No.	B.M.	Date 1951	Time	$\Sigma \delta T$	SD	0.9150 \times h	h	0.3086 \times h	$E.T.$	$7.95 \times$ $\sum \delta T$ Drift	$\Sigma \delta g$	g	Field Note No.	
27	969		1147	XI 27	11 47 6 30	5284	4835	48	15	-1	52	-2060	76163	24	
"	970		1145	"	12 20 7 03	0104	0095	72	22	-2	56	-6798	71425	"	
"	971		1143	"	12 40 7 23	3504	3206	63	19	-5	59	-3636	74527	"	
"	972		1141	"	13 00 7 43	7231	6616	57	18	-5	61	-289	77934	"	
"	973		1137	"	15 20 10 03	6411	5866	31	10	-9	80	-1070	77153	"	
"	974	Yōka	1139	"	15 24 15 38	4024	3682	"	"	-9	10	82	1100	79323	"
"	"		"	"	20 30 15 09	6339	5846	60	19	-10	121	-23	78200	"	
"	953		J. 1164	XI 28	9 13 9 40	5195 5233	4753 4843	27	8	-5	10	5	0	78223	"
"	"		"	"	15 36 15 36	5308	4857	55	17	-2	124	0	0	78223	"

Route 9₂ B.M. 422—Himeji—B.M. 1245—B.M. 1164—B.M. 422.

Pref.	No.	B.M.	Date 1951	Time	$\Sigma \delta T$	SD	0.9150 \times h	h	0.3086 \times h	$E.T.$	$7.95 \times$ $\sum \delta T$ Drift	$\Sigma \delta g$	g	Field Note No.	
27	919	Himeji	422	XI 25	17 00 17 08	7190	6579	68	21	-1	0	0	0	74703	23
"	"	Himeji	XI 26	"	8 47 9 08	7198 4053	6586 3708	27	8	-1	1	-	7	74696	"
"	931		"	"	9 14	29 35	3802 3803	27 71	27 3480	8	2	4	-239	74464	"
"	932		"	"	"	"	"	22	2	2	5	-225	74478	"	
"	933		1200	"	9 37 9 49	3499	3202	40	12	1	8	-517	74186	"	
"	934		1198	"	10 13 10 30	1 10 1 34	3016 3335	65	20	1	9	-952	73751	"	
"	935		1196	"	10 55	1 51 2 16	2810 2673	58	18	1	12	-665	74038	"	
"	936		1194	"	"	"	"	47	15	1	14	-1151	73552	"	
"	937		1192	"	"	"	"	74	23	0	17	-1272	73431	"	

* Weather Station Seismometer Room, on the Surface of the Concrete Block for Seismometer Installation.
 ** Weather Station Bench Mark.

"	938		1190	"	11.07	2 28	1650	1510	68	21	0 19	-2212	72491	"
"	"		"	"	11.09	2 41	6053	5538	"	24	0 20	-2395	72308	"
"	939		1188	"	11.22	2 54	5850	5353	77	21	-2 22	-2879	71824	"
"	940		1186	"	11.35	2 54	5329	4876	68	19	-2 23	-3943	70760	24
"	941		1184	"	11.48	3 07	4169	3815	61	19				
"	942		1182	"	12.00	3 19	2087	1910	56	17	-2 25	-5852	68351	"
"	943		1180	"	13.01	4 20	4097	3749	80	25	-6 33	-4017	70686	"
"	944		1178	"	13.16	4 35	6258	5726	93	29	-6 35	-2038	72665	"
"	945		1176	"	13.28	4 47	7133	6527	63	19	-6 36	-1248	73455	"
"	"		"	"	13.31	3434	3142	"	"	-8				
"	946		1174	"	13.40	4 56	3379	3092	76	23	-8 37	-1295	73408	"
"	947		1172	"	13.53	5 09	5106	4672	74	23	-8 39	-283	74986	"
"	948		1170	"	14.08	5 24	6546	5990	68	21	-8 41	1597	76300	"
"	949		1243	"	14.26	5 42	5841	5345	46	14	-8 43	943	75646	"
"	950		1245	"	14.43	5 59	5376	4919	43	13	-9 45	513	75216	"
"	"		"	"	14.45	2988	2734	"	"	-9				
"	951		1168	"	15.20	6 34	4861	4448	66	20	-9 50	2229	76932	"
"	952		1166	"	15.32	6 46	5824	5329	74	23	-7 52	3113	77816	"
"	953		1164	"	15.43	6 57	6278	5744	51	16	-7 53	3520	78223	"
"	"		"	XI 28	9 40	5308	4857	55	17	-2				
"	919		422	"	12.15	9 32	1476	1351	67	21	-1 72	0	74703	"

Route 9₃ B.M. 422—Funasaka Pass (No. 930)—B.M. 422.

Pref.	No.	B.M.	Date	1951	Time	$\Sigma \delta T$	SD	$0.9160 \times$ SD	h	$0.3086 \times$ SD	$E.T.$	$6.13 \times$ $\Sigma \delta T$	Drift	$\Sigma \delta g$	g	Field Note No.
27	919	422	XI 25	10 44 ^m	0 00 ^m	2942	2692	68	21	-1	0	74703	23			
"	920	421	"	10 55	11	2787	2550	51	16	-1	1	-148	74555	"		
"	921	F 23	"	11 12	28	1433	1311	42	13	-1	3	-1392	73311	"		
"	922	417	"	11 30	46	1982	1814	82	26	-1	5	-878	73825	"		
"	923	415	"	11 55	1 11	2073	1897	56	17	-4	7	-809	73894	"		

Table VIII. (Continued)

Pref.	No.	B.M.	Date 1951	Time	$\Sigma \delta T$	SD	$0.9150 \times$ SD	h (cm)	$0.3086 \times$ h	$E.T.$	$6.13 \times$ $\sum \delta T$ Drift	$\Sigma \delta g$	g 979.	Field Note No.
27	924	413	XI 25	13 ^h 36 ^m	2 ^h 52 ^m	2099	1921	67	21	- 8	18	- 796	73907	23
"	925	410	"	14 02	3 18	1453	1329	58	18	- 8	20	- 1393	73310	"
"	926	408	"	14 22	3 38	1214	1111	54	17	- 8	22	- 1614	73089	"
"	927	406	"	14 36	3 52	1243	1137	57	18	- 7	24	- 1588	73115	"
"	"	"	"	14 40	"	5449	4986	"	"	- 7	"	"	"	"
"	928	404	"	14 56	4 08	5140	4703	47	15	- 7	25	- 1875	72828	"
"	929	402	"	15 08	4 20	4304	3938	60	19	- 7	26	- 2637	72066	"
27.32	930	Funasaka Pass P.B.*	"	15 20	4 32	2469	2259	27	8	- 7	28	- 4329	70374	"
27	919	422	"	17 00	6 12	7190	6579	68	21	- 1	38	0	74703	"

* Funasaka Pass Prefecture Boundary.

Table IX. Results along Route 10. (0.01 mgal.).
Route 10₁ Kôbe (No. 897)—Kakogawa—B.M. 422—Kôbe (No. 897).

Pref.	No.	B.M.	Date 1951	Time	$\Sigma \delta T$	SD	$0.9150 \times$ SD	h (cm)	$0.3086 \times$ h	$E.T.$	$3.96 \times$ $\sum \delta T$ Drift	$\Sigma \delta g$	g 979.	Field Note No.
27	897	Kôbe	XI 24	14 ^h 57 ^m	0 00	4065	3719	27	8	- 7	0	0	71466	23
"	906	P. O.*	"	15 41	44	4313	3946	67	21	- 5	3	239	71705	"
"	907	451	"	16 00	1 03	4324	3956	79	24	- 5	4	251	71717	"
"	908	449	"	16 16	1 19	4510	4127	55	17	- 5	5	414	71880	"
"	909	447	"	16 34	1 37	5358	4903	78	24	- 3	6	1198	72664	"
"	"	445	"	"	"	"	"	"	"	"	"	"	"	"
"	910	443	"	16 46	1 49	5749	5260	64	20	- 3	7	1550	73016	"
"	911	441	"	17 13	2 16	5695	5211	86	27	- 3	9	1506	72972	"
"	912	439	"	17 28	2 31	5014	4588	56	17	- 3	10	872	72338	"
"	913	436	"	18 02	3 05	4621	4228	51	16	- 1	12	513	71979	"
"	914	434	"	18 23	3 26	5202	4760	56	17	1	13	1045	72511	"

* Hyôgo Prefecture Office.

"	915		432	"	XI 25	3 52	5733	5264	44	14	5	15	1548	73014	"	
"	Kakogawa		429	"	XI 25	4 12	5865	5366	27	8	3	17	1642	73108	"	
"	916	"	427	"	XI 25	8 36	5964	5457	"	"	3	19	1745	73211	"	
"	917	"		"	XI 25	9 07	4 43	6072	5556	45	3	20	2431	73897	"	
"						9 23	4 59	6817	6238	62	19	3				
"															"	
"	918	"	425	"	XI 28	9 25	2054	1879	"	"	3	21	2882	74348	"	
"	919	"	422	"	XI 28	9 40	5 14	2547	2331	69	21	- 1	25	3237	74703	"
"	897	"			Kôbe P. O.	10 44	6 18	2942	2692	68	21	- 1	25	3237	74703	24
"						12 18	5543	5072	67	"	- 10	42	0	71466	"	
"						16 36	10 36	2058	1874	27	8					

Route 10₂ Kôbe (No. 897)—B.M. 465—Kôbe (No. 897).

Pref.	No.	B.M.	Date	Time	$\Sigma \delta T$	SD	0.9150 SD	h (cm)	0.3086 h	E.T.	$4.07 \times$ Drift	$\Sigma \delta g$	g 979.	Field Note No.		
27	897	Kôbe	XI 24	9 36	0 00	4029	3687	27	8	3	0	0	71466	23		
"	898		"	10 40	1 04	3321	3039	40	0	4	-	623	70843	"		
"	899		"	10 59	1 23	3148	2880	60	19	0	6	-	70661	"		
"	900		"	11 30	1 54	3696	3382	61	19	- 3	8	-	71158	"		
"	901		"	11 44	2 08	3572	3268	48	15	- 3	9	-	427	71039	"	
"	902		465	"	12 15	2 39	3956	3620	93	29	- 3	11	- 63	71403	"	
"	903		456	"	14 09	4 33	3019	2762	65	20	- 7	19	-	942	70524	"
"	904		455	"	14 27	4 51	3342	3058	52	16	- 7	20	-	651	70815	"
"	905		453	"	14 44	5 08	3862	3534	60	19	- 7	21	-	173	71293	"
"	897	Kôbe	P. O.	"	14 57	5 21	4065	3719	27	8	- 7	22	0	71466	"	

C. TSUBOI, A. JITSUKAWA and H. TAJIMA

Route 10 ₃ Kōbe (No. 3631)—No. 3635—B.M. 284—Kōbe (No. 3668).										Field Note No.			
Pref.	No.	B.M.	Date 1953	Time	$\Sigma \delta T$	SD	$0.9150 \times SD$	h $0.3086 \times h$	E.T.	$5.39 \times \sum \delta T$	Drift	$\sum \delta g$	g 979.
27	3631	Kōbe	P.O. 447	IV 1	10 ^h 37 ^m 00	1987	1818	27	8	10	0	0	71466 70
"	3632		445	"	13 19	2423	2226	59	18	13	15	406	71872 "
"	3633		445	"	13 37	300	2995	76	23	12	16	1178	72644 "
"	3634		443	"	13 52	315	3672	61	19	12	18	1537	73003 "
"	3635	Akashi Harbour	"	14 27	3 50	3645	3335	27	8	12	20	1499	72965 "
"	3636	Iwaya Harbour	"	15 41	5 04	4056	3711	55	17	2	27	1867	73333 "
"	3637	Ura Harbour	"	16 11	5 34	2834	2593	27	8	2	30	737	72203 "
"	3638 ₁	Kariya Harbour	"	16 33	5 56	2087	1910	27	8	-3	32	47	71513 "
"	3638 ₂	"	"	16 38	5944	5944	"	"	"	-3	35	-157	71309 "
"	3639	Sano Harbour	"	17 10	6 28	5725	5238	27	8	-3	35	-157	71309 "
"	3640	Shioda Harbour	"	17 38	6 56	5578	5104	27	8	-7	37	-297	71169 "
"	3641	284	"	18 12	7 30	3512	3213	27	8	-7	40	-2191	69225 "
"	3667 ₂	IV	3	18 11	"	1776	1625	"	"	"	55	8	0 71466 "
"	3668	Kōbe	P.O.	20 51	10 10	4195	3838	27	8	-5	55	8	0 71466 "

Route 104 B.M. 284-B.M. 280-B.M. 286-B.M. 298-B.M. 295-B.M. 281

Pref.	No.	B.M.	Date	1953	Time	$\Sigma \delta T$	SD	$0.9150 \times SD$	h	$0.3086 \times h$	$E.T.$	$2.57 \times \Sigma \delta T$	Drift	$\Sigma \delta g$	g	Field Note No.
27	3641	284	IV	2	10 08	0 00	3616	3309	27	8	2	0	0	69275	70	
"	3643	283	"	"	10 22	14	3530	3230	29	9	2	1	-79	69196	"	
"	3644	280	"	"	10 47	39	3078	2816	67	21	2	2	-477	68798	"	
"	3645	281	"	"	11 02	54	2838	2597	49	15	2	2	-702	68573	"	
"	3646	282	"	"	11 19	11	3126	2860	69	21	2	2	-434	68841	"	

"	3647	Sumoto	W.S.*	"	11 56	1 48	1029	0942	27	8	12	5	-2362	66913	"
"	3648		286	"	13 37	3 29	4207	3849	44	14	13	9	-548	69823	"
"	3649		289	"	14 17	4 09	2710	2480	76	23	13	11	-814	68461	"
"	3650		290	"	14 30	4 22	2510	2297	79	24	11	11	-998	68277	"
"	3651		291	"	14 41	4 33	1995	1825	27	8	11	12	-1487	67788	"
"															
"	3652		292	"	15 00	4 52	1969	1802	42	13	11	13	-1506	67769	"
"	3653		294	"	15 19	5 11	2295	2100	64	20	11	13	-1201	68074	"
"	3654		298	"	15 56	5 48	2287	2093	74	23	7	15	-1211	68064	"
"	3655		295	"	16 31	6 23	2863	2620	55	17	2	16	-696	68579	"
"	3666		IV 3	17 07	3040	2782	60	19	6						
"	3667.1		284	"	18 05	7 21	3821	3496	27	8	2	19	0	69275	"

* Weather Station Seismometer Room, on the Surface of the Concrete Block for Seismometer Installation.

(23) Mie Prefecture.




Fig. 2. Gravity Stations in Mie Prefecture.

Table X. Synoptic Results for Mie Prefecture (I).

B.M.	No.	φ	λ	H (m)	Date 1951	g 979.	g_0'' 979. 979.	HELMER Formula of 1901		International Formula					
								$\Delta g_0''$ (mgal.)	$\Delta g_0''$ (mgal.)	$\Delta g_0''$ (mgal.)	$\Delta g_0''$ (mgal.)				
1416	402	34° 13' 36"	136° 03' 9"	129.17	V1 21	72625	7517	7100	56.1	41.7	7257	40.4	26.0		
1418	401	45.9	03.9	182.91	"	71690	7734	7529	64.1	43.6	7250	48.4	27.9		
1418	400	45.4	05.8	147.92	"	72161	7673	7507	57.4	40.8	7256	41.7	25.1		
1420	400	45.8	08.0	"	V1 20	72156	7672	7507	57.3	40.8	"	41.6	25.1		
"	"	"	"	"	"	72070	7645	7486	53.6	37.7	7265	38.0	22.1		
1421	399	46.5	08.6	141.91	"	"	"	"	"	"	"	"	"		
1423	398	47.9	10.1	148.19	"	71511	7608	7443	7128	48.0	31.5	7285	32.3	15.8	
1425	397	48.9	12.1	176.61	"	70068	7552	7354	7143	40.9	21.1	7299	25.3	5.5	
1427	396	50.1	14.2	209.68	"	68964	7544	7309	7159	38.5	15.0	7316	22.8	- 0.7	
1429	395	50.5	16.8	280.53	"	67779	7644	7330	7165	47.9	16.5	7322	32.2	0.8	
1431	394	50.4	18.7	203.13	"	69565	7583	7356	7164	41.9	19.2	7320	26.3	3.6	
1433	393	50.5	21.0	149.41	"	70783	7539	7372	7165	37.4	20.7	7322	21.7	5.0	
1435	392	51.1	22.9	94.47	"	71780	7470	7364	7174	29.6	19.0	7330	14.0	3.4	
1437	391	50.1	24.6	63.64	"	71466	7343	7272	7159	18.4	11.3	7316	2.7	- 4.4	
1439	390	48.4	25.6	73.71	"	71468	7374	7292	7135	23.9	15.7	7292	8.2	- 0.8	
1441	389	47.6	27.8	40.11	"	71843	7308	7263	7124	18.4	13.9	7281	2.7	- 1.8	
J.	1443	388	46.0	29.4	15.44	"	72877	7335	7318	7102	23.3	21.6	7258	7.7	6.0
J.	1445	385	44.6	31.0	0.90	V1 19	72893	7292	7291	7082	21.0	20.9	7239	5.3	5.2
J.	1447	384	46.0	31.8	2.29	"	72810	7288	7286	7102	18.6	18.4	7258	3.0	2.8
J.	1449	383	47.7	33.4	2.14	"	72413	7248	7246	7126	12.2	12.0	7282	- 3.4	- 3.6
J.	1451	382	49.0	35.0	1.42	"	71943	7199	7144	5.3	5.3	7301	- 10.2	- 10.4	
	1453	381	50.8	35.8	11.23	"	71002	7135	7122	7169	- 3.4	- 4.7	7326	- 19.1	- 20.4
	1455	380	52.5	35.2	9.14	"	70523	7081	7070	7193	- 11.2	- 12.3	7350	- 26.9	- 28.0
	1457	379	54.4	36.0	8.54	"	70402	7067	7057	7220	- 15.3	- 16.3	7377	- 31.0	- 32.0
	1459	378	56.5	36.0	2.37	"	70642	7072	7069	7250	- 17.8	- 18.1	7406	- 33.4	- 33.7
	1461	377	58.0	37.8	3.26	"	70817	7092	7088	7271	- 17.9	- 18.3	7427	- 33.5	- 33.9
	1463	376	59.9	39.1	1.10	"	71095	7113	7112	7298	- 18.5	- 18.6	7454	- 34.1	- 34.2
	1465	375	01.8	39.7	6.36	"	71320	7152	7145	7325	- 17.3	- 18.0	7481	- 32.9	- 33.6
	1467	374	03.2	41.3	1.23	"	71503	7154	7153	7345	- 19.1	- 19.2	7501	- 34.7	- 34.8
	1469	373	04.6	41.2	5.58	"	71661	7183	7177	7365	- 18.2	- 18.8	7521	- 33.8	- 34.4

Synoptic Results for Mie Prefecture (II).

B.M.	No.	φ	λ	H (m)	Date 1951	g	g_0	g_0''	HELMERT Formula of 1901			International Formula			
									γ_0	Δg_0 (mgal.)	$\Delta g_0''$ (mgal.)	γ_0 (mgal.)	Δg_0 (mgal.)	$\Delta g_0''$ (mgal.)	
Tsu W. S.* 1484	386	34° 42.6'	136° 30.8'	1.85	VI 19	72857	7291	7289	7054	23.7	23.5	7211	8.0	7.8	
	"	"	"	"	VI 20	72838	7290	7287	"	23.6	23.3	"	7.9	7.6	
	387	42.1	31.2	3.60	VI 20	72848	7291	7288	"	23.7	23.4	"	8.0	7.7	
	439	40.7	30.8	1.64	VI 25	72958	7301	7299	7047	23.6	23.2	7203	8.0	7.6	
J. 1510	1486	38.6	31.0	7.18	"	73119	7334	7326	6997	33.7	32.9	7154	18.0	17.2	
	1488	440	38.6	30.8	2.13	"	74019	7409	7406	6969	44.0	43.7	7126	28.3	28.0
	1490	441	36.6	30.8	7.96	"	74202	7445	7436	6944	50.1	49.2	7101	34.4	33.5
	1492	443	34.8	31.6	7.96	"	74229	7438	7433	6921	51.7	51.3	7078	36.0	35.5
	1494	444	33.2	33.0	4.98	"	73421	7375	7363	6910	46.5	45.3	7067	30.8	29.6
	1496	445	31.8	38.0	8.58	"	73742	7401	7391	6902	49.9	48.9	7059	34.2	33.2
J. 1504	1498	446	30.8	40.2	9.83	"	73660	7396	7385	6888	50.8	49.7	7045	35.1	34.0
	1500	447	29.5	41.7	4.84	"	73415	7356	7351	6869	48.7	48.7	7027	32.9	32.4
	1502	448	29.2	40.0	14.38	"	73255	7370	7354	6865	50.5	48.9	7022	34.8	33.2
	1504	449	29.0	37.5	22.32	"	73276	7397	7372	6862	53.5	51.0	7020	37.7	35.2
J. 1513	1506	450	28.5	34.8	41.99	"	73093	7439	7392	6855	58.4	53.7	7013	42.6	37.9
	1508	451	28.7	33.0	38.43	"	73373	7456	7413	6838	59.8	55.5	7015	44.1	39.8
	"	"	"	"	"	VI 26	73342	7453	7410	"	59.5	55.2	"	43.8	39.5
	"	"	"	"	"	VI 27	73330	7452	7409	"	59.4	55.1	"	43.7	39.4
J. 1518	1513	453	27.6	28.7	60.71	VI 26	73094	7497	7429	6844	65.3	58.5	7000	49.7	42.9
	1515	454	27.0	26.5	96.21	"	72112	75058	7400	6834	67.4	56.6	6992	51.6	40.8
	1518	455	26.8	23.3	120.06	"	71772	7548	7413	6831	71.7	58.2	6989	55.9	42.4
	1521	456	25.7	20.0	152.79	"	71120	7584	7413	6816	76.8	59.7	6973	61.1	44.0
	1524	457	25.2	17.1	178.86	"	70633	7615	7415	6809	80.6	60.6	6966	64.9	44.9
J. 1527	1527	458	24.7	14.4	209.75	"	70015	7649	7414	6802	84.7	61.2	6959	69.0	45.5
	"	"	"	"	"	VI 26	70004	7648	7413	"	84.6	61.1	6955	68.9	45.4
	1530	459	24.4	11.5	263.54	"	68559	7669	7374	6798	87.1	57.6	6955	71.4	41.9
	1533	460	25.3	08.9	328.88	"	67358	7751	7383	6810	94.1	57.3	6968	78.3	41.5

* Weather Station Seismometer Room, on the Surface of the Concrete Block for Seismometer Installation.

Synoptic Results for Mie Prefecture (III).

B.M.	No.	φ	λ	H (m)	Date 1951	g	g_0 979.	g_0'' 979.	HELMERT Formula of 1901			International Formula			
									$\Delta g_0'$ (mgal.)	$\Delta g_0''$ (mgal.)	γ_0 979.	$\Delta g_0''$ (mgal.)	$\Delta g_0'''$ (mgal.)		
4737	461	34°	136°	26.1	VI 27	72909	7523	7439	6822	70.1	61.7	6979	54.4	46.0	
4739	462	25.1	30.5	28.9	"	72235	7433	7357	6807	62.6	55.0	6965	46.8	39.2	
4741	463	24.3	27.0	93.25	"	71450	7433	7329	6796	63.7	53.3	6954	47.9	37.5	
4743	464	23.6	24.8	87.66	"	71599	7430	7332	6786	64.4	54.6	6944	48.6	38.8	
4745	465	21.9	25.5	100.97	"	71228	7434	7321	6763	67.1	55.8	6920	51.4	40.1	
4747	466	20.4	24.6	115.44	"	70737	7430	7301	6742	68.8	55.9	6899	53.1	40.2	
4750	467	17.9	24.4	138.12	"	70254	7452	7297	6706	74.6	59.1	6864	58.8	43.3	
4753	468	16.6	22.1	168.99	"	69796	7501	7312	6688	81.3	62.4	6846	65.5	46.6	
4755	469	15.6	21.8	202.51	"	69109	7536	7309	6666	87.0	64.3	6824	71.2	48.5	
4756	470	14.0	21.6	241.05	"	68258	7570	7300	6652	91.8	64.8	6810	76.0	49.0	
4759	471	12.7	20.8	2.25	"	73151	7322	7320	6634	68.8	68.6	6791	53.1	52.9	
4761	472	11.6	19.4	2.02	"	73315	7338	7335	6618	72.0	71.7	6776	56.2	55.9	
4762	473	11.0	18.7	49.30	VI 28	72471	7399	7344	6610	78.9	73.4	6768	63.1	57.6	
4764	474	10.1	17.7	30.25	"	72844	7378	7344	6597	78.1	74.7	6755	62.3	58.9	
4766	475	9.5	16.8	22.08	"	73136	7382	7357	6589	79.3	76.8	6747	63.5	61.0	
4769	476	08.3	14.8	10.59	"	73401	7373	7361	6572	80.1	78.9	6730	64.3	63.1	
4771	477	07.6	13.0	5.39	"	73025	7319	7313	6562	75.7	75.1	6720	59.9	59.3	
4772	478	06.7	13.5	4.22	"	73137	7327	7322	6550	77.7	77.2	6708	61.9	61.4	
4774	479	05.1	12.7	68.47	"	71618	7373	7297	6527	84.6	77.0	6685	68.8	61.2	
4776	480	04.6	11.9	24.89	"	72793	7356	7328	6520	83.6	80.8	6678	67.8	65.0	
Owase	4777	481	04.4	12.2	2.51	"	73272	7335	7332	6518	81.7	81.4	6676	65.9	65.6
	W.S.*	482	04.0	11.7	15.70	"	72967	7345	7328	6512	83.3	81.6	6670	67.5	65.8
	4779	483	02.7	36.62	"	72259	7339	7298	6494	84.5	80.4	6652	68.7	64.6	
	4780	484	02.0	11.3	80.92	"	71150	7365	7274	6484	88.1	79.0	6642	72.3	63.2
	4784	485	00.4	09.9	675.96	"	58611	7950	7194	6462	148.8	73.2	6620	133.0	57.4

* Weather Station Seismometer Room, on the Surface of the Concrete Block for Seismometer Installation.

Table X. (Continued)

B.M.	No.	φ	λ	H (m)	Date 1951	g	g_0	g_0''	HELMERT Formula of 1901		$\Delta g_0''$ (mgal.)	International Formula
									γ_0 979.	Δg_0 (mgal.)		
136°, 34°,												
4785	486	00.8	09.3	807.26	VI 28	55932	8084	7181	6467	161.7	71.4	6625
4787	487	00.5	07.8	600.55	"	60554	7909	7237	6463	144.6	77.4	6621
4789	488	59.5	07.5	404.88	"	64498	7699	7246	6449	125.0	79.7	6607
4791	489	58.0	06.5	339.66	"	65852	7633	7253	6428	120.5	82.5	6586
4794	490	55.7	05.9	331.31	"	66032	7626	7255	6396	123.0	85.9	6554
4798	491	53.4	06.5	6.79	VI 29	72225	7244	7236	6364	88.0	87.2	6522
"	492	52.0	05.2	11.49	"	72222	7243	7236	"	87.9	87.2	"
4800	493	50.1	03.9	10.70	"	72534	7289	7276	6345	94.4	93.1	6503
4802	494	48.1	02.8	17.44	"	72638	7297	7285	6318	97.9	96.7	6477
4804						72223	7276	7257	6290	98.6	96.7	6449
4806	495	46.2	02.0	10.75	"	72364	7270	7258	6264	100.6	99.4	6422
4808	496	44.1	01.4	5.70	"	72374	7255	7249	6235	102.0	101.4	6393

(24) Shiga Prefecture.




Fig. 3. Gravity Stations in Shiga Prefecture.

Table XI. Synoptic Results for Shiga Prefecture (I).

B.M.	No.	φ	λ	H (m)	Date 1951	g	g_0	g_0''	HELMERT Formula of 1901			International Formula				
									g_0	Δg_0 (mgal.)	$\Delta g_0''$ (mgal.)	g_0	Δg_0 (mgal.)	$\Delta g_0''$ (mgal.)		
	1333	1058	35°, 135°	25.8	185.70	XII 4	71921	7765	7666	9.9	-10.9	7821	-5.6	-26.4		
	1331	1057	24.4	57.1	193.01	"	71305	7727	7510	8.1	-13.6	7801	-7.4	-29.1		
	1328	1056	24.2	00.3	124.08	72130	7596	7457	7643	-4.7	-18.6	7798	-20.2	-34.1		
	1326	1055	23.8	02.3	87.33	"	71823	7452	7354	-18.5	-28.3	7792	-34.0	-43.8		
	1324	1054	21.5	02.1	93.01	"	71517	7439	7335	7604	-16.5	-26.9	7760	-32.1	-42.5	
	1322	1053	19.6	01.7	91.27	"	71030	7385	7283	7577	-19.2	-29.4	7733	-34.8	-45.0	
	1320	1052	17.7	01.0	87.06	"	70357	7304	7207	7550	-24.6	-34.3	7706	-40.2	-49.9	
	1317	1051	15.5	59.2	87.35	"	70972	7367	7269	7519	-15.2	-25.0	7675	-30.8	-40.6	
	1315	1050	14.2	57.6	97.26	"	70410	7341	7232	7501	-16.0	-26.9	7656	-31.5	-42.4	
	1313	1049	12.8	55.9	123.44	"	69679	7349	7211	7481	-13.2	-27.0	7637	-28.8	-42.6	
	1311	1048	11.0	55.0	98.03	"	69805	7293	7183	7455	-16.2	-27.2	7611	-31.8	-42.8	
	1309	1047	9.1	55.4	95.62	"	70029	7298	7191	7428	-13.0	-23.7	7584	-28.6	-39.3	
	1307	1046	7.3	55.2	87.92	"	70044	7276	7177	7403	-12.7	-22.6	7559	-28.3	-38.2	
	1305	1045	5.3	53.9	87.33	"	69775	7247	7149	7374	-12.7	-22.5	7531	-28.4	-38.2	
	1303	1044	3.6	52.8	86.99	"	69590	7228	7130	7350	-12.2	-22.0	7507	-27.9	-37.7	
J.	1301	1043	1.5	52.2	87.73	"	69484	7219	7121	7321	-10.2	-20.0	7477	-25.8	-35.6	
	213	326	0.1	52.4	90.63	"	70325	7312	7211	7301	1.1	-9.0	7457	-14.5	-24.6	
	"	"	"	"	"	VI 16	70333	7313	7212	"	1.2	-8.9	"	-14.4	-24.5	
	"	"	"	"	"	VI 17	70318	7312	7210	"	1.1	-9.1	"	-14.5	-24.7	
	212	327	34°	53.9	87.27	"	70274	7297	7199	7285	1.2	-8.6	7442	-14.5	-24.3	
	211 ₁	328	35°	58.1	54.5	88.48	"	70345	7308	7209	7274	3.4	-6.5	7429	-12.1	-22.0
	210 ₁	329	59.1	56.5	109.55	"	69961	7334	7212	7288	4.6	-7.6	7443	-10.9	-23.1	
	209 ₁	330	00.8	57.7	97.09	"	69941	7294	7185	7311	-1.7	-12.6	7467	-17.3	-28.2	
	208 ₁	331	02.7	59.4	97.15	"	70131	7313	7204	7338	-2.5	-13.4	7494	-18.1	-29.0	
	207 ₁	332	03.6	136°	01.5	99.29	"	70097	7316	7205	7350	-3.4	-14.5	7507	-19.1	-30.2

	206.1	333	04.6	03.6	102.78	"	70353	7353	7238	7365	- 1.2	-12.7	7521	-16.8	-28.3
	205.1	334	05.5	05.8	99.62	"	70202	7328	7216	7377	- 4.9	-16.1	7533	-20.5	-31.7
	204.1	335	06.7	08.0	100.41	"	70382	7348	7236	7394	- 4.6	-15.8	7550	-20.2	-31.4
	203.1	336	07.8	09.7	104.50	"	70208	7343	7226	7410	- 6.7	-18.4	7566	-22.3	-34.0
	202.1	337	09.2	12.0	108.23	"	69556	7290	7169	7430	-14.0	-26.1	7586	-29.6	-41.7
	201.1	338	11.0	13.0	99.82	"	69958	7304	7192	7455	-15.1	-26.3	7611	-30.7	-41.9
	200.1	339	12.9	14.6	105.18	"	70644	7389	7271	7482	- 9.3	-21.1	7638	-24.9	-36.7
	199.1	340	14.7	16.2	104.97	"	71236	7454	7336	7508	- 5.4	-17.2	7664	-21.0	-32.8
Hikone	W. S.**	341	16.4	14.8	87.30	"	71186	7388	7290	7532	-14.4	-24.2	7688	-30.0	-39.8
	"	342	"	"	"	"	71187	"	"	"	"	"	"	"	"
	198.1	343	16.5	17.1	102.74	"	71810	7498	7383	7533	- 3.5	-15.0	7689	-19.1	-30.6
	197	344	18.8	19.2	114.81	"	72145	7369	7440	7566	0.3	-12.6	7722	-15.3	-28.2
	196	345	19.7	21.4	121.52	"	72149	7590	7454	7579	1.1	-12.5	7734	-14.4	-28.0
	195	346	20.1	23.7	174.13	"	71300	7667	7473	7584	8.3	-11.1	7740	- 7.3	-26.7
Ibukiyama	W. S.***	1068	22.7	22.7	165.30	XII 5	71685	7679	7494	7621	5.8	-12.7	7777	- 9.8	-28.3
	10491	1067	21.9	23.6	158.52	"	71806	7670	7492	7610	6.0	-11.8	7766	- 9.6	-27.4
	10493	1066	23.2	21.7	162.75	"	71699	7672	7490	7629	4.3	-13.9	7784	-11.2	-29.4
	10495	1065	24.7	20.1	131.23	"	72509	7656	7509	7650	0.6	-14.1	7805	-14.9	-29.6
	10498	1064	26.2	17.3	100.49	"	73310	7641	7529	7671	- 3.0	-14.2	7827	-18.6	-29.8
	10500	1063	27.2	15.8	101.24	"	73286	7641	7528	7685	- 4.4	-15.7	7841	-20.0	-31.3
	10502	1062	29.0	14.7	116.41	XII 4	73017	7661	7531	7711	- 5.0	-18.0	7866	-20.5	-33.5
	10504	1059	30.5	13.4	121.69	"	72820	7658	7521	7732	- 7.4	-21.1	7888	-23.0	-36.7
	10506	1060	32.5	12.5	147.51	"	73120	7767	7602	7761	0.6	-15.9	7916	-14.9	-31.4
	10508	1061	34.5	11.7	197.86	"	72807	7891	7670	7789	10.2	-11.9	7944	- 5.3	-27.4

* Weather Station Bench Mark.

** Weather Station Seismometer Room, on the Surface of the Concrete Block for Seismometer Installation.

*** Weather Station Seismometer Room, on the Surface of the Concrete Block for Seismometer Installation.

(25) Kyôto Prefecture.




Fig. 4. Gravity Stations in Kyôto Prefecture.

Table XIII. Synoptic Results for Kyôto Prefecture (I).

B.M.	No.	φ	λ	H (m)	Date 1951	g	g_0	g_0''	HELMERT Formula of 1901			International Formula		
									Δg_0 (mgal.)	$\Delta g_0''$ (mgal.)	γ_0 979.	Δg_0 (mgal.)	$\Delta g_0''$ (mgal.)	
1216	1027	35° 35'.3	134° 52.5	46.45	XII 1	81112	8255	8203	45.4	40.2	7956	29.9	24.7	
1218	1026	36.1	54.2	1.47	"	82494	8254	8252	44.2	44.0	7967	28.7	28.5	
10488	1025	36.8	55.5	3.04	"	82617	8271	8268	44.9	44.6	7977	29.4	29.1	
10486	1024	38.2	56.8	4.93	"	82709	8286	8281	44.4	43.9	7997	28.9	28.4	
10483	1023	39.3	59.7	23.96	"	82474	8321	8295	46.3	43.7	8013	30.8	28.2	
10481	1022	41.2	01.1	4.34	"	83188	83327	7885	44.7	44.2	8040	29.2	28.7	
10479	1021	39.8	01.8	7.50	"	83213	8334	8336	47.9	47.1	8020	32.4	31.6	
10477	1020	38.1	03.4	38.25	"	82109	8329	8286	48.8	44.5	7996	33.3	29.0	

Synoptic Results for Kyôto Prefecture (II).

B.M.	No.	φ	λ	H (m)	Date 1951	g	g_0	g_0''	HELMERT Formula of 1901			International Formula		
									Δg_0 (mgal.)	$\Delta g_0''$ (mgal.)	γ_0 979.	Δg_0 (mgal.)	$\Delta g_0''$ (mgal.)	
1221	1028	35° 35'.0	134° 57.1	21.40	XII 1	81705	8237	8213	797	44.0	41.6	7952	28.5	26.1
1223	1029	34.3	59.3	54.75	"	80705	8240	8178	7787	45.3	39.1	7942	29.8	23.6
1225	1030	34.5	00.9	103.09	"	79656	8284	8168	7789	49.5	37.9	7944	34.0	22.4
1227	1031	35.5	02.8	42.16	"	81176	8248	8201	7804	44.4	39.7	7959	28.9	24.2
1229	1019	37.3	03.7	32.04	"	81905	8289	8254	7829	46.0	42.5	7984	30.5	27.0
10470	1032	38.3	05.6	28.41	"	82188	8307	8275	7844	46.3	43.1	7998	30.9	27.7
10472	1033	40.4	06.1	21.23	"	83102	8376	8352	7874	50.2	47.8	8028	34.8	32.4
10474	1034	42.4	06.6	10.02	"	83595	8390	8379	7902	48.8	47.7	8057	33.3	32.2
10476	1035	44.1	05.6	18.31	"	83429	8399	8379	7926	47.3	45.3	8081	31.8	29.8

Synoptic Results for Kyôto Prefecture (III).

B.M.	No.	φ	λ	H (m)	Date 1951	g 979.	g_0 979.	g_0'' 979.	HELMERT Formula of 1901			International Formula				
									γ_0 979.	Δg_0 (mgal.)	$\Delta g_0''$ (mgal.)	γ_0 979.	Δg_0 (mgal.)	$\Delta g_0''$ (mgal.)		
1231	1018	35.6	135°	05.2	XII 1	81357	8233	8198	7805	42.8	39.3	7960	27.3	23.8		
10463	1036	32.9		04.8	XII 2	79781	8226	8136	7767	45.9	36.9	7922	30.4	21.4		
10466	1037	35.0		07.5	144.91	"	79006	8348	8186	7797	55.1	38.9	7952	39.6	23.4	
10468	1038	36.6		09.1	190.74	"	78401	8429	8215	7819	61.0	39.6	7974	45.5	24.1	
1233	1017	33.6		06.0	50.77	XII 1	80583	8215	8158	7777	43.8	38.1	7932	28.3	22.6	
1235	1016	32.2		06.9	16.85	XI 30	80954	8147	8129	7757	39.0	37.2	7912	23.5	21.7	
10460	1015	30.3		05.8	12.84	"	80360	8076	8061	7730	34.6	33.1	7885	19.1	17.6	
1237	1014	33.0		09.1	1.43	"	81616	8166	8164	7768	39.8	39.6	7923	24.3	24.1	
1239	1013	33.3		11.0	1.71	"	81666	8172	8150	7749	40.0	39.8	7927	24.5	24.3	
1241	1012	31.7		11.7	2.96	"	81046	8114	8110	7749	36.5	36.1	7905	20.9	20.5	
F. 11	1010	32.7		13.4	58.88	"	80175	8199	8133	7764	43.5	36.9	7919	28.0	21.4	
1370	1009	31.8		16.3	12.81	"	80270	8067	8052	7751	31.6	31.6	7906	16.1	14.6	
1368	1008	29.4		17.2	4.84	"	81246	8140	8134	7717	42.3	41.7	7872	26.8	26.2	
1367	1007	27.7		16.7	11.47	"	81403	8176	8163	7693	48.3	47.0	7848	32.8	31.5	
	1006	26.7		17.6	11.17	"	80768	8111	8099	7678	43.3	42.1	7834	27.7	26.5	
Maizuru	M. O.*	999		26.5	20.1	5.59	"	80779	8095	8089	7675	42.0	41.4	7831	26.4	25.8
" **	1000	27.3		22.2	70.39	"	79187	8136	8057	7687	44.9	37.0	7842	29.4	21.5	
" ***	1003	28.3		23.1	29.80	"	80061	8098	8065	7701	39.7	36.4	7856	24.2	20.9	
	1004	"		"	30.72	"	80009	8096	8061	"	39.5	36.0	"	24.0	20.5	
	1005	"		"	"	"	80594	"	"	"	"	"	"			
	1361	1001	28.5	24.4	1.54	"	80525	8057	8056	7704	35.3	35.2	7859	19.8	19.7	
	1359	1002	28.9	27.1	39.47	"	79893	8111	8067	7710	40.1	35.7	7865	24.6	20.2	

* Marine Observatory, on Concrete Road.

** Marine Observatory Seismometer Room, on the Surface of the Concrete Block for Seismometer Installation.

*** Marine Observatory, Entrance to the Main Building.

Synoptic Results for Kyôto Prefecture (IV).

B.M.	No.	φ	λ	H (m)	Date 1951	g 979.	g_0 979.	g_0'' 979.	HELMERT Formula of 1901			International Formula		
									Δg_0 (mgal.)	$\Delta g_0''$ (mgal.)	$\frac{\partial \Delta g_0''}{\partial g_0}$ 979.	$\Delta g_0''$ (mgal.)	$\frac{\partial \Delta g_0''}{\partial g_0}$ 979.	
1247	998	19.4	57.4	99.40	XI 29	77826	8089	7978	7575	51.4	40.3	7730	35.9	24.8
1249	997	19.1	59.9	70.40	"	78024	8020	7941	7570	45.0	37.1	7726	29.4	21.5
1251	996	19.2	02.0	49.94	"	78417	7996	7940	7572	42.4	36.8	7727	26.9	21.3
1253	995	19.6	04.2	26.78	"	78209	7904	7874	7577	32.7	29.7	7733	17.1	14.1
1255	994	19.5	06.2	34.23	"	78655	7971	7933	7576	39.5	35.7	7731	24.0	20.2
1257	993	18.2	07.3	14.99	"	78064	7853	7836	7557	29.6	27.9	7713	14.0	12.3
1259	992	17.0	09.0	22.23	"	77288	7797	7773	7540	25.7	23.3	7696	10.1	7.7
1261	991	15.9	11.0	37.94	"	76737	7791	7748	7525	26.6	22.3	7680	11.1	6.8
1263	990	14.5	13.0	65.47	"	75984	7800	7727	7505	29.5	22.2	7661	13.9	6.6
1265	989	13.1	13.9	87.28	"	75370	7806	7709	7485	32.1	22.4	7641	16.5	6.8
1268	988	12.3	16.0	132.03	"	74256	7833	7685	7474	35.9	21.1	7630	20.3	5.5
1270	987	11.3	17.5	147.11	"	73772	7831	7667	7460	37.1	20.7	7615	21.6	5.2
1273	986	10.7	20.7	189.05	"	72769	7860	7649	7451	40.9	19.8	7607	25.3	4.2
1275	985	10.1	23.0	191.12	"	72555	7845	7631	7442	40.3	18.9	7598	24.7	3.3
1277	1040	08.9	25.7	176.93	XII 2	72704	7816	7618	7425	39.1	19.3	7581	23.5	3.7
1278	984	07.9	25.9	198.92	XI 29	72475	7861	7639	7411	45.0	22.8	7567	29.4	7.2
1281	983	06.5	28.1	130.99	"	73470	7751	7605	7391	36.0	21.4	7547	20.4	5.8
1283	982	05.5	30.0	117.75	"	73258	7689	7557	7377	31.2	18.0	7533	15.6	2.4
1285	981	04.5	31.9	110.27	"	72809	7621	7498	7363	25.8	13.5	7519	12.1	- 2.1
1287	980	02.6	32.9	100.59	"	72342	7545	7432	7336	20.9	9.6	7492	5.3	- 6.0
1289	979	01.2	34.0	90.72	"	72351	7515	7414	7316	19.9	9.8	7473	4.2	- 5.9
1291	978	04.0	35.8	92.48	"	72326	7518	7415	7305	21.3	11.0	7461	5.7	- 4.6
1293	977	59.2	38.0	194.86	"	70455	7647	7429	7288	35.9	14.1	7444	20.3	- 1.5
1296	976	58.2	40.4	78.89	"	72516	7495	7407	7274	22.1	13.3	7430	6.5	- 2.3
1298	975	58.7	42.7	21.93	"	73105	7378	7354	7281	9.7	7.3	7437	- 5.9	- 8.3

Table XII. (Continued)

B.M.	No.	φ	λ	H (m)	Date 1951	g	g_0 979.	g_0'' 979. 979.	HELMERT Formula of 1901			International Formula		
									γ_0 979.	$\Delta g_0''$ (mgal.)	$\Delta g_0'''$ (mgal.)	γ_0 979.	Δg_0 (mgal.)	$\Delta g_0'''$ (mgal.)
Kyôto Univ.	320	35°, 01.0	135°, 44.1	42.59	XII 2	72869	74118	7371	7314	10.4	5.7	7470	- 5.2	- 9.9
	"	"	"	"	VI 16	72861	74118	7370	"	10.4	5.6	"	- 5.2	- 10.0
	1041	01.0	45.5	47.08	XII 2	72729	74118	7366	7314	10.4	5.2	7470	- 5.2	- 10.4
	321	01.6	46.4	53.68	VI 16	72564	7422	7362	7322	10.0	4.0	7478	- 5.6	- 11.6
Kyôto Univ.	"	"	"	"	VI 22	72548	7421	7360	"	9.9	3.8	"	- 5.7	- 11.8
	"	"	"	"	"	"	"	"	"	"	"	"	"	"
	322	01.5	47.2	61.59	XI 29	72556	7421	7361	"	9.9	3.9	"	- 5.7	- 11.7
	323	01.4	47.0	55.42	VI 16	72084	72084	7399	7321	7.8	0.9	7477	- 7.8	- 14.7
Kyôto Univ.	419	01.4	46.9	56.82	"	72331	72331	73404	7342	8.5	2.3	7475	- 7.1	- 13.3
	"	"	"	"	VI 22	72239	72239	7399	7319	8.0	1.8	7475	- 7.6	- 13.8
	420	01.4	46.9	"	"	72299	72299	"	"	"	"	7475	"	"
	"	"	"	"	"	"	"	"	"	"	"	"	"	"
J.	324	34°, 59.3	49.4	62.78	VI 16	71801	7374	7304	7289	8.5	1.5	7446	- 7.2	- 14.2
	325	59.5	51.4	161.82	"	69642	7464	7283	7292	17.2	- 0.9	7449	- 1.5	- 16.6
	318	59.0	46.4	31.35	"	72584	72584	7355	7320	7.0	3.5	7442	- 8.7	- 12.2
	317	56.9	46.5	29.38	"	72480	72480	7310	7307	7256	8.4	5.1	7412	- 7.2
F.	214,1	55.2	45.5	15.52	"	72620	72620	7310	7293	7.8	6.1	7388	- 7.8	- 9.5
	217,1	54.3	43.5	10.64	"	72961	7329	7317	7219	11.0	9.8	7375	- 4.6	- 5.8
	218,1	54.0	41.5	14.69	"	73198	7365	7349	7215	15.0	13.4	7371	- 0.6	- 2.2
	221	54.0	41.5	14.69	"	"	"	"	"	"	"	"	"	"

* Weather Station Seismometer Room, on the Surface of the Concrete Block for Seismometer Installation.

** Second Laboratory of Theoretical Geology Kyôto University, International Fundamental Station.

*** Cellar, formerly Department of Astronomy, Kyôto University.

**** 16th Laboratory, Department of Fuel Chemistry, Kyôto University.

***** SASSA Laboratory, Department of Geophysics, Kyôto University.

Synoptic Results for Kyôto Prefecture (V).

B.M.	No.	φ	λ	H (m)	Date 1951	g 979.	g_0'' 979.	g_0''' 979.	HELMERT Formula of 1901			International Formula			
									γ_0 979.	Δg_0 (mgal.)	$\Delta g_0'''$ (mgal.)	γ_0 979.	Δg_0 (mgal.)	$\Delta g_0'''$ (mgal.)	
10717	418	34°	135°	48.0	14.89	VI 22	72526	7299	7282	7239	6.0	4.3	7395	- 9.6	- 11.3
10719	417	53.4	48.6	48.0	18.93	"	73154	7374	7353	7206	16.8	14.7	7363	- 1.1	- 1.0
10721	416	52.1	46.9	31.20	"	"	72595	7356	7321	7188	16.8	13.3	7344	1.2	- 2.3
10723	415	50.0	48.0	31.09	"	"	72891	7385	7350	7158	22.7	19.2	7315	7.0	3.5
10725	414	48.1	48.6	24.06	"	"	73403	7415	7388	7131	28.4	25.7	7288	12.7	10.0
10732	413	49.0	46.2	29.39	"	V1 21	73283	7419	7386	7144	27.5	24.2	7301	11.8	8.5
1400	411	42.8	49.8	71.56	"	"	72449	7466	7386	7056	41.0	33.0	7213	25.3	17.3
10727	410	46.5	49.1	32.54	"	"	73127	7413	7377	7109	30.4	26.8	7265	14.8	11.2
1402	409	44.4	49.9	32.48	"	"	73564	7457	7420	7079	37.8	34.1	7236	22.1	18.4
1404	408	44.5	52.0	41.25	"	"	73538	7481	7435	7080	40.1	35.5	7237	24.4	19.8
1406	407	45.6	53.4	43.57	"	"	73467	7481	7432	7096	38.5	33.6	7253	22.8	17.9
1408	406	45.6	55.8	48.86	"	"	73385	7489	7435	7096	39.3	33.9	7253	23.6	18.2
1410	405	45.8	58.2	58.49	"	"	73195	7500	7435	7099	40.1	33.6	7256	24.4	17.9
1412	404	46.3	136°	91.32	"	"	73458	7628	7525	7106	52.2	41.9	7263	36.5	26.2
1414	403	45.5	01.9	113.78	"	"	72806	7632	7504	7095	53.7	40.9	7251	38.1	25.3

(26) Ōsaka Prefecture.




Fig. 5. Gravity Stations in Ōsaka Prefecture.

Table XIII. Synoptic Results for Ōsaka Prefecture (I).

B.M.	No.	φ	λ	H (m)	Date 1951	g 979.	g_0 979.	g_0'' 979.	HELMERT Formula of 1901			International Formula				
									Δg_0 (mgal.)	$\Delta g_0''$ (mgal.)	g_0'' 979. (mgal.)	Δg_0 (mgal.)	$\Delta g_0''$ (mgal.)	g_0'' 979. (mgal.)		
222	314	34° 52.4'	135° 39.8'	10.85	VII 16	73718	7405	7393	21.3	20.1	7348	5.7	4.5			
223	313	51.3	38.2	12.48	"	73387	7377	7363	20.1	18.7	7333	4.4	3.0			
224	312	50.1	36.7	"	"	72644	7298	7286	13.9	12.7	7316	- 1.8	- 3.0			
225	311	49.1	34.9	10.24	"	72663	7298	7286	15.3	14.1	7302	- 0.4	- 1.6			
226	310	47.9	33.3	13.32	"	72634	7305	7290	17.7	16.2	7285	2.0	0.5			
J.	227	309	46.3	32.1	13.44	"	72766	7318	7303	21.2	19.7	7263	5.5	4.0		
J.	472	308	45.3	31.8	5.94	"	72896	7308	7301	21.6	20.9	7249	5.9	5.2		
"	"	"	"	"	VII 23	72907	7309	7302	"	21.7	"	6.0	5.3			
J.	228	307	44.5	31.7	2.37	VII 24	72893	7308	7301	"	21.6	"	5.9	5.2		
"	"	"	"	"	VII 16	72882	7296	7293	7080	21.6	21.3	7237	5.9	5.6		
J.	229	306	42.1	31.4	3.10	"	72563	7266	7262	7047	21.9	21.5	7203	6.3	5.9	
232	305	41.4	31.9	3.37	"	72514	7262	7258	7037	22.5	22.1	7194	6.8	6.4		
436	436	42.5	26.3	0.63	VII 23	71043	7106	7052	5.4	5.4	7209	- 10.3	- 10.3			
435	435	41.4	29.5	2.26	"	71270	7134	7132	7037	9.7	9.5	7194	- 6.0	- 6.2		
"	"	"	"	"	VII 24	71253	7132	7130	"	9.5	9.3	"	- 6.2	- 6.4		
235,*	434	40.0	29.0	1.10	VII 23	71362	7140	7138	7017	12.3	12.1	7174	- 3.4	- 3.6		
234	304	39.7	31.1	21.70	VII 16	71160	7243	7219	7013	23.0	20.6	7170	7.3	4.9		
M. O.*	"	"	"	"	VII 15	71754	7242	7218	"	22.9	"	"	7.2	4.8		
"	437	39.0	32.3	5.08	VII 24	71852	7201	7195	7003	19.8	19.2	7160	4.1	3.5		
Osaka	438	"	"	6.49	"	71836	7204	7196	"	20.1	19.3	"	4.4	3.6		
J.	244	433	37.1	30.0	3.15	VII 23	71858	7196	7192	6976	22.0	21.6	7133	6.3	5.9	
J.	246	432	35.0	29.1	3.29	"	72128	7223	7219	6947	27.6	27.2	7104	11.5	11.5	
"	"	"	"	"	VII 15	72123	7223	7219	"	27.6	"	"	11.9	11.9		
248	617	33.3	27.5	2.21	"	71933	7200	7198	6924	27.6	27.4	7080	12.0	11.8		
250	618	31.5	26.2	2.72	"	71789	7187	7184	6897	29.0	28.7	7055	13.2	12.9		

* Meteorological Observatory Seismometer Room, on the Surface of the Concrete Block for Seismometer Installation.
 ** Meteorological Observatory Bench Mark.

Table XIII. (Continued)

B.M.	No.	φ	λ	H (m)	Date 1951	g	g_0''	HELMERT Formula of 1901		International Formula			
								g_0	Δg_0 (mgal.)	g_0''	$\Delta g_0''$ (mgal.)		
252	619	30.0	24.3	2.49	VII 15	72092 72065 72147 71473 71289 71270	7214 7214 7161 7138 7135 7136	6876 " " " " "	34.1 33.8 31.0 30.9 30.7	33.8 33.5 30.5 30.6 30.4	7034 " " " " "	18.3 18.0 15.3 15.2 15.0	18.0 17.7 14.8 14.9 14.7
"	620	28.2	23.0	4.28	"	71289 71270	7138 7136	"			"		
254	621	26.6	21.5	2.92	"	71270	7136	"			"		
256	"	"	"	"	"								
258	622	24.9	20.2	10.93	"	70861 70382 70371 70213 70202 7099	7120 7094 7092 7100 7071 7070	6805 6781 " " " " "	31.5 31.3 31.1 33.7 30.8	30.3 29.2 29.1 30.8	6962 6938 " " " " "	15.8 15.6 15.4 18.0	14.6 13.5 13.4 15.1
"	623	23.2	18.8	17.92	"	70382 70371 70213 70202 7099	7094 7092 7100 7071 7070	6781 " " " " "	31.3 31.1 30.7	29.2 29.1 33.6	6938 " " " " "	15.6 15.4 18.0	13.5 13.4 15.1
262	624	21.9	17.1	25.44	"	70202	7099	"			"		
"	"	"	"	"	"								
263	625	20.9	16.6	30.41	"	70208 70197 70114 68860	7115 7115 7080 7115	6749 7081 " " " " "	36.6 33.2 36.5 38.7	33.2 33.1 30.4	6906 " " " " "	20.9 20.8 23.0	17.5 17.4 14.7
"	626	"	"	"	"								
265	"	19.4	16.3	74.28	"								

Synoptic Results for Ōsaka Prefecture (II).

B.M.	No.	φ	λ	H (m)	Date 1951	g	g_0''	HELMERT Formula of 1901		International Formula			
								g_0	Δg_0 (mgal.)	g_0''	$\Delta g_0''$ (mgal.)		
1378	431	34° 4'	135° 7'	13.70	VI 23	72304 71808 7243 7238 7214 7215 7276 73931	7273 7243 7220 7238 7214 7215 7276 7461	6938 " " " " " 6938 " " " " " 6937 " " " " " 6934	33.5 30.5 28.2 30.0 27.6 33.9 32.7 52.7	31.9 28.2 28.2 30.0 27.6 31.8 31.8 50.2	7095 " " " " " 7095 " " " " " 7094 " " " " " 7091	17.8 14.8 14.8 14.3 14.3 18.2 18.2 37.0	16.2 12.5 11.9 11.9 16.1 34.5
1380	430	34.4	32.9	19.99	"								
1382	428	34.4	35.8	21.55	"								
1383	429	34.3	37.0	18.95	"								
1384	427	34.1	37.6	21.90	"								

(27) Hyôgo Prefecture.




Fig. 6. Gravity Stations in Hyôgo Prefecture.

Table XIV. Synoptic Results for Hyôgo Prefecture (I).

B.M.	No.	φ	λ	H (m)	Date 1951	g	g_0'' 979.	g_0''' 979.	HELMERT Formula of 1901		International Formula			
									$\Delta g_0''$ (mgal.)	$\Delta g_0'''$ (mgal.)	$\Delta g_0'''$ (mgal.)	$\Delta g_0'''$ (mgal.)		
		35°	134°											
1137	973	31.8	26.6	157.12	XI 27	77153	8204	7751	44.9	27.3	7906	29.4		
1139	974	33.2	28.1	71.11	"	79323	8152	7771	38.1	30.1	7926	22.6		
1141	972	32.7	30.4	97.04	"	77934	8093	7984	32.9	22.0	7919	17.4		
1143	971	31.1	31.5	221.03	"	74527	8135	7888	7741	39.4	14.7	7896	23.9	
1145	970	30.6	32.8	401.49	"	71425	8382	7932	7734	64.8	19.8	7889	49.3	
												4.3		
1147	969	29.4	34.1	148.30	"	76163	8074	7908	7717	35.7	19.1	7872	20.2	
1149	968	28.7	35.3	190.28	"	75506	8138	7936	7707	43.1	22.9	7862	27.6	
1151	967	27.1	36.0	243.07	"	74549	8205	7933	7684	52.1	24.9	7839	36.6	
1153	966	25.2	35.9	323.64	"	72560	8255	7893	7657	59.8	23.6	7812	44.3	
1157	965	22.5	38.4	208.24	"	74470	8090	7857	7619	47.1	23.8	7774	31.6	
												8.3		
1158	964	22.7	39.8	174.18	"	75043	8042	7847	7621	42.1	22.6	7777	26.5	
1160	963	22.9	42.6	119.60	"	75952	7964	7831	7624	34.0	20.7	7780	18.4	
1162	962	23.3	44.5	77.06	"	77118	7950	7863	7630	32.0	23.3	7785	16.5	
J.	1164	953	24.0	46.7	38.45	XI 26	78223	7941	7898	7640	30.1	25.8	7795	14.6
	1204	954	25.1	47.1	20.74	"	78825	7947	7923	7656	29.1	26.7	7811	13.6
												11.2		
1207	955	28.3	47.3	15.92	"	79480	7997	7979	7701	29.6	27.8	7856	14.1	
1209	956	30.2	48.5	8.21	"	80131	8038	8029	7728	31.0	30.1	7883	15.5	
1211	957	31.9	49.5	5.69	"	80623	8080	8074	7752	32.8	32.2	7907	16.7	
1213	958	33.1	50.7	9.09	"	81109	8139	8129	7769	37.0	36.0	7925	21.4	
Toyooka W. S.*	960	32.2	49.4	32.70	"	80296	8131	8094	7757	37.4	33.7	7912	21.9	
	**	961	"	"	31.70	"	80285	8126	8091	"	36.9	33.4	"	21.4
	"												17.9	

* Weather Station Seismometer Room, on the Surface of the Concrete Block for Seismometer Installation.

** Weather Station Bench Mark.

Synoptic Results for Hyôgo Prefecture (II).

B.M.	No.	φ	λ	H (m)	Date	g	g_0	g_0''	HELMERT Formula of 1901			International Formula		
									γ_0	Δg_0 (mgal.)	$\Delta g_0''$ (mgal.)	γ_0	Δg_0 (mgal.)	$\Delta g_0''$ (mgal.)
J.	1166	952	35°, 134°,	48.7	XI 26	77816	7911	7864	7627	28.4	23.7	7783	12.8	8.1
	1168	951	23.1	49.5	"	76932	7866	7803	7603	26.3	20.0	7758	10.8	4.5
	1170	948	21.4	51.6	"	76300	7552	7771	7584	26.8	18.7	7740	11.2	3.1
	1243	949	20.1	53.5	"	75646	7869	7759	7566	30.3	19.3	7722	14.7	3.7
	1245	950	18.8	55.4	"	75216	8062	7866	7580	48.2	28.6	7736	32.6	13.0
	1172	947	18.2	50.5	"	74986	7785	7681	7557	22.8	12.4	7713	7.2	- 3.2
	1174	946	16.4	48.9	"	73408	7736	7593	7532	20.4	6.1	7688	4.8	- 9.5
	1176	945	14.9	47.8	"	73455	7773	7618	7511	26.2	10.7	7666	10.7	- 4.8
	1178	944	12.6	48.0	"	72665	7804	7609	7478	32.6	13.1	7634	17.0	- 2.5
	1180	943	10.5	47.8	"	70586	7592	7448	7442	14.4	7604	28.6	- 1.2	
	1182	942	08.5	47.9	"	68851	7967	7575	7420	54.7	15.5	7576	39.1	- 0.1
	1184	941	06.6	47.3	"	70760	7800	7538	7393	40.7	14.5	7549	25.1	- 1.1
	1186	940	04.6	46.8	"	71824	7711	7519	7365	34.6	15.4	7521	19.0	- 0.2
	1188	939	02.6	46.3	"	72308	7606	7470	7336	27.0	13.4	7492	11.4	- 2.2
	1190	938	00.7	45.8	"	72491	7557	7445	7309	24.8	13.6	7466	9.1	- 2.1
			34°											
	1192	937	58.8	46.0	"	73431	7592	7502	7282	31.0	22.0	7439	15.3	6.3
	1194	936	56.8	46.3	"	73552	7616	7322	7254	36.2	26.8	7411	20.5	11.1
	1196	935	54.7	45.9	"	74038	7584	7519	7224	36.0	29.5	7381	20.3	13.8
	1198	934	52.8	45.0	"	73751	7511	7462	7198	31.3	26.4	7354	15.7	10.8
	1200	933	51.3	43.4	"	74186	7496	7468	7176	32.0	29.2	7333	16.3	13.5

Synoptic Results for Hyôgo Prefecture (III).

B.M.	No.	φ	λ	H (m)	Date	g	g_0	g_0''	HELMERT Formula of 1901			International Formula		
									γ_0	g_0	g_0''	γ_0	g_0	g_0''
402	929	34°	134°	49.7	XI 25 1951	82.18 72066	7154 7368	30.6 7155	21.4 19.8	7310 7315	15.0 8.2	5.8	4.1	
404	928	50.0	20.9	37.15	"	72828	7356	7158	23.9	7306	6.1	5.1		
406	927	49.4	23.0	17.89	"	73115	7367	7150	21.7	7312	9.8	8.8		
408	926	49.8	25.4	27.42	"	73089	7394	7155	23.9	7312	10.1	7.3		
410	925	49.4	27.7	24.57	"	73310	7407	7379	25.7	7306				
413	924	49.1	31.1	11.32	"	73907	7426	7143	28.1	7302	12.4	11.1		
415	923	49.8	33.6	13.29	"	73894	7430	7416	27.5	7312	11.8	10.4		
417	922	49.8	36.2	8.85	"	73825	7410	7400	25.5	7312	9.8	8.8		
F. 23	921	50.2	37.6	39.91	"	73311	7454	7410	29.3	7317	13.7	9.3		
F. 421	920	50.2	40.3	15.93	"	74555	7505	7487	34.4	7317	18.8	17.0		
Himeji	422	919	49.8	41.2	11.93	XI 26 19464	74703	7507	7155	35.2	7312	19.5	18.2	
W. S.*	931	50.1	42.1	17.29	"	74747	7500	7481	7159	34.1	7316	18.4	16.5	
"**	932	"	"	16.80	"	74348	7500	7481	"	34.1	32.2	"	18.4	
425	918	48.9	44.4	10.31	XI 25 74478	7467	7455	7143	32.4	7299	16.8	16.5		
427	917	47.5	46.5	6.62	"	73897	7410	7403	7123	28.7	28.0	7279	13.1	12.4
429	916	47.1	48.6	3.54	"	73211	7332	7328	7117	21.5	7274	5.8	5.4	
432	915	45.0	51.6	13.32	XI 24 1953	73014	7343	7328	7088	25.5	7244	9.9	8.4	
434	914	43.5	53.3	19.26	"	72511	7311	7289	7066	24.5	7223	8.8	6.6	
436	913	42.0	55.0	42.36	"	71979	7329	7281	7045	28.4	7236	12.7	7.9	
439	912	39.8	57.8	21.80	"	72338	7301	7277	7014	28.7	26.3	7171	13.0	10.6
441	911	38.6	59.5	2.43	"	72972	7305	7302	6997	30.8	7154	15.1	14.8	
"	"	"	"	"	IV 1 1951	72965	7304	7301	"	30.7	30.4	"	14.7	
443	910	38.0	135°	02.0	4.60 XII 24 1953	73016	7316	7311	6989	32.7	32.2	7146	17.0	16.5
"	"	"	"	"	IV 1 1951	73003	7315	7309	"	32.6	32.0	"	16.9	16.3
445	909	37.5	04.1	5.09	XII 24 1951	72664	7282	7276	6982	30.0	29.4	7139	14.3	13.7

* Weather Station Seismometer Room, on the Surface of the Concrete Block for Seismometer Installation.
** Weather Station Bench Mark.

Synoptic Results for Hyogo Prefecture (IV).

* Weather Station Seismometer Room, on the Surface of the Concrete Block for Seismometer Installation.

Synoptic Results for Hyôgo Prefecture (V).

B.M.	No.	φ	λ	H (m)	Date 1953	g	g_0	g_0''	HELMERT Formula of 1901			International Formula		
									γ_0 979.	γ_0'' 979.	Δg_0 (mgal.)	$\Delta g_0''$ (mgal.)	$\Delta g_0'''$ (mgal.)	$\Delta g_0''''$ (mgal.)
286	3648	34° ,	134° ,	20.4	52.0	7.93	69823	7007	6993	6742	26.5	6899	10.8	9.9
289	3649	18.5	49.3	46.31	"	68461	6989	6937	6715	27.4	22.2	6872	11.7	6.5
290	3650	18.0	48.3	49.29	"	68277	6980	6925	6708	27.2	21.7	6865	11.5	6.0
291	3651	17.3	47.3	54.24	"	67788	6946	6886	6698	24.8	18.8	6856	9.0	3.0
292	3652	16.7	46.4	42.17	"	67769	6907	6860	6690	21.7	17.0	6847	6.0	1.3
294	3653	15.7	44.2	31.51	"	68074	6905	6869	6676	22.9	19.3	6833	7.2	3.6
295	3655	15.3	43.3	1.97	"	68579	6864	6832	6670	19.4	19.2	6828	3.6	3.4
298	3654	14.3	39.7	19.26	"	68064	6866	6844	6656	21.0	18.8	6814	5.2	3.0

(28) Nara Prefecture.




Fig. 7. Gravity Stations in Nara Prefecture.

Table XV. Synoptic Results for Nara Prefecture (I).

B.M.	No.	φ	λ	H (m)	Date 1951	g	g_0	g_0''	HELMERT Formula of 1901			International Formula			
									g_0	g_0''	Δg_0	$\Delta g_0''$	γ_0	Δg_0	$\Delta g_0''$
1387	426	34° 9'	135° 8'	41.1	35.80	VI 23	74063	7517	7477	6945	57.2	53.2	7102	41.5	37.5
1388	425	35.7	42.1	35.65	"	74189	7529	7489	6956	57.3	53.3	7114	41.5	37.5	
1390	424	36.4	44.1	47.36	"	73988	7545	7492	6966	57.9	52.6	7123	42.2	36.9	
1392	423	37.4	45.8	53.81	"	73534	7520	7459	6980	54.0	47.9	7137	38.3	32.2	
1394	422	38.8	47.2	54.66	"	72867	7455	7394	7000	45.5	39.4	7157	29.8	23.7	
1396	421	40.7	47.6	64.34	"	72596	7458	7386	7027	43.1	35.9	7184	27.4	20.2	
1398	412	40.8	50.2	98.25	"	71927	7496	7386	7028	46.8	35.8	7185	31.1	20.1	

Synoptic Results for Nara Prefecture (II).

B.M.	No.	φ	λ	H (m)	Date 1951	g	g_0	g_0''	HELMERT Formula of 1901			International Formula		
									g_0	g_0''	Δg_0	$\Delta g_0''$	γ_0	Δg_0
J. 1563	591	34° 20.4'	135° 40.4'	40.4	VII 9	69851	7335	7208	6742	59.3	46.6	6899	43.6	30.9
J. 1562	592	20.8	41.9	103.98	"	70083	7329	7213	6747	58.2	46.6	6905	42.4	30.8
"	"	"	"	"	VII 10	70112	7332	7216	"	58.5	46.9	"	42.7	31.1
"	"	"	"	"	VII 11	70116	7333	7216	"	58.6	46.9	"	42.8	30.8
					"	70082	7329	7213	"	58.2	46.6	"	42.4	30.8
1560	593	22.2	43.5	148.97	VII 9	69810	7441	7274	6767	67.4	50.7	6924	51.7	35.0
1558	594	22.5	45.9	139.63	"	70169	7448	7292	6771	67.7	52.1	6928	52.0	36.4
1556	595	"	48.2	"	VII 10	70174	7448	7292	"	67.7	52.1	"	52.0	36.4
1554	596	23.0	50.8	147.28	VII 9	70096	7464	7299	6778	68.6	52.1	6935	52.9	36.4
				155.95	"	69309	7472	7298	6784	68.8	51.4	6941	53.1	35.7
"	"	"	"	"	VII 10	69900	7471	7297	"	68.7	51.3	"	53.0	35.6
"	"	"	"	"	"	69929	7474	7300	"	69.0	51.6	"	53.3	35.9
1552	597	23.0	53.1	188.81	"	68722	7455	7244	6778	67.7	46.6	6935	52.0	30.9
1549	598	22.4	55.1	198.53	"	68173	7430	7208	6770	66.0	43.8	6927	50.3	28.1
1546	599	23.2	56.8	219.62	"	68275	7505	7259	6781	72.4	47.8	6938	56.7	32.1

"	600	"	24.2	"	58.3	"	247.76	"	"	68295	7507	7261	"	72.6	48.0	"	56.9	32.3
1544				136°	00.0	331.03	"	"	68110	7576	7298	6795	78.1	50.3	6952	62.4	34.6	
1542	601	25.2	02.3	406.01	406.01	437.22	"	"	66971	7719	7348	6809	91.0	53.9	6966	75.3	38.2	
1540	602	25.2	03.3	437.22	"	"	65291	7782	7328	6809	97.3	51.9	6966	81.6	36.2	32.8		
1539	603	25.1	"	"	"	"	64324	7782	7293	6808	97.4	48.5	6965	81.7				

Synoptic Results for Nara Prefecture (III).

B.M.	No.	φ	λ	H (m)	Date	g	g_0	g_0''	HELMERT Formula of 1901		International Formula			
									Δg_0 (mgal.)	$\Delta g_0''$ (mgal.)	γ_0 (mgal.)	$\Delta \gamma_0$ (mgal.)	$\Delta \gamma_0''$ (mgal.)	
4875	604	34° 18.9	135° 42.4	133.07	VII 11	69109	7322	7173	6721	60.1	45.2	6878	44.4	29.5
4873	605	17.7	43.3	160.17	"	68765	7371	7192	6704	66.7	48.8	6861	51.0	33.1
4867	613	13.4	44.2	718.52	"	58011	8019	7215	6644	137.5	57.1	6801	121.8	41.4
4864	612	11.2	44.4	413.23	"	63146	7590	7127	6613	97.7	51.4	6770	82.0	35.7
4862	611	09.7	45.6	414.90	"	62961	7577	7112	6592	98.5	52.0	6749	82.8	36.3
4860	610	08.4	45.1	395.52	"	63588	7579	7137	6574	100.5	56.3	6731	84.8	40.6
4858	609	07.3	46.5	375.34	"	63850	7543	7123	6558	98.5	56.5	6716	82.7	40.7
4856	606	05.8	45.9	322.66	"	65377	7533	7172	6537	99.6	63.5	6695	83.8	47.7
4853	607	04.1	45.0	343.29	"	64893	7549	7165	6513	103.6	65.2	6671	87.8	49.4
4847	608	01.4	47.1	257.96	"	67169	7513	7224	6476	103.7	74.8	6634	87.9	

(29) Wakayama Prefecture.




Fig. 8. Gravity Stations in Wakayama Prefecture.

Table XVI. Synoptic Results for Wakayama Prefecture (I).

B.M.	No.	φ	λ	H (m)	Date	g	g_0	g_0''	HELMERT Formula of 1901			International formula			
									Δg_0 (mgal.)	$\Delta g_0''$ (mgal.)	g_0'' (mgal.)	Δg_0 (mgal.)	$\Delta g_0''$ (mgal.)		
279	577	34°	135°	16.3	04.7	5.74	VII 7	69452	6963	27.9	27.3	6842	12.1	11.5	
278	576	15.9	05.6	10.42	"	69457	6978	6966	6679	29.9	28.7	6836	14.2	13.0	
276	575	14.9	07.6	6.44	"	69055	6925	6918	6664	26.1	25.4	6822	10.3	9.6	
274	574	14.3	09.7	2.13	"	69640	6971	6988	6656	31.5	31.2	6814	15.7	15.4	
J.	273	14.3	10.6	2.49	"	69747	6982	6980	6656	32.6	32.4	6814	16.8	16.6	
Wakayama W.S.*				"	"	12.84	VII 9	69764	6984	32.8	32.5	"	17.0	16.7	
4877	614	13.6	11.1	2.23	VII 14	70254	7065	7051	6646	41.9	40.5	6804	26.1	24.7	
F.	571	13.4	11.5	2.20	VII 6	70496	7057	7054	6644	41.3	41.0	6801	25.6	25.3	
33	570	11.8	11.5	7.66	"	70194	7026	7024	6621	40.5	40.3	6779	24.7	24.5	
4881	569	10.0	12.6	"	69917	7015	7007	6596	41.9	41.1	6754	26.1	25.3		
4883	568	08.5	12.4	3.93	"	69924	7005	7000	6575	43.0	42.5	6733	27.2	26.7	
4885	567	07.8	10.5	51.83	"	69008	7061	7003	6565	49.6	43.8	6723	33.8	28.0	
4887	566	06.5	09.5	6.51	"	70031	7023	7016	6547	47.6	46.9	6705	31.8	31.1	
4889	565	05.9	08.1	19.74	"	69707	7032	7010	6539	49.3	47.1	6696	33.6	31.4	
4891	564	04.7	07.6	3.90	"	69847	6997	6992	6522	47.5	47.0	6680	31.7	31.2	
4893	563	04.3	10.1	11.79	"	69878	7024	7011	6516	50.8	49.5	6674	35.0	33.7	
4895	562	03.4	12.0	18.54	"	69723	7030	7009	6504	52.6	50.5	6662	36.8	34.7	
4896	561	02.4	11.6	7.50	"	69642	6987	6979	6490	49.7	48.9	6648	33.9	33.1	
4898	559	00.8	11.1	11.30	"	69207	6956	6943	6467	48.9	47.6	6625	33.1	31.8	
4903	558	33°	58.9	09.3	71.88	"	67409	6963	6882	6441	52.2	44.1	6599	36.4	28.3
4905	557	57.5	07.5	3.75	"	68466	6858	6854	6421	43.7	43.3	6579	27.9	27.5	
4908	556	55.9	08.7	18.41	"	68307	6888	6867	6399	48.9	46.8	6557	33.1	31.0	
4910	540	53.8	09.4	3.96	VII 3	68615	6874	6869	6370	50.4	49.9	6528	34.6	34.1	
4911	539	52.8	09.7	2.31	"	68710	6878	6876	6356	52.2	52.0	6514	36.4	36.2	
"	"	"	"	"	VII 5	68712	6878	6876	"	52.2	52.0	"	36.4	36.2	

* Weather Station, Outdoor Seismometer Pier.

Table XVI. (Continued)

B.M.	No.	φ	λ	H (cm)	Date 1951	g	g_0	g_0''	HELMERT Formula of 1901		$\Delta g_0''$ (mgal.)	$\Delta g_0''$ (mgal.)	International formula		
									g_0 979.	g_0'' 979.					
4913	538	33° 33'	135° 13'	51.0	10.2	12.60	VII 3	68413	6880	6331	54.9	53.5	6489	39.1	37.7
4915	537	49.5	11.3	6.32		68419	6861	6310	"	55.1	54.4	6468	39.3	38.6	
4917	536	48.6	13.3	3.89		68754	6887	6297	59.0	58.6	6456	43.1	42.7		
"	"	"	"	"		68768	6889	6294	"	59.2	58.7	"	43.3	42.8	
4919	535	47.5	14.9	34.30	VII 3	68113	6917	6282	63.5	59.7	6440	47.7	47.7	43.9	
4921	534	46.7	16.5	35.21	"	68164	6925	6271	65.4	61.5	6429	49.6	45.7		
4923	533	46.5	18.5	60.49	VII 5	67769	6964	6268	69.6	62.8	6427	53.7	46.9		
"	"	"	"	"	VII 5	67783	6965	6267	69.7	62.9	"	53.8	47.0		
4925	532	44.9	19.7	6.07	VII 3	68760	6895	6246	64.9	64.2	6404	49.1	48.4		
4927	531	44.4	21.5	3.81	"	69100	6922	6239	68.3	67.9	6397	52.5	52.1		
J.	9184	528	43.8	23.0	4.17	"	69303	6943	6230	71.3	70.9	6389	55.4	55.0	
"	"	"	"	"	VII 4	69287	6942	6937	"	71.2	70.7	"	55.3	54.8	
9186	527	43.0	24.3	"	VII 5	69306	6944	6939	"	71.4	70.9	"	55.0	55.0	
9188	526	41.5	25.3	1.39	VII 3	69680	6972	6219	75.3	75.2	6378	59.4	59.3		
				15.19	"	69562	7003	6986	6198	80.5	78.8	6357	64.6	62.9	
Shirahama M.B.S.*		"	"	"	VII 4	69549	7002	6985	"	80.4	78.7	"	64.5	62.8	
9189	525	41.4	20.5	"	VII 3	68679	6966	6197	"			6356			
"	524	40.5	24.8	14.40	"	69409	6985	6185	80.0	78.4	6343	64.2	62.6		
9191	523	38.9	24.4	"	VII 1	69452	6990	6974	"	80.5	78.9	"	64.7	63.1	
				4.29	"	69527	6966	6162	80.4	79.9	6321	64.5	64.0		
9197	522	36.3	28.9	13.93	"	70267	7070	7054	6126	94.4	92.8	6285	78.5	76.9	
9201	521	33.0	29.8	3.26	"	71098	7120	7116	6080	104.0	103.6	6239	88.1	87.7	
9203	520	31.8	30.6	4.72	"	71200	7135	7129	6064	107.1	106.5	6223	91.2	90.6	
9205	519	31.3	32.3	18.60	"	71153	7173	7152	6057	111.6	109.5	6216	95.7	93.6	
9207	518	30.8	34.1	34.53	"	71250	7232	7193	6050	118.2	114.3	6209	102.3	98.4	

* Marine Biological Station Oceanographic Laboratory, on the Stand for Chemical Balances.

9209	517	30.2	35.9	7.07	"	72376	7259	7252	6042	121.7	121.0	6201	105.8	105.1					
9211	516	30.3	37.8	3.76	5.99	"	73035	7315	7311	6043	127.2	126.8	6202	111.3	110.9				
9213	515	29.9	39.2	5.72	5.72	"	73629	7381	7375	6037	134.4	133.8	6197	118.4	117.8				
9214	514	29.4	40.3	3.91	3.91	"	73960	7414	7407	6031	138.3	137.6	6190	122.4	121.7				
9216	513	29.4	42.2				74541	7466	7462	6031	143.5	143.1	6197	127.6	127.2				
9219	512	28.7	44.8	7.41		74827	7506	7497	6021	148.5	147.6	6180	132.6	131.7					
9221	511	28.3	46.6	2.80	"	75378	7546	7543	6015	153.1	152.8	6174	137.2	136.9					
Shionomissaki W.S.*	4987	510	26.8	45.7	74.90	VI 30	75386	7547	7544	"	153.2	152.9	"	137.3	137.0				
Shionomissaki W.S.*	4987	509	29.9	48.4	5.79	"	73978	7629	7545	5995	163.4	155.0	6154	147.5	139.1				
4985	508	30.6	50.3	5.73	"	75321	7550	7543	6047	150.3	149.6	6206	134.4	133.7					
4983	507	31.6	52.1	5.79	"	75187	7537	7530	6061	147.6	146.9	6220	131.7	131.0					
4981	506	32.9	53.0	10.15	"	74646	7496	7485	6079	141.7	140.6	6238	125.8	124.7					
4979	505	33.9	54.5	3.09	"	74559	7465	7462	6093	137.2	136.9	6252	121.3	121.0					
4977	504	35.3	55.9	3.05	"	74091	7419	7415	6112	130.7	130.3	6271	114.8	114.4					
4975	503	36.8	55.8	1.43	"	73782	7383	7381	6133	125.0	124.8	6292	109.1	108.9					
4972	502	39.1	57.0	40.27	"	72800	7404	7359	6165	123.9	119.4	6324	108.0	103.5					
4969	501	40.5	58.6	9.27	"	72934	7322	7312	6185	113.7	112.7	6343	97.9	96.9					
4967	500	42.0	59.5	35.48	"	72154	7325	7285	6205	112.0	108.0	6364	96.1	92.1					
4966	499	42.6	59.5	5.07	"	72652	7281	7275	6214	106.7	106.1	6372	90.9	90.3					
J. 4810	497	43.7	59.3	9.42	"	72465	7276	7265	6229	104.7	103.6	6388	88.8	87.7					
"	"	"	"	"	"	VI 29	72451	7274	7264	"	104.5	103.5	"	88.6	87.6				

* Weather Station, on Concrete Corridor.

Synoptic Results for Wakayama Prefecture (II).

B.M.	No.	φ	λ	H (m)	Date 1951	g	g_0	g_0''	HELMERT Formula of 1901			International Formula			
									Δg_0 (mgal.)	$\Delta g_0''$ (mgal.)	γ_0 979.	γ_0'' 979.	Δg_0 (mgal.)	$\Delta g_0''$ (mgal.)	
J. 271	578	34° 135°	14.5	13.1	5.56	VII 9	70259	7043	7037	6659	38.4	37.8	6817	22.6	22.0
1585	579	14.6	15.7	13.61	"	70558	7098	7083	6660	43.8	42.3	6818	28.0	26.5	
266	627	18.5	16.4	105.37	VII 15	68880	7133	7015	6715	41.8	30.0	6872	26.1	14.3	
268	616	16.6	16.7	51.72	VII 14	69306	7090	7032	6688	40.2	34.4	6846	24.4	18.6	
269	615	15.7	16.3	12.34	"	70243	7062	7049	6676	38.6	37.3	6833	22.9	21.6	
1583	580	14.8	18.3	18.85	"	71185	7177	7156	6663	51.4	49.3	6821	35.6	33.5	
"	"	"	19.3	22.79	VII 9	71195	7178	7157	"	51.5	49.4	"	35.7	33.6	
1582	581	15.0	21.7	32.64	"	71190	7189	7164	6666	52.3	49.8	6824	36.5	34.0	
1580	582	15.2	24.0	40.12	"	70738	7175	7138	6669	50.6	46.9	6826	34.9	31.2	
1578	583	15.8				70368	7161	6677	48.4	43.9		6835	32.6	28.1	
1576	584	16.3	26.2	57.95	"	70445	7223	7159	6684	53.9	47.5	6842	38.1	31.7	
1575	585	16.6	27.4	60.54	"	70539	7261	7193	6688	57.3	50.5	6846	41.5	34.7	
1573	586	17.4	29.6	57.35	"	70696	7187	7122	6700	48.7	42.2	6857	33.0	26.5	
1572	587	17.6	30.9	56.76	"	70120	7187	7124	6702	48.5	42.2	6860	32.7	26.4	
1569	588	18.4	34.0	93.62	"	69361	7245	7140	6714	53.1	42.6	6871	37.4	26.9	
1567	589	18.8	36.5	84.55	"	70068	7268	7173	6719	54.9	45.4	6877	39.1	29.6	
1565	590	19.3	38.6	108.16	"	69715	7305	7184	6726	57.9	45.8	6884	42.1	30.0	
"	"	"	"	"	VII 12	6994	7303	7182	"	57.7	45.6	"	41.9	29.8	

Synoptic Results for Wakayama Prefecture (III).

B.M.	No.	φ	λ	H (m)	Date 1951	g	g_0	g_0''	HELMERT Formula of 1901			International Formula			
									Δg_0 (mgal.)	$\Delta g_0''$ (mgal.)	g_0'' (mgal.)	Δg_0 (mgal.)	g_0'' (mgal.)	$\Delta g_0''$ (mgal.)	
4930	529	33° 33'	135°	44.1	14.27	VII 3	69384	6982	69666	6235	74.7	73.1	6393	58.9	57.3
4932	530			45.1	38.74	"	69299	7050	7006	6250	80.0	75.6	6409	64.1	59.7
4937	542			45.2	351.68	VII 4	63115	7397	7003	6264	113.3	73.9	6422	97.1	58.1
4939	541			45.4	153.59	"	67201	7194	7022	6253	94.1	76.9	6411	78.3	61.1
4942	543			47.4	31.4	"	68345	7184	7057	6281	90.3	77.6	6439	74.5	61.8

"		"	48.4	36.6	340.98	VII 5	68343	7183	7057	"	90.2	77.6	"	74.4	61.8
4951	544	"	"	"	64636	VII 4	64626	7516	7134	6294	122.2	84.0	6453	106.3	68.1
"	545	"	49.3	37.7	459.73	VII 5	64626	7515	7133	"	122.1	83.9	"	106.2	68.0
4953	545	"	49.3	37.7	507.54	VII 4	62363	7655	7141	6307	134.8	83.4	6465	119.0	67.6
4955	546	"	49.9	39.6	"	"	61629	7729	7161	6315	141.4	84.6	6474	125.5	68.7
4957	547	48.6	40.9	324.60	241.29	"	64904	7492	7129	6297	119.5	83.2	6456	103.6	67.3
4959	548	48.2	42.6	"	"	"	67052	7450	7180	6292	115.8	88.8	6450	100.0	73.0
"	"	"	"	"	"	VII 5	67041	7449	7119	"	115.7	88.7	"	99.9	72.9
4962	549	48.4	44.4	147.56	VII 4	69514	7407	7242	6294	111.3	94.8	6453	95.4	78.9	
4964	550	48.9	45.9	102.21	"	"	70610	7376	7262	6301	107.5	96.1	6460	91.6	80.2
J. 4826	551	49.0	47.5	54.75	"	71733	7342	7281	6303	103.9	97.8	6461	88.1	82.0	
4827	552	49.6	46.4	76.40	"	"	71072	7343	7258	6311	103.2	94.7	6470	87.3	78.8
"	"	"	"	"	VII 5	71062	7342	7257	"	103.1	94.6	"	87.2	78.7	
4829	553	51.2	46.1	92.98	"	"	70708	7358	7254	6333	102.5	92.1	6492	86.6	76.2
4830	554	52.0	45.6	81.71	"	"	70578	7310	7219	6345	96.5	87.4	6503	80.7	71.6

ウォルドン重力計による日本全国の重力測定

第五報 近畿地方

坪井忠二・実川 順・田島広一

これは、近畿地方における測定結果をまとめたものである。測定と計算との方法は、第一報のそれとほとんど同じであるから、こゝにはくりかえさない。結果は第III表～第IX表(ルート別)、第X表～第XVI表(県別)に示してある。ブーゲー異常の分布は、第9図に示してある。

第9図からわかる主なことがらは、次のとおりである。

1) ブーゲー異常 $\Delta g_0''$ は、北方すなわち日本海の方へ向かっても、あるいは南方すなわち太平洋の方へ向かっても、共に大きくなる。日本海沿岸には $\Delta g_0'' = +48 \text{ mgal}$ の所があり、太平洋岸には $+153 \text{ mgal}$ の所がある。日本海沿岸では、等異常線は海岸線とほぼ並行している。たゞ若狭湾の西方においては、この傾向は稍乱れている。

2) 中央構造線は、WSW-ENE の方向を以て四国の中南部を走り、同じ方向を保って紀伊半島を横断していることが知られている。しかし、近畿地方南部における等異常線の方向は、上記の構造線の方向とは一致していない。これは興味のあることである。四国地方における重力異常は、中央構造線と密接に関係があると考えられるような地下異常質量分布を示しているのに対して、近畿地方においては、そうでない。これは注目すべきことである。

3) 大阪の近くに、 $\Delta g_0''$ が極小になっている所がある。これはその下にある密度の小さい沖積層の影響であると考えられる。

4) 比叡湖の形とほとんど完全に一致して、 $\Delta g_0''$ が負の異常域がある。比叡湖が陥落地域であることは知られているが、こゝの重力の負異常の大きさから考えると、この陥落の量は、現在の地形が示すよりも大きいものである。陥落面の勾配は西辺では東へ向かって急、東辺では西へ向かって緩かである。