

高德佳絵ら
秩父演習林における人工林固定測定試験地成長資料(2014~2017年)

附表-1. 胸高直径の分布
和名倉 スギ 0170

測定年月	2016.10
林齢	94
胸高直径(cm)	本数(本)
2	0
4	0
6	0
8	0
10	0
12	0
14	0
16	0
18	0
20	0
22	1
24	1
26	4
28	1
30	1
32	6
34	6
36	7
38	6
40	3
42	4
44	2
46	5
48	8
50	2
52	0
54	5
56	2
58	4
60	4
62	1
64	3
66	2
68	0
70	1
72	0
測定本数	79
ha当本数	666
平均胸高直径(cm)	44.04
分散(cm ²)	140.18
標準偏差(cm)	11.84
変動係数(%)	26.9
ha当り断面積(m ² /ha)	108.18
平均断面積(m ²)	0.1624

和名倉 スギ 0190

測定年月	2016.10
林齢	62
胸高直径(cm)	本数(本)
2	0
4	0
6	0
8	0
10	0
12	0
14	0
16	0
18	0
20	0
22	0
24	0
26	1
28	3
30	1
32	6
34	5
36	7
38	8
40	5
42	6
44	5
46	2
48	3
50	2
52	0
54	0
56	1
58	0
60	0
62	1
64	0
測定本数	56
ha当本数	561
平均胸高直径(cm)	38.94
分散(cm ²)	47.37
標準偏差(cm)	6.88
変動係数(%)	17.7
ha当り断面積(m ² /ha)	68.89
平均断面積(m ²)	0.1229

高德佳絵ら
秩父演習林における人工林固定測定試験地成長資料(2014~2017年)

附表-1. 胸高直径の分布
沢小屋沢 スギ 0250

測定年月 林齢	2016.10 74
胸高直径(cm)	本数(本)
2	0
4	0
6	0
8	0
10	0
12	0
14	0
16	1
18	0
20	1
22	0
24	2
26	0
28	2
30	2
32	2
34	0
36	2
38	4
40	2
42	3
44	3
46	0
48	2
50	0
52	0
54	0
56	1
58	0
測定本数	27
ha当本数	738
平均胸高直径(cm)	36.30
分散(cm ²)	77.44
標準偏差(cm)	8.80
変動係数(%)	24.2
ha当り断面積(m ² /ha)	80.90
平均断面積(m ²)	0.1097

ワサビ沢 スギ 0270

測定年月 林齢	2016.10 78
胸高直径(cm)	本数(本)
2	0
4	0
6	0
8	0
10	0
12	0
14	0
16	0
18	0
20	0
22	0
24	0
26	0
28	0
30	0
32	2
34	1
36	2
38	4
40	2
42	1
44	1
46	1
48	4
50	1
52	0
54	1
56	0
測定本数	20
ha当本数	285
平均胸高直径(cm)	41.50
分散(cm ²)	38.54
標準偏差(cm)	6.21
変動係数(%)	15.0
ha当り断面積(m ² /ha)	39.43
平均断面積(m ²)	0.1382

高德佳絵ら
秩父演習林における人工林固定測定試験地成長資料(2014~2017年)

附表-1. 胸高直径の分布
小赤沢 スギ 0290

測定年月 林齢	2016.10 79
胸高直径(cm)	本数(本)
2	0
4	0
6	0
8	0
10	0
12	0
14	0
16	0
18	0
20	0
22	0
24	1
26	1
28	0
30	1
32	0
34	3
36	5
38	1
40	4
42	1
44	5
46	1
48	0
50	1
52	1
54	1
56	2
58	0
測定本数	28
ha当本数	622
平均胸高直径(cm)	40.65
分散(cm ²)	65.26
標準偏差(cm)	8.08
変動係数(%)	19.9
ha当り断面積(m ² /ha)	83.98
平均断面積(m ²)	0.1350

ケンカ平 スギ 0080

測定年月 林齢	2017.10 105
胸高直径(cm)	本数(本)
2	0
4	0
6	0
8	0
10	0
12	0
14	0
16	0
18	0
20	0
22	0
24	0
26	0
28	0
30	0
32	0
34	0
36	0
38	0
40	0
42	0
44	0
46	1
48	3
50	1
52	3
54	1
56	1
58	1
測定本数	37
ha当本数	221
平均胸高直径(cm)	64.73
分散(cm ²)	125.90
標準偏差(cm)	11.22
変動係数(%)	17.3
ha当り断面積(m ² /ha)	74.99
平均断面積(m ²)	0.3389

附表-1. 胸高直径の分布
要倉沢 スギ 0020

測定年月	2017.10
林齢	105
胸高直径(cm)	本数(本)
2	0
4	0
6	0
8	0
10	0
12	0
14	0
16	0
18	0
20	0
22	0
24	0
26	0
28	0
30	0
32	0
34	0
36	0
38	0
40	0
42	1
44	2
46	1
48	1
50	3
52	2
54	0
56	2
58	1
60	1
62	2
64	4
66	3
68	3
70	0
測定本数	26
ha当本数	182
平均胸高直径(cm)	55.77
分散(cm ²)	75.34
標準偏差(cm)	8.68
変動係数(%)	15.6
ha当り断面積(m ² /ha)	45.60
平均断面積(m ²)	0.2503

高德佳絵ら
秩父演習林における人工林固定測定試験地成長資料(2014~2017年)

附表-1. 胸高直径の分布
久度沢 ヒノキ 0210

測定年月	2016.10
林齢	87
胸高直径(cm)	本数(本)
2	0
4	0
6	0
8	0
10	0
12	0
14	0
16	1
18	8
20	10
22	9
24	21
26	22
28	20
30	19
32	22
34	17
36	18
38	10
40	5
42	5
44	1
46	0
測定本数	188
ha当本数	1263
平均胸高直径(cm)	29.40
分散(cm ²)	37.61
標準偏差(cm)	6.13
変動係数(%)	20.9
ha当り断面積(m ² /ha)	89.44
平均断面積(m ²)	0.0708

小赤沢 ヒノキ 0300

測定年月	2016.10
林齢	77
胸高直径(cm)	本数(本)
2	0
4	0
6	0
8	0
10	0
12	0
14	0
16	0
18	1
20	2
22	1
24	8
26	6
28	7
30	5
32	5
34	7
36	6
38	1
40	2
42	2
44	0
測定本数	53
ha当本数	967
平均胸高直径(cm)	30.03
分散(cm ²)	31.47
標準偏差(cm)	5.61
変動係数(%)	18.7
ha当り断面積(m ² /ha)	70.97
平均断面積(m ²)	0.0734

高德佳絵ら
秩父演習林における人工林固定測定試験地成長資料(2014~2017年)

附表-1. 胸高直径の分布
要倉沢 ヒノキ 0040

測定年月	2017.10
林齢	105
胸高直径(cm)	本数(本)
2	0
4	0
6	0
8	0
10	0
12	0
14	0
16	0
18	0
20	0
22	0
24	0
26	1
28	2
30	2
32	4
34	2
36	2
38	2
40	1
42	2
44	2
46	1
48	2
50	0
測定本数	23
ha当本数	657
平均胸高直径(cm)	36.56
分散(cm ²)	44.49
標準偏差(cm)	6.67
変動係数(%)	18.2
ha当り断面積(m ² /ha)	71.29
平均断面積(m ²)	0.1085

要倉沢 ヒノキ 0060

測定年月	2017.10
林齢	88
胸高直径(cm)	本数(本)
2	0
4	0
6	0
8	0
10	0
12	0
14	0
16	0
18	3
20	2
22	4
24	5
26	6
28	8
30	5
32	8
34	7
36	10
38	5
40	4
42	1
44	0
測定本数	68
ha当本数	1179
平均胸高直径(cm)	30.54
分散(cm ²)	36.10
標準偏差(cm)	6.01
変動係数(%)	19.7
ha当り断面積(m ² /ha)	89.65
平均断面積(m ²)	0.0761

高德佳絵ら
秩父演習林における人工林固定測定試験地成長資料(2014~2017年)

附表-1. 胸高直径の分布

井戸沢 スギ 無間伐区 045A	
測定年月	2016.10
林齢	89
胸高直径(cm)	本数(本)
2	0
4	0
6	0
8	0
10	0
12	0
14	0
16	0
18	0
20	0
22	1
24	2
26	5
28	2
30	2
32	1
34	2
36	2
38	4
40	2
42	0
44	1
46	3
48	2
50	2
52	0
54	2
56	1
58	1
60	2
62	1
64	0
測定本数	38
ha当本数	397
平均胸高直径(cm)	39.50
分散(cm ²)	131.76
標準偏差(cm)	11.48
変動係数(%)	29.1
ha当り断面積(m ² /ha)	52.77
平均断面積(m ²)	0.1329

井戸沢 スギ 無間伐区 045B	
測定年月	2016.10
林齢	94
胸高直径(cm)	本数(本)
2	0
4	0
6	0
8	0
10	0
12	0
14	0
16	0
18	0
20	0
22	0
24	1
26	4
28	4
30	2
32	4
34	4
36	6
38	6
40	7
42	7
44	5
46	2
48	2
50	4
52	3
54	1
56	0
58	1
60	0
62	0
64	1
測定本数	66
ha当本数	68
平均胸高直径(cm)	70
分散(cm ²)	0
標準偏差(cm)	0
変動係数(%)	0
ha当り断面積(m ² /ha)	66
平均断面積(m ²)	0.1346

高德佳絵ら
秩父演習林における人工林固定測定試験地成長資料(2014~2017年)

附表-1. 胸高直径の分布

小滑沢 スギ 間伐区 048A	
測定年月	2016.10
林齢	88
胸高直径(cm)	本数(本)
2	0
4	0
6	0
8	0
10	0
12	0
14	0
16	0
18	1
20	1
22	6
24	6
26	2
28	9
30	9
32	11
34	9
36	4
38	13
40	10
42	9
44	9
46	5
48	3
50	3
52	2
54	4
56	2
58	3
60	0
62	1
64	0
測定本数	122
ha当本数	989
平均胸高直径(cm)	37.28
分散(cm ²)	89.52
標準偏差(cm)	9.46
変動係数(%)	25.4
ha当り断面積(m ² /ha)	114.91
平均断面積(m ²)	0.1162

小滑沢 スギ 無間伐区 048B	
測定年月	2016.10
林齢	88
胸高直径(cm)	本数(本)
2	0
4	0
6	0
8	0
10	0
12	0
14	0
16	0
18	0
20	0
22	2
24	1
26	9
28	5
30	6
32	9
34	7
36	5
38	12
40	6
42	5
44	4
46	7
48	4
50	2
52	4
54	1
56	0
58	3
60	0
測定本数	92
ha当本数	896
平均胸高直径(cm)	37.64
分散(cm ²)	74.40
標準偏差(cm)	8.63
変動係数(%)	22.9
ha当り断面積(m ² /ha)	104.89
平均断面積(m ²)	0.1171

高德佳絵ら
秩父演習林における人工林固定測定試験地成長資料(2014~2017年)

附表-1. 胸高直径の分布

要倉沢 スギ 間伐区 003A	
測定年月	2017.10
林齢	105
胸高直径(cm)	本数(本)
2	0
4	0
6	0
8	0
10	0
12	0
14	0
16	0
18	0
20	0
22	0
24	0
26	0
28	0
30	0
32	0
34	0
36	0
38	1
40	1
42	1
44	1
46	5
48	2
50	0
52	0
54	1
56	0
58	1
60	0
62	0
64	1
66	0
68	1
70	1
72	1
74	0
測定本数	17
ha当本数	461
平均胸高直径(cm)	51.46
分散(cm ²)	107.32
標準偏差(cm)	10.36
変動係数(%)	20.1
ha当り断面積(m ² /ha)	99.70
平均断面積(m ²)	0.2164

要倉沢 スギ 無間伐区 003B	
測定年月	2017.10
林齢	105
胸高直径(cm)	本数(本)
2	0
4	0
6	0
8	0
10	0
12	0
14	0
16	0
18	0
20	0
22	0
24	0
26	0
28	0
30	0
32	1
34	0
36	1
38	1
40	2
42	1
44	2
46	5
48	3
50	4
52	2
54	1
56	1
58	0
60	1
62	2
64	1
66	2
68	0
70	0
72	0
74	1
測定本数	31
ha当本数	443
平均胸高直径(cm)	50.35
分散(cm ²)	89.80
標準偏差(cm)	9.48
変動係数(%)	18.8
ha当り断面積(m ² /ha)	91.40
平均断面積(m ²)	0.2061

高德佳絵ら
秩父演習林における人工林固定測定試験地成長資料(2014~2017年)

附表-1. 胸高直径の分布

要倉沢 スギ 間伐区 005A	
測定年月	2017.10
林齢	88
胸高直径(cm)	本数(本)
2	0
4	0
6	0
8	0
10	0
12	0
14	0
16	0
18	0
20	1
22	0
24	1
26	3
28	4
30	5
32	5
34	6
36	6
38	9
40	5
42	4
44	2
46	2
48	1
50	1
52	1
54	1
56	0
測定本数	57
ha当本数	978
平均胸高直径(cm)	36.2
分散(cm ²)	48.16
標準偏差(cm)	6.9
変動係数(%)	19.2
ha当り断面積(m ² /ha)	104.2
平均断面積(m ²)	0.1065

要倉沢 スギ 無間伐区 005B	
測定年月	2017.10
林齢	83
胸高直径(cm)	本数(本)
2	0
4	0
6	0
8	0
10	0
12	0
14	0
16	0
18	0
20	0
22	4
24	4
26	3
28	2
30	4
32	11
34	3
36	3
38	2
40	9
42	3
44	6
46	1
48	1
50	0
測定本数	56
ha当本数	1116
平均胸高直径(cm)	34.29
分散(cm ²)	49.21
標準偏差(cm)	7.01
変動係数(%)	20.5
ha当り断面積(m ² /ha)	107.27
平均断面積(m ²)	0.0962

高德佳絵ら
秩父演習林における人工林固定測定試験地成長資料(2014~2017年)

附表-1. 胸高直径の分布
入山 スギ 間伐区 036A

測定年月	2015.10
林齢	90
胸高直径(cm)	本数(本)
2	0
4	0
6	0
8	0
10	0
12	0
14	0
16	0
18	0
20	0
22	2
24	5
26	3
28	0
30	6
32	6
34	5
36	5
38	5
40	1
42	8
44	11
46	6
48	5
50	1
52	1
54	2
56	3
58	1
60	0
測定本数	76
ha当本数	642
平均胸高直径(cm)	38.9
分散(cm ²)	1515.41
標準偏差(cm)	38.9
変動係数(%)	100.0
ha当り断面積(m ² /ha)	80.4
平均断面積(m ²)	0.1253

入山 スギ 無間伐区 036B

測定年月	2015.10
林齢	90
胸高直径(cm)	本数(本)
2	0
4	0
6	0
8	0
10	0
12	0
14	0
16	0
18	0
20	0
22	3
24	0
26	3
28	6
30	9
32	10
34	2
36	9
38	5
40	18
42	12
44	7
46	4
48	5
50	1
52	4
54	3
56	1
58	2
60	1
62	0
測定本数	105
ha当本数	820
平均胸高直径(cm)	38.90
分散(cm ²)	1515.41
標準偏差(cm)	38.93
変動係数(%)	100.1
ha当り断面積(m ² /ha)	101.89
平均断面積(m ²)	0.1242

高德佳絵ら
秩父演習林における人工林固定測定試験地成長資料(2014~2017年)

附表-1. 胸高直径の分布

矢竹沢 スギ 無間伐区・600本/ha区・収入間伐区 503A		矢竹沢 スギ 600本/ha区・200本/ha区 503B		矢竹沢 スギ 200本/ha区・400本/ha区 503C	
測定年月	2014.11	測定年月	2014.11	測定年月	2014.11
林齢	85	林齢	85	林齢	85
胸高直径(cm)	本数(本)	胸高直径(cm)	本数(本)	胸高直径(cm)	本数(本)
2	0	2	0	2	0
4	0	4	0	4	0
6	0	6	0	6	0
8	0	8	0	8	0
10	0	10	0	10	0
12	0	12	0	12	0
14	0	14	0	14	0
16	1	16	0	16	0
18	1	18	0	18	0
20	3	20	0	20	0
22	3	22	0	22	0
24	4	24	0	24	0
26	3	26	0	26	0
28	9	28	1	28	0
30	15	30	1	30	0
32	9	32	1	32	0
34	12	34	3	34	0
36	11	36	5	36	2
38	14	38	7	38	5
40	18	40	8	40	5
42	14	42	9	42	2
44	8	44	11	44	9
46	11	46	8	46	14
48	18	48	6	48	13
50	8	50	6	50	8
52	6	52	4	52	5
54	5	54	5	54	9
56	5	56	8	56	7
58	6	58	4	58	11
60	5	60	4	60	4
62	3	62	6	62	4
64	1	64	1	64	1
66	0	66	0	66	2
測定本数	193	68	0	68	1
ha当本数	809	70	0	70	3
平均胸高直径(cm)	40.7	72	1	72	2
分散(cm ²)	104.72	74	0	74	0
標準偏差(cm)	10.2	76	0	測定本数	107
変動係数(%)	25.2	78	0	ha当本数	351
ha当り断面積(m ² /ha)	111.7	80	0	平均胸高直径(cm)	50.79
平均断面積(m ²)	0.1381	82	0	分散(cm ²)	69.82
		84	0	標準偏差(cm)	8.36
		86	1	変動係数(%)	16.5
		88	0	ha当り断面積(m ² /ha)	74.66
		測定本数	100	平均断面積(m ²)	0.2125
		ha当本数	295		

高德佳絵ら
秩父演習林における人工林固定測定試験地成長資料(2014~2017年)

附表-1. 胸高直径の分布

矢竹沢 スギ 無間伐区 032D	
測定年月	2014.11
林齢	85
胸高直径(cm)	本数(本)
2	0
4	0
6	0
8	0
10	0
12	0
14	1
16	0
18	1
20	0
22	0
24	0
26	1
28	1
30	1
32	2
34	2
36	6
38	4
40	2
42	4
44	8
46	2
48	1
50	3
52	1
54	0
56	1
58	1
60	2
62	0
測定本数	44
ha当本数	620
平均胸高直径(cm)	40.7
分散(cm ²)	92.41
標準偏差(cm)	9.6
変動係数(%)	23.6
ha当り断面積(m ² /ha)	85.2
平均断面積(m ²)	0.1374

矢竹沢 スギ 間伐区 032E	
測定年月	2014.11
林齢	85
胸高直径(cm)	本数(本)
2	0
4	0
6	0
8	0
10	0
12	0
14	0
16	0
18	0
20	0
22	0
24	0
26	0
28	1
30	4
32	3
34	3
36	0
38	4
40	6
42	4
44	2
46	6
48	2
50	0
52	1
54	1
56	2
58	0
60	1
62	0
測定本数	41
ha当本数	489
平均胸高直径(cm)	69.93
分散(cm ²)	73.20
標準偏差(cm)	8.56
変動係数(%)	12.2
ha当り断面積(m ² /ha)	41.82
平均断面積(m ²)	0.0856

高德佳絵ら
秩父演習林における人工林固定測定試験地成長資料(2014~2017年)

附表-1. 胸高直径の分布
要倉沢 ヒノキ 006A

測定年月	2017.10
林齢	88
胸高直径(cm)	本数(本)
2	0
4	0
6	0
8	0
10	0
12	0
14	0
16	0
18	0
20	0
22	0
24	2
26	5
28	5
30	12
32	3
34	7
36	7
38	5
40	3
42	1
44	1
46	0
測定本数	51
ha当本数	934
平均胸高直径(cm)	32.51
分散(cm ²)	24.05
標準偏差(cm)	4.90
変動係数(%)	15.1
ha当り断面積(m ² /ha)	79.38
平均断面積(m ²)	0.0850

要倉沢 ヒノキ 006B

測定年月	2017.10
林齢	88
胸高直径(cm)	本数(本)
2	0
4	0
6	0
8	0
10	0
12	0
14	0
16	0
18	2
20	1
22	11
24	7
26	9
28	10
30	13
32	10
34	4
36	7
38	1
40	3
42	3
44	1
測定本数	82
ha当本数	1431
平均胸高直径(cm)	29.36
分散(cm ²)	34.89
標準偏差(cm)	5.91
変動係数(%)	20.1
ha当り断面積(m ² /ha)	100.79
平均断面積(m ²)	0.0704

高德佳絵ら
秩父演習林における人工林固定測定試験地成長資料(2014~2017年)

附表-1. 胸高直径の分布

入山 ヒノキ 強度間伐区 504A		入山 ヒノキ 弱度間伐区 504B		入山 ヒノキ 無間伐区 504C	
測定年月	2015.10	測定年月	2015.10	測定年月	2015.10
林齢	88	林齢	88	林齢	88
胸高直径(cm)	本数(本)	胸高直径(cm)	本数(本)	胸高直径(cm)	本数(本)
2	0	2	0	2	0
4	0	4	0	4	0
6	0	6	0	6	0
8	0	8	0	8	0
10	0	10	0	10	0
12	0	12	0	12	0
14	0	14	0	14	0
16	0	16	0	16	0
18	0	18	0	18	1
20	0	20	3	20	2
22	4	22	11	22	7
24	4	24	12	24	14
26	8	26	10	26	13
28	11	28	17	28	14
30	7	30	8	30	17
32	8	32	12	32	11
34	9	34	16	34	7
36	12	36	14	36	8
38	10	38	13	38	12
40	7	40	9	40	9
42	8	42	4	42	6
44	10	44	1	44	3
46	2	46	1	46	0
48	1	48	1	48	0
50	2	50	0	50	1
52	0	測定本数	132	52	0
54	0	ha当本数	1173	測定本数	125
56	1	平均胸高直径(cm)	31.42	ha当本数	1130
58	0	分散(cm ²)	40.24	平均胸高直径(cm)	31.33
測定本数	104	標準偏差(cm)	6.34	分散(cm ²)	42.35
ha当本数	987	変動係数(%)	20.2	標準偏差(cm)	6.51
平均胸高直径(cm)	35.0	ha当り断面積(m ² /ha)	94.63	変動係数(%)	20.8
分散(cm ²)	53.52	平均断面積(m ²)	0.0807	ha当り断面積(m ² /ha)	90.88
標準偏差(cm)	7.3			平均断面積(m ²)	0.0804
変動係数(%)	20.9				
ha当り断面積(m ² /ha)	98.9				
平均断面積(m ²)	0.1003				

高德佳絵ら
秩父演習林における人工林固定測定試験地成長資料(2014~2017年)

附表-1. 胸高直径の分布
矢竹沢 ヒノキ 033F

測定年月 林齢	2014.11 85
胸高直径(cm)	本数(本)
2	0
4	0
6	0
8	0
10	0
12	0
14	0
16	0
18	2
20	4
22	4
24	8
26	8
28	5
30	9
32	9
34	12
36	5
38	7
40	4
42	0
44	6
46	0
測定本数	83
ha当本数	1174
平均胸高直径(cm)	31.08
分散(cm ²)	45.05
標準偏差(cm)	6.71
変動係数(%)	21.6
ha当り断面積(m ² /ha)	93.20
平均断面積(m ²)	0.0794

矢竹沢 ヒノキ 033G

測定年月 林齢	2014.11 85
胸高直径(cm)	本数(本)
2	0
4	0
6	0
8	0
10	0
12	0
14	0
16	0
18	0
20	0
22	0
24	1
26	1
28	4
30	5
32	6
34	5
36	8
38	9
40	6
42	5
44	2
46	0
測定本数	56
ha当本数	559
平均胸高直径(cm)	36.53
分散(cm ²)	41.35
標準偏差(cm)	6.43
変動係数(%)	17.6
ha当り断面積(m ² /ha)	60.38
平均断面積(m ²)	0.1080

高德佳絵ら
秩父演習林における人工林固定測定試験地成長資料(2014~2017年)

附表-1. 胸高直径の分布

要倉沢 サワラ 007A	
測定年月	2017.10
林齢	88
胸高直径(cm)	本数(本)
2	0
4	0
6	0
8	0
10	0
12	0
14	0
16	0
18	0
20	0
22	1
24	1
26	4
28	3
30	5
32	6
34	11
36	10
38	7
40	9
42	4
44	1
46	1
48	1
50	1
52	1
54	0
56	1
58	0
測定本数	67
ha当本数	940
平均胸高直径(cm)	35.75
分散(cm ²)	40.49
標準偏差(cm)	6.36
変動係数(%)	17.8
ha当り断面積(m ² /ha)	97.32
平均断面積(m ²)	0.1036

要倉沢 サワラ 007B	
測定年月	2017.10
林齢	88
胸高直径(cm)	本数(本)
2	0
4	0
6	0
8	0
10	0
12	0
14	1
16	0
18	1
20	3
22	2
24	2
26	10
28	4
30	4
32	11
34	6
36	6
38	3
40	9
42	4
44	3
46	2
48	2
50	2
52	0
測定本数	75
ha当本数	1081
平均胸高直径(cm)	33.44
分散(cm ²)	64.08
標準偏差(cm)	8.01
変動係数(%)	23.9
ha当り断面積(m ² /ha)	100.32
平均断面積(m ²)	0.0928

高德佳絵ら
秩父演習林における人工林固定測定試験地成長資料(2014～2017年)

附表-1. 胸高直径の分布

入山 サワラ 強度間伐区 505A		入山 サワラ 弱度間伐区 505B		入山 サワラ 無間伐区 505C	
測定年月	2015.10	測定年月	2015.10	測定年月	2015.10
林齢	88	林齢	88	林齢	88
胸高直径(cm)	本数(本)	胸高直径(cm)	本数(本)	胸高直径(cm)	本数(本)
2	0	2	0	2	0
4	0	4	0	4	0
6	0	6	0	6	0
8	0	8	0	8	0
10	0	10	0	10	0
12	0	12	0	12	0
14	0	14	0	14	0
16	0	16	0	16	1
18	1	18	4	18	2
20	5	20	6	20	6
22	6	22	20	22	10
24	4	24	18	24	5
26	11	26	20	26	7
28	14	28	20	28	6
30	8	30	19	30	14
32	13	32	22	32	8
34	10	34	19	34	8
36	10	36	12	36	10
38	10	38	14	38	7
40	12	40	12	40	3
42	7	42	12	42	5
44	7	44	9	44	0
46	5	46	8	46	0
48	5	48	0	48	1
50	3	50	0	50	1
52	3	52	1	52	1
54	0	54	0	54	0
測定本数	134	測定本数	216	測定本数	95
ha当本数	985	ha当本数	1295	ha当本数	1351
平均胸高直径(cm)	34.5	平均胸高直径(cm)	31.52	平均胸高直径(cm)	30.75
分散(cm ²)	68.29	分散(cm ²)	54.81	分散(cm ²)	54.75
標準偏差(cm)	8.3	標準偏差(cm)	7.40	標準偏差(cm)	7.40
変動係数(%)	24.0	変動係数(%)	23.5	変動係数(%)	24.1
ha当り断面積(m ² /ha)	97.2	ha当り断面積(m ² /ha)	106.62	ha当り断面積(m ² /ha)	106.22
平均断面積(m ²)	0.0987	平均断面積(m ²)	0.0823	平均断面積(m ²)	0.0786

高德佳絵ら
秩父演習林における人工林固定測定試験地成長資料(2014~2017年)

附表-1. 胸高直径の分布

矢竹沢 サワラ 034H	
測定年月	2014.11
林齢	85
胸高直径(cm)	本数(本)
2	0
4	0
6	0
8	0
10	0
12	0
14	0
16	0
18	0
20	0
22	0
24	0
26	0
28	0
30	0
32	0
34	2
36	1
38	0
40	0
42	1
44	1
46	0
48	1
50	1
52	0
54	1
56	0
測定本数	8
ha当本数	110
平均胸高直径(cm)	42.71
分散(cm ²)	51.55
標準偏差(cm)	7.18
変動係数(%)	16.8
ha当り断面積(m ² /ha)	16.27
平均断面積(m ²)	0.1473

矢竹沢 サワラ 034I	
測定年月	2014.11
林齢	85
胸高直径(cm)	本数(本)
2	0
4	0
6	0
8	0
10	0
12	0
14	0
16	0
18	0
20	0
22	0
24	0
26	0
28	0
30	0
32	0
34	0
36	0
38	0
40	0
42	1
44	1
46	0
48	3
50	0
52	3
54	0
56	2
58	1
60	2
62	0
64	5
66	1
68	1
70	1
72	1
74	0
測定本数	22
ha当本数	145
平均胸高直径(cm)	57.63
分散(cm ²)	73.63
標準偏差(cm)	8.58
変動係数(%)	14.9
ha当り断面積(m ² /ha)	38.75
平均断面積(m ²)	0.2666

高德佳絵ら
秩父演習林における人工林固定測定試験地成長資料(2014~2017年)

附表-1. 胸高直径の分布

入山 カラマツ 強度間伐区 506A		入山 カラマツ 弱度間伐区 506B		入山 カラマツ 無間伐区 506C	
測定年月 林齢	2015.10 88	測定年月 林齢	2015.10 88	測定年月 林齢	2015.10 88
胸高直径(cm)	本数(本)	胸高直径(cm)	本数(本)	胸高直径(cm)	本数(本)
2	0	2	0	2	0
4	0	4	0	4	0
6	0	6	0	6	0
8	0	8	0	8	0
10	0	10	0	10	0
12	0	12	0	12	0
14	0	14	0	14	0
16	0	16	0	16	0
18	1	18	0	18	0
20	4	20	6	20	6
22	3	22	7	22	8
24	7	24	8	24	12
26	8	26	9	26	9
28	6	28	9	28	13
30	9	30	10	30	9
32	3	32	6	32	4
34	10	34	5	34	6
36	4	36	3	36	7
38	3	38	1	38	2
40	5	40	4	40	7
42	5	42	1	42	4
44	0	44	0	44	2
測定本数	68	測定本数	69	測定本数	91
ha当本数	598	ha当本数	621	ha当本数	669
平均胸高直径(cm)	30.5	平均胸高直径(cm)	28.45	平均胸高直径(cm)	30.04
分散(cm ²)	41.48	分散(cm ²)	30.92	分散(cm ²)	50.87
標準偏差(cm)	6.4	標準偏差(cm)	5.56	標準偏差(cm)	7.13
変動係数(%)	21.1	変動係数(%)	19.5	変動係数(%)	23.7
ha当り断面積(m ² /ha)	45.6	ha当り断面積(m ² /ha)	41.01	ha当り断面積(m ² /ha)	50.10
平均断面積(m ²)	0.0763	平均断面積(m ²)	0.0660	平均断面積(m ²)	0.0749

高德佳絵ら
秩父演習林における人工林固定測定試験地成長資料(2014~2017年)

附表-2. 胸高直径と樹高
和名倉 スギ 0170 1981年調査番号再設定

2016.10			2016.10			2016.10		
No.	DBH(cm)	樹高(m)	No.	DBH(cm)	樹高(m)	No.	DBH(cm)	樹高(m)
1	43.80	30.2	51	59.50	—	101	57.50	—
2	33.40	—	52	22.70	26.6	102	37.30	30.6
3	47.60	—	53	60.15	—	103	65.19	39.4
4	25.35	—	54	—	—	104	55.55	38.3
5	枯損	—	55	47.70	38.0	105	59.15	—
6	42.65	—	56	枯損	—	106	64.94	—
7	47.70	—	57	62.25	—	107	45.15	—
8	35.65	32.2	58	—	—	108	31.35	—
9	36.90	—	59	—	—			
10	32.30	32.9	60	—	—			
11	—	—	61	48.05	—			
12	25.20	27.8	62	48.90	—			
13	31.05	—	63	25.15	—			
14	37.70	—	64	34.25	—			
15	枯損	—	65	65.35	36.5			
16	—	—	66	—	—			
17	53.15	—	67	枯損	—			
18	33.95	31.8	68	45.45	32.5			
19	—	—	69	23.60	—			
20	69.27	—	70	33.05	—			
21	—	—	71	45.20	—			
22	46.75	33.8	72	36.95	—			
23	29.80	—	73	64.33	—			
24	48.15	—	74	54.00	—			
25	25.35	—	75	28.10	—			
26	38.45	—	76	57.50	—			
27	46.05	—	77	35.85	—			
28	37.65	—	78	64.90	—			
29	—	—	79	—	—			
30	56.70	—	80	34.40	—			
31	—	—	81	35.05	—			
32	—	—	82	枯損	—			
33	57.25	—	83	41.50	—			
34	54.95	—	84	50.45	—			
35	—	—	85	47.75	32.0			
36	40.70	—	86	44.50	34.0			
37	35.10	29.7	87	47.05	—			
38	—	—	88	49.15	—			
39	—	—	89	59.10	—			
40	31.65	30.1	90	37.95	32.0			
41	40.40	—	91	57.00	—			
42	34.60	—	92	36.85	—			
43	38.80	—	93	—	—			
44	53.31	—	94	41.80	—			
45	—	—	95	53.10	—			
46	—	—	96	—	—			
47	42.60	—	97	32.85	—			
48	枯損	—	98	39.20	—			
49	—	—	99	—	—			
50	31.15	—	100	—	—			

附表-2. 胸高直径と樹高
和名倉 スギ 0190 1981年調査番号再設定

2016.10			2016.10			2016.10		
No.	DBH(cm)	樹高(m)	No.	DBH(cm)	樹高(m)	No.	DBH(cm)	樹高(m)
1	49.35	32.6	51	33.20	32.7	101	—	—
2	34.75	29.9	52	—	—	102	—	—
3	—	—	53	31.30	—	103	35.25	—
4	—	—	54	—	—	104	—	—
5	38.20	—	55	—	—	105	—	—
6	27.70	—	56	—	—	106	—	—
7	—	—	57	—	—	107	—	—
8	—	—	58	38.70	—	108	40.40	—
9	35.80	—	59	—	—	109	—	—
10	38.30	—	60	—	—	110	39.90	—
11	—	—	61	—	—	111	—	—
12	—	—	62	—	—	112	—	—
13	—	—	63	—	—	113	—	—
14	—	—	64	—	—	114	48.50	28.0
15	—	—	65	—	—	115	—	—
16	—	—	66	40.85	31.8	116	—	—
17	—	—	67	56.25	31.3	117	—	—
18	—	—	68	—	—	118	—	—
19	41.75	—	69	41.60	—	119	—	—
20	26.35	28.8	70	39.00	28.6	120	32.40	28.4
21	—	—	71	31.40	—	121	36.65	—
22	—	—	72	—	—	122	—	—
23	—	—	73	43.00	—	123	31.55	—
24	—	—	74	38.20	—	124	—	—
25	—	—	75	—	—	125	30.55	—
26	41.85	29.5	76	—	—	126	27.45	—
27	32.75	23.6	77	—	—	127	32.60	31.3
28	—	—	78	35.85	—	128	—	—
29	—	—	79	41.05	—	129	33.50	—
30	38.30	—	80	—	—	130	35.95	—
31	—	—	81	—	—	131	—	—
32	41.60	28.0	82	41.55	—	132	—	—
33	—	—	83	49.30	—	133	—	—
34	—	—	84	—	—	134	38.80	—
35	—	—	85	—	—	135	—	—
36	27.00	—	86	—	—	136	33.90	—
37	34.50	—	87	40.05	—	137	—	—
38	—	—	88	—	—	138	46.05	—
39	38.90	29.4	89	35.00	27.6	139	—	—
40	—	—	90	—	—	140	—	—
41	—	—	91	—	—	141	—	—
42	44.85	—	92	—	—	142	43.65	28.2
43	—	—	93	—	—	143	—	—
44	46.75	30.7	94	48.90	—	144	37.65	30.6
45	—	—	95	—	—	145	—	—
46	—	—	96	47.95	—	146	—	—
47	—	—	97	35.65	—			
48	—	—	98	43.05	—			
49	61.15	—	99	—	—			
50	44.35	33.5	100	—	—			

附表-2. 胸高直径と樹高
沢小屋沢 スギ 0250 1969年, 1981年調査番号再設定

2016.10			2016.10		
No.	DBH(cm)	樹高(m)	No.	DBH(cm)	樹高(m)
1	29.30	27.8	51	—	—
2	—	—	52	—	—
3	—	—	53	—	—
4	28.85	—	54	—	—
5	—	—	55	不明	—
6	36.45	—	56	43.80	—
7	—	—	57	—	—
8	—	—	58	38.90	—
9	—	—	59	38.40	—
10	—	—	60	—	—
11	—	—	61	不明	—
12	16.65	13.8	62	43.40	31.5
13	—	—	63	不明	—
14	37.75	—	64	—	—
15	42.30	31.9	65	55.05	—
16	—	—	66	—	—
17	32.95	33.4	67	35.00	—
18	38.55	—	68	—	—
19	—	—	69	39.20	—
20	—	—	70	不明	—
21	28.30	25.4	71	—	—
22	—	—	72	—	—
23	48.35	34.4	73	—	—
24	—	—	74	不明	No21に代替
25	—	—	75	—	—
26	—	—	76	40.55	—
27	—	—	77	23.00	26.8
28	30.50	—	78	47.90	—
29	—	—	79	32.45	—
30	20.80	19.6			
31	—	—			
32	44.25	32.2			
33	—	—			
34	—	—			
35	—	—			
36	—	—			
37	41.70	—			
38	—	—			
39	—	—			
40	—	—			
41	—	—			
42	24.80	22.4			
43	—	—			
44	—	—			
45	—	—			
46	—	—			
47	—	—			
48	—	—			
49	—	—			
50	41.00	—			

高德佳絵ら
秩父演習林における人工林固定測定試験地成長資料(2014～2017年)

附表-2. 胸高直径と樹高
ワサビ沢 スギ 0270 1969年, 1981年調査番号再設定

2016.10			2016.10			2016.10		
No.	DBH(cm)	樹高(m)	No.	DBH(cm)	樹高(m)	No.	DBH(cm)	樹高(m)
1	-	-	51	-	-	101	-	-
2	-	-	52	-	-	102	38.20	23.9
3	-	-	53	-	-	103	-	-
4	-	-	54	-	-	104	-	-
5	-	-	55	-	-	105	47.30	-
6	-	-	56	-	-	106	-	-
7	-	-	57	-	-			
8	-	-	58	-	-			
9	-	-	59	38.70	25.0			
10	-	-	60	-	-			
11	-	-	61	31.95	25.4			
12	-	-	62	40.15	24.4			
13	-	-	63	33.45	-			
14	-	-	64	-	-			
15	-	-	65	-	-			
16	-	-	66	32.50	24.0			
17	-	-	67	39.30	-			
18	-	-	68	35.05	25.1			
19	-	-	69	-	-			
20	-	-	70	47.35	-			
21	-	-	71	-	-			
22	-	-	72	49.75	-			
23	-	-	73	42.30	27.8			
24	-	-	74	-	-			
25	-	-	75	-	-			
26	-	-	76	-	-			
27	-	-	77	-	-			
28	-	-	78	-	-			
29	-	-	79	-	-			
30	-	-	80	-	-			
31	-	-	81	-	-			
32	-	-	82	28.10	-			
33	-	-	83	44.20	25.9			
34	-	-	84	45.45	29.0			
35	-	-	85	-	-			
36	-	-	86	-	-			
37	-	-	87	37.80	-			
38	-	-	88	38.30	-			
39	-	-	89	-	-			
40	-	-	90	-	-			
41	-	-	91	48.80	27.8			
42	-	-	92	36.65	-			
43	-	-	93	-	-			
44	-	-	94	-	-			
45	-	-	95	-	-			
46	-	-	96	-	-			
47	-	-	97	-	-			
48	-	-	98	-	-			
49	48.85	-	99	-	-			
50	53.85	25.8	100	-	-			

注) No82樹種ヒノキ

附表-2. 胸高直径と樹高
小赤沢 スギ 0290 1981年調査番号再設定

No.	2016.10		No.	2016.10	
	DBH(cm)	樹高(m)		DBH(cm)	樹高(m)
1	—	—	51	29.60	28.4
2	—	—	52	—	—
3	—	—	53	43.65	—
4	—	—	54	51.90	31.7
5	—	—	55	—	—
6	37.55	27.4	56	40.55	—
7	39.30	31.5	57	33.90	28.0
8	—	—	58	—	—
9	—	—	59	36.00	—
10	—	—	60	26.80	26.1
11	—	—	61	—	—
12	—	—	62	43.45	—
13	24.20	26.8	63	42.15	—
14	—	—	64	—	—
15	—	—	65	—	—
16	—	—	66	—	—
17	53.70	—			
18	—	—			
19	55.75	30.3			
20	—	—			
21	—	—			
22	—	—			
23	44.55	—			
24	—	—			
25	36.90	—			
26	36.00	—			
27	—	—			
28	—	—			
29	46.80	—			
30	44.55	29.8			
31	—	—			
32	44.95	—			
33	35.65	28.1			
34	—	—			
35	39.85	26.2			
36	—	—			
37	56.90	—			
38	—	—			
39	40.30	29.7			
40	—	—			
41	34.40	—			
42	50.00	—			
43	—	—			
44	—	—			
45	33.00	26.7			
46	—	—			
47	—	—			
48	35.85	—			
49	—	—			
50	—	—			

附表-2. 胸高直径と樹高
ケンカ平 スギ 0080

2017.10			2017.10		
No.	DBH(cm)	樹高(m)	No.	DBH(cm)	樹高(m)
1	—	—	51	67.10	—
2	47.35	31.7	52	—	—
3	76.90	—	53	67.20	—
4	82.40	40.7	54	—	—
5	49.65	—	55	—	—
6	—	—	56	59.00	36.6
7	枯損	—	57	—	—
8	47.20	—	58	—	—
9	—	—	59	—	—
10	—	—	60	83.20	40.8
11	52.50	—	61	47.10	—
12	—	—	62	68.20	—
13	86.30	42.5	63	—	—
14	—	—	64	—	—
15	65.30	39.5	65	—	—
16	—	—	66	—	—
17	—	—	67	67.20	38.5
18	64.20	38.4	68	68.30	—
19	61.80	36.8	69	—	—
20	75.60	38.9			
21	—	—			
22	82.00	41.3			
23	—	—			
24	69.10	—			
25	—	—			
26	61.00	—			
27	61.30	—			
28	56.95	—			
29	80.50	—			
30	—	—			
31	45.55	—			
32	—	—			
33	51.15	—			
34	51.80	—			
35	—	—			
36	74.20	—			
37	57.60	—			
38	54.20	—			
39	74.10	—			
40	—	—			
41	61.95	—			
42	—	—			
43	—	—			
44	73.10	33.4			
45	—	—			
46	63.25	—			
47	74.70	—			
48	65.90	—			
49	—	—			
50	—	—			

高德佳絵ら
秩父演習林における人工林固定測定試験地成長資料(2014~2017年)

附表-2. 胸高直径と樹高
要倉沢 スギ 0020

2017.10			2017.10			2017.10		
No.	DBH(cm)	樹高(m)	No.	DBH(cm)	樹高(m)	No.	DBH(cm)	樹高(m)
1	68.10	—	51	—	—	101	—	—
2	—	—	52	—	—	102	59.90	—
3	—	—	53	—	—	103	—	—
4	—	—	54	—	—	104	—	—
5	—	—	55	—	—	105	—	—
6	—	—	56	—	—	106	67.80	—
7	—	—	57	—	—	107	—	—
8	—	—	58	—	—	108	—	—
9	—	—	59	—	—	109	—	—
10	—	—	60	—	—	110	44.60	33.8
11	—	—	61	—	—	111	42.60	33.3
12	39.20	25.3	62	66.50	34.3			
13	—	—	63	—	—			
14	—	—	64	—	—			
15	—	—	65	—	—			
16	—	—	66	—	—			
17	—	—	67	—	—			
18	—	—	68	—	—			
19	53.60	—	69	—	—			
20	—	—	70	65.60	33.9			
21	—	—	71	—	—			
22	—	—	72	49.50	—			
23	53.90	27.4	73	—	—			
24	—	—	74	—	—			
25	—	—	75	—	—			
26	57.80	32.4	76	61.00	—			
27	—	—	77	66.90	34.3			
28	—	—	78	—	—			
29	—	—	79	—	—			
30	—	—	80	67.10	35.9			
31	—	—	81	—	—			
32	53.30	—	82	—	—			
33	—	—	83	—	—			
34	58.75	32.3	84	—	—			
35	—	—	85	59.95	—			
36	—	—	86	—	—			
37	44.15	28.6	87	—	—			
38	—	—	88	—	—			
39	—	—	89	—	—			
40	63.20	30.6	90	—	—			
41	—	—	91	63.00	34.7			
42	—	—	92	—	—			
43	—	—	93	48.10	—			
44	48.60	29.7	94	—	—			
45	—	—	95	51.20	—			
46	—	—	96	—	—			
47	—	—	97	—	—			
48	47.45	—	98	—	—			
49	—	—	99	48.30	—			
50	—	—	100	—	—			

附表-2. 胸高直径と樹高
久度沢 ヒノキ 0210 1969年, 1981年調査番号再設定

2016.10			2016.10			2016.10		
No.	DBH(cm)	樹高(m)	No.	DBH(cm)	樹高(m)	No.	DBH(cm)	樹高(m)
1			51	24.80		101	20.90	
2	28.40		52	27.10		102	31.20	
3			53			103	28.05	
4	18.15	18.7	54	34.50		104	29.70	26.1
5			55			105		
6	22.95		56	40.00	27.5	106	33.50	
7	37.55	25.8	57			107		
8	28.30		58	25.25		108		
9	42.50	25.3	59	27.75		109	33.90	
10	18.55		60			110	22.70	
11			61	18.55	22.3	111	20.20	
12			62	29.95		112	36.25	
13	29.60		63	24.25		113		
14			64	31.90		114	33.10	
15	21.60		65	29.75		115	23.90	
16	35.00		66	29.00		116	35.95	
17	24.25		67	21.50		117	24.60	
18	42.85	26.0	68	25.35		118	19.35	24.0
19	25.90		69	43.90	25.9	119	36.65	
20			70	22.90		120	36.95	
21			71	26.35		121	24.10	
22	枯損	No38に代替	72	32.35		122	25.40	
23			73	34.35		123	37.30	
24	27.40		74	26.05		124	38.45	26.3
25	27.40		75	31.10		125	20.60	
26			76	20.10		126	41.15	26.5
27	25.25		77	19.55	22.7	127		
28	24.50		78	26.20		128	枯損	No118に代替
29	枯損	No77に代替	79	28.55		129		
30	枯損		80	33.15		130	28.50	
31	38.05		81	26.60		131	41.45	
32	27.30		82			132	33.50	
33	35.25		83	27.85		133	24.45	
34	31.60		84			134	32.70	
35			85	27.75	25.3	135	26.00	
36	32.15		86	27.05	No164に代替	136	35.75	
37	37.85		87	18.85	22.6	137	32.10	
38	18.10	20.9	88	35.80	26.9	138		
39			89			139	29.70	26.8
40	33.75		90	26.55		140	24.55	24.8
41	36.20		91	29.85		141	36.90	26.3
42	36.05	25.4	92	29.25		142	31.50	
43	31.55		93	22.15	25.2	143	32.65	25.5
44			94	29.30		144	32.70	No144に代替
45	17.50	No4に代替	95	27.45		145	29.35	24.8
46	33.50		96			146	23.75	
47			97	19.55	23.5	147		
48	27.75		98	25.60		148	25.75	
49	23.00		99	37.60	25.8	149	26.70	
50	37.45		100	29.05		150		

附表-2. 胸高直径と樹高
久度沢 ヒノキ 0210 1969年, 1981年調査番号再設定 つづき

2016.10			2016.10		
No.	DBH(cm)	樹高(m)	No.	DBH(cm)	樹高(m)
151	21.30	24.5	201	32.05	
152	39.50	26.4	202	32.85	
153	25.20		203	36.65	
154	24.30		204	42.45	
155			205	31.55	
156	22.30		206	38.00	
157	40.40		207	20.85	
158			208	30.90	
159	23.40		209	24.35	
160	25.40		210	26.70	
161	35.85		211	38.95	26.4
162	30.50		212	24.05	
163	28.25		213	38.10	
164	26.15	25.3	214	24.40	
165	26.05		215	32.90	26.2
166	30.20		216		
167			217	23.65	
168			218	19.60	
169	34.45		219	27.70	
170			220	39.85	
171	16.40	24.4	221	28.50	
172	33.20	26.2	222		
173	26.80	23.5	223		
174	枯損	No192に代替	224	28.15	
175	34.10		225	36.30	
176	33.25	25.5	226	25.15	
177	31.70		227		
178	35.60		228	26.10	
179			229	枯損	No151に代替
180	32.35		230	24.70	
181			231	29.40	26.1
182			232	40.50	26.1
183	24.85	23.2	233	17.55	25.3
184			234	32.85	
185	32.25		235	34.50	
186	34.95		236	30.60	
187	32.65		237	32.10	
188	29.05		238	29.65	
189	36.30		239	33.00	
190	36.55		240	23.75	
191			241	34.75	
192	17.60		242	-	-
193	29.15				
194	24.75				
195	28.00				
196	21.95	25.0			
197	35.80				
198					
199	20.60	25.2			
200					

附表-2. 胸高直径と樹高
小赤沢 ヒノキ 0300 1981年調査番号再設定

2016.10			2016.10			2016.10		
No.	DBH(cm)	樹高(m)	No.	DBH(cm)	樹高(m)	No.	DBH(cm)	樹高(m)
1	27.30	—	51	—	—	101	—	—
2	—	—	52	34.65	22.4	102	—	—
3	27.80	23.0	53	27.30	—	103	27.15	—
4	—	—	54	—	—	104	—	—
5	26.65	—	55	—	—	105	39.85	23.7
6	—	—	56	—	—	106	—	—
7	34.45	23.6	57	—	—	107	42.10	—
8	30.40	—	58	—	—	108	—	—
9	—	—	59	28.95	—	109	—	—
10	—	—	60	—	—	110	—	—
11	29.30	—	61	—	—	111	24.75	—
12	—	—	62	26.45	—	112	—	—
13	25.25	—	63	—	—			
14	24.90	—	64	26.95	—			
15	29.45	22.3	65	32.35	—			
16	—	—	66	—	—			
17	—	—	67	—	—			
18	—	—	68	35.15	23.6			
19	—	—	69	—	—			
20	28.25	—	70	—	—			
21	—	—	71	29.25	—			
22	24.35	—	72	24.35	22.2			
23	—	—	73	—	—			
24	—	—	74	—	—			
25	—	—	75	38.75	24.2			
26	—	—	76	—	—			
27	36.05	23.4	77	33.75	23.8			
28	—	—	78	26.65	—			
29	—	—	79	34.15	—			
30	23.25	—	80	—	—			
31	27.80	—	81	41.25	—			
32	—	—	82	35.00	23.4			
33	23.00	21.3	83	—	—			
34	—	—	84	24.35	—			
35	31.80	—	85	19.85	—			
36	—	—	86	30.90	—			
37	40.35	22.2	87	20.10	—			
38	33.10	22.0	88	33.95	—			
39	22.50	—	89	24.90	—			
40	—	—	90	—	—			
41	—	—	91	35.40	—			
42	32.80	—	92	—	—			
43	36.00	22.1	93	—	—			
44	32.60	—	94	—	—			
45	—	—	95	—	—			
46	25.65	—	96	—	—			
47	18.65	—	97	—	—			
48	33.10	—	98	—	—			
49	32.10	—	99	—	—			
50	—	—	100	36.70	—			

高德佳絵ら
秩父演習林における人工林固定測定試験地成長資料(2014～2017年)

附表-2. 胸高直径と樹高
要倉沢 ヒノキ 0040

2017.10			2017.10			2017.10		
No.	DBH(cm)	樹高(m)	No.	DBH(cm)	樹高(m)	No.	DBH(cm)	樹高(m)
1	—	—	51	—	—	101	34.15	—
2	—	—	52	—	—	102	—	—
3	—	—	53	—	—	103	—	—
4	—	—	54	—	—	104	46.40	30.5
5	—	—	55	—	—	105	—	—
6	—	—	56	27.55	—	106	38.30	—
7	—	—	57	—	—	107	—	—
8	—	—	58	—	—	108	—	—
9	—	—	59	—	—	109	—	—
10	—	—	60	41.55	31.1	110	—	—
11	—	—	61	—	—	111	—	—
12	—	—	62	—	—	112	33.05	—
13	—	—	63	—	—	113	—	—
14	—	—	64	—	—	114	32.75	24.8
15	—	—	65	37.15	29.0	115	—	—
16	—	—	66	—	—	116	31.90	—
17	—	—	67	36.40	30.2	117	—	—
18	44.75	30.3	68	—	—	118	—	—
19	—	—	69	—	—	119	—	—
20	—	—	70	—	—	120	—	—
21	—	—	71	—	—	121	—	—
22	—	—	72	40.75	—	122	—	—
23	—	—	73	—	—	123	—	—
24	—	—	74	—	—	124	—	—
25	—	—	75	41.55	—	125	25.40	—
26	—	—	76	—	—	126	—	—
27	—	—	77	28.85	27.3	127	—	—
28	—	—	78	—	—	128	—	—
29	48.55	29.9	79	—	—	129	32.20	25.9
30	—	—	80	—	—	130	—	—
31	—	—	81	—	—	131	32.90	—
32	—	—	82	—	—	132	—	—
33	—	—	83	—	—	133	—	—
34	—	—	84	—	—	134	—	—
35	—	—	85	—	—	135	—	—
36	29.00	27.6	86	—	—	136	—	—
37	—	—	87	—	—	137	—	—
38	—	—	88	—	—	138	—	—
39	—	—	89	—	—	139	47.45	28.7
40	—	—	90	—	—	140	—	—
41	—	—	91	—	—	141	29.20	—
42	—	—	92	—	—	142	—	—
43	—	—	93	—	—	143	—	—
44	—	—	94	—	—	144	—	—
45	—	—	95	—	—	145	—	—
46	—	—	96	36.55	—	146	—	—
47	44.50	—	97	—	—			
48	—	—	98	—	—			
49	—	—	99	—	—			
50	—	—	100	—	—			

高德佳絵ら
秩父演習林における人工林固定測定試験地成長資料(2014~2017年)

附表-2. 胸高直径と樹高
要倉沢 ヒノキ 0060

2017.10			2017.10			2017.10		
No.	DBH(cm)	樹高(m)	No.	DBH(cm)	樹高(m)	No.	DBH(cm)	樹高(m)
1	33.20	—	51	35.00	—	101	—	—
2	25.95	—	52	—	—	102	—	—
3	—	—	53	—	—	103	—	—
4	20.80	—	54	29.25	—	104	35.85	23.8
5	—	—	55	—	—	105	32.15	—
6	—	—	56	29.80	25.0	106	34.05	25.0
7	36.85	—	57	—	—	107	24.15	—
8	30.25	—	58	35.90	25.2	108	—	—
9	31.10	—	59	—	—	109	40.70	—
10	—	—	60	—	—	110	—	—
11	—	—	61	35.00	24.2	111	—	—
12	37.75	—	62	—	—	112	—	—
13	—	—	63	—	—	113	—	—
14	—	—	64	—	—	114	—	—
15	28.75	—	65	27.50	—	115	—	—
16	—	—	66	—	—	116	—	—
17	27.00	—	67	—	—	117	—	—
18	33.85	—	68	—	—	118	—	—
19	—	—	69	—	—	119	33.75	—
20	22.70	—	70	18.10	—	120	35.05	—
21	—	—	71	—	—	121	—	—
22	—	—	72	22.80	—	122	—	—
23	35.55	—	73	—	—	123	—	—
24	—	—	74	29.80	—	124	38.35	26.2
25	—	—	75	—	—	125	—	—
26	28.65	—	76	23.00	21.5	126	—	—
27	—	—	77	28.40	23.4	127	18.70	21.9
28	—	—	78	—	—	128	24.75	24.3
29	27.40	—	79	32.20	24.8	129	—	—
30	—	—	80	—	—	130	—	—
31	18.10	—	81	—	—	131	29.35	—
32	—	—	82	—	—	132	—	—
33	—	—	83	38.70	—	133	34.80	25.6
34	—	—	84	—	—	134	—	—
35	42.05	—	85	—	—	135	—	—
36	—	—	86	—	—	136	26.85	21.7
37	—	—	87	22.50	—	137	36.60	26.0
38	—	—	88	26.65	—	138	—	—
39	28.00	—	89	20.25	—	139	—	—
40	—	—	90	—	—	140	—	—
41	—	—	91	38.25	—	141	—	—
42	39.65	—	92	—	—	142	—	—
43	31.70	—	93	28.25	—	143	—	—
44	36.75	—	94	23.15	—	144	31.60	—
45	—	—	95	26.30	—	145	—	—
46	—	—	96	—	—	146	—	—
47	—	—	97	25.70	—	147	33.35	—
48	—	—	98	—	—	148	—	—
49	—	—	99	40.75	24.3	149	—	—
50	39.90	—	100	—	—	150	—	—

注)No1樹種サワラ

附表-2. 胸高直径と樹高
要倉沢 ヒノキ 0060 つづき

2017.10		
No.	DBH(cm)	樹高(m)
151	31.20	22.3
152	—	—
153	26.15	—
154	37.00	—
155	36.00	—
156	22.75	—
157	—	—
158	31.50	—
159	33.35	—
160	—	—
161	—	—
162	—	—
163	—	—
164	31.25	—
165	—	—
166	—	—
167	—	—
168	24.25	—

高德佳絵ら
秩父演習林における人工林固定測定試験地成長資料(2014~2017年)

附表-2. 胸高直径と樹高
井戸沢 スギ 045A(無間伐区)

2016.10			2016.10			2016.10		
No.	DBH(cm)	樹高(m)	No.	DBH(cm)	樹高(m)	No.	DBH(cm)	樹高(m)
1	—	—	51	—	—	101	—	—
2	45.30	—	52	—	—	102	枯損	—
3	—	—	53	—	—	103	枯損	No45へ代替
4	53.85	37.9	54	56.35	37.6	104	—	—
5	—	—	55	48.05	38.7	105	53.60	—
6	—	—	56	—	—	106	27.65	28.4
7	—	—	57	40.35	36.0	107	枯損	No55へ代替
8	—	—	58	—	—	108	—	—
9	—	—	59	35.75	—	109	—	—
10	—	—	60	49.60	38.6	110	—	—
11	—	—	61	30.10	27.4	111	—	—
12	—	—	62	—	—	112	—	—
13	—	—	63	—	—	113	26.55	30.8
14	—	—	64	—	—	114	31.95	32.6
15	26.45	—	65	—	—	115	枯損	—
16	—	—	66	—	—	116	枯損	—
17	23.30	26.2	67	—	—	117	—	—
18	—	—	68	57.10	39.1	118	—	—
19	—	—	69	25.40	30.8	119	—	—
20	—	—	70	—	—	120	34.85	31.1
21	—	—	71	34.40	36.6	121	30.55	30.2
22	—	—	72	—	—	122	—	—
23	—	—	73	59.55	42.0	123	—	—
24	—	—	74	—	—	124	47.15	—
25	—	—	75	—	—	125	枯損	—
26	28.25	—	76	43.05	37.4	126	24.20	代替なし
27	—	—	77	35.60	33.8			
28	—	—	78	—	—			
29	—	—	79	—	—			
30	—	—	80	—	—			
31	—	—	81	22.45	—			
32	—	—	82	—	—			
33	—	—	83	—	—			
34	59.10	35.3	84	—	—			
35	—	—	85	—	—			
36	—	—	86	46.90	—			
37	—	—	87	—	—			
38	—	—	88	26.70	—			
39	—	—	89	37.50	—			
40	—	—	90	61.70	38.7			
41	—	—	91	—	—			
42	46.95	—	92	—	—			
43	49.70	35.4	93	—	—			
44	—	—	94	—	—			
45	38.10	28.9	95	26.50	29.5			
46	38.55	—	96	—	—			
47	39.65	34.2	97	—	—			
48	—	—	98	—	—			
49	—	—	99	38.25	—			
50	—	—	100	—	—			

高德佳絵ら
秩父演習林における人工林固定測定試験地成長資料(2014~2017年)

附表-2. 胸高直径と樹高
井戸沢 スギ 045B(間伐区) 1981年調査番号再設定

2016.10			2016.10			2016.10		
No.	DBH(cm)	樹高(m)	No.	DBH(cm)	樹高(m)	No.	DBH(cm)	樹高(m)
1	—	—	51	—	—	101	26.25	29.4
2	枯損	No101へ代替	52	—	—	102	—	—
3	35.90	—	53	枯損	—	103	—	—
4	57.05	37.4	54	—	—	104	—	—
5	39.70	—	55	—	—	105	—	—
6	50.40	—	56	—	—	106	42.15	—
7	—	—	57	—	—	107	52.90	—
8	31.30	—	58	—	—	108	26.70	—
9	39.90	—	59	49.85	36.0	109	43.80	—
10	34.60	—	60	47.50	—	110	39.10	—
11	40.20	—	61	—	—	111	枯損	—
12	38.85	—	62	41.80	—			
13	35.20	36.4	63	—	—			
14	30.30	31.3	64	—	—			
15	41.25	33.5	65	39.50	—			
16	—	—	66	35.10	—			
17	—	—	67	28.85	—			
18	—	—	68	49.10	—			
19	—	—	69	38.15	—			
20	—	—	70	26.10	31.0			
21	44.45	—	71	26.85	30.7			
22	68.00	41.8	72	—	—			
23	28.20	28.3	73	—	—			
24	31.50	31.4	74	50.15	37.4			
25	38.50	—	75	—	—			
26	38.90	—	76	42.30	—			
27	—	—	77	—	—			
28	35.75	—	78	48.30	—			
29	—	—	79	44.05	—			
30	41.85	35.4	80	枯損	—			
31	29.20	31.0	81	—	—			
32	39.90	—	82	—	—			
33	36.15	34.2	83	43.30	37.7			
34	27.55	34.3	84	—	—			
35	41.80	—	85	—	—			
36	42.80	—	86	—	—			
37	51.05	—	87	—	—			
38	43.45	—	88	—	—			
39	63.75	40.0	89	—	—			
40	37.50	—	90	54.95	38.3			
41	—	—	91	28.70	28.2			
42	32.55	31.4	92	36.10	—			
43	枯損	—	93	52.80	—			
44	40.35	—	94	—	—			
45	—	—	95	33.60	—			
46	24.40	26.9	96	67.50	37.7			
47	45.30	37.2	97	—	—			
48	34.65	36.9	98	32.35	—			
49	—	—	99	46.45	—			
50	33.30	32.5	100	38.80	—			

高德佳絵ら
秩父演習林における人工林固定測定試験地成長資料(2014~2017年)

附表-2. 胸高直径と樹高
小滑沢 スギ 048A(無間伐区)

2016.10			2016.10			2016.10		
No.	DBH(cm)	樹高(m)	No.	DBH(cm)	樹高(m)	No.	DBH(cm)	樹高(m)
1	45.70	—	51	—	—	101	—	—
2	—	—	52	41.35	—	102	37.55	—
3	—	—	53	—	—	103	23.90	—
4	38.55	—	54	32.70	—	104	37.35	—
5	—	—	55	—	—	105	—	—
6	—	—	56	45.50	—	106	32.25	—
7	—	—	57	—	—	107	28.45	—
8	58.70	—	58	43.85	—	108	—	—
9	41.00	—	59	—	—	109	—	—
10	—	—	60	25.70	—	110	30.80	—
11	—	—	61	—	—	111	—	—
12	57.40	—	62	—	—	112	32.45	—
13	43.70	—	63	50.20	—	113	44.80	—
14	—	—	64	56.25	—	114	40.20	35.8
15	—	—	65	—	—	115	30.60	31.5
16	—	—	66	枯損	—	116	—	—
17	24.85	—	67	—	—	117	32.55	—
18	—	—	68	38.95	—	118	53.45	34.5
19	—	—	69	—	—	119	—	—
20	30.75	—	70	32.15	23.3	120	23.95	—
21	31.75	—	71	枯損	—	121	—	—
22	54.00	—	72	48.60	—	122	—	—
23	35.05	—	73	—	—	123	—	—
24	42.90	—	74	—	—	124	37.00	—
25	22.90	—	75	36.25	30.2	125	—	—
26	—	—	76	—	—	126	—	—
27	—	—	77	—	—	127	—	—
28	41.25	—	78	—	—	128	枯損	—
29	42.30	—	79	—	—	129	33.30	—
30	—	—	80	39.00	—	130	43.95	—
31	—	—	81	43.95	33.0	131	—	—
32	—	—	82	枯損	—	132	—	—
33	—	—	83	—	—	133	44.10	—
34	—	—	84	34.40	34.2	134	45.25	—
35	枯損	—	85	40.40	—	135	30.15	—
36	53.30	—	86	—	—	136	—	—
37	37.05	—	87	44.65	—	137	—	—
38	—	—	88	31.55	—	138	24.25	—
39	37.60	—	89	—	—	139	39.85	—
40	57.55	39.0	90	34.90	—	140	40.30	—
41	53.05	36.2	91	—	—	141	45.75	—
42	—	—	92	24.85	31.7	142	23.05	26.5
43	—	—	93	45.25	39.3	143	—	—
44	27.45	—	94	—	—	144	—	—
45	—	—	95	—	—	145	37.15	—
46	—	—	96	37.55	34.9	146	—	—
47	—	—	97	26.90	—	147	—	—
48	枯損	—	98	—	—	148	28.90	—
49	22.65	—	99	—	—	149	22.35	—
50	41.55	—	100	—	—	150	27.05	—

附表-2. 胸高直径と樹高
小滑沢 スギ 048A(無間伐区) つづき

2016.10			2016.10		
No.	DBH(cm)	樹高(m)	No.	DBH(cm)	樹高(m)
151	30.20	—	201	38.30	—
152	—	—	202	34.30	—
153	35.10	—	203	—	—
154	32.60	32.6	204	—	—
155	—	—	205	17.25	—
156	34.35	31.8	206	43.20	—
157	—	—	207	41.75	—
158	32.00	—	208	39.40	—
159	—	—	209	51.70	—
160	—	—	210	31.40	—
161	—	—	211	31.70	—
162	55.55	—	212	22.10	—
163	28.00	30	213	—	—
164	—	—	214	29.00	—
165	36.85	—	215	52.70	—
166	—	—	216	39.35	—
167	—	—	217	21.70	—
168	枯損	—	218	—	—
169	33.95	—	219	20.20	—
170	28.55	31.3	220	48.90	—
171	50.35	—	221	30.60	—
172	—	—	222	39.90	—
173	—	—	223	21.90	—
174	37.30	—	224	37.05	—
175	49.00	—	225	34.85	—
176	—	—	226	41.80	—
177	—	—	227	42.00	—
178	枯損	—			
179	枯損	—			
180	33.25	—			
181	44.05	—			
182	48.85	—			
183	28.80	—			
184	28.00	—			
185	—	—			
186	39.00	—			
187	33.85	—			
188	—	—			
189	—	—			
190	—	—			
191	38.95	—			
192	62.85	—			
193	28.45	—			
194	—	—			
195	—	—			
196	29.45	32.2			
197	—	—			
198	30.35	—			
199	—	—			
200	40.70	—			

高德佳絵ら
秩父演習林における人工林固定測定試験地成長資料(2014~2017年)

附表-2. 胸高直径と樹高
小滑沢 スギ 048B(間伐区)

2016.10			2016.10			2016.10		
No.	DBH(cm)	樹高(m)	No.	DBH(cm)	樹高(m)	No.	DBH(cm)	樹高(m)
1	—	—	51	43.85	—	101	—	—
2	—	—	52	—	—	102	38.90	—
3	33.90	—	53	45.25	—	103	—	—
4	—	—	54	—	—	104	—	—
5	28.05	—	55	41.85	—	105	—	—
6	—	—	56	36.25	—	106	—	—
7	43.00	—	57	26.60	—	107	46.30	—
8	—	—	58	52.10	—	108	—	—
9	—	—	59	—	—	109	—	—
10	34.00	—	60	46.15	—	110	34.40	—
11	—	—	61	—	—	111	—	—
12	—	—	62	—	—	112	—	—
13	40.85	34.5	63	37.50	—	113	37.35	—
14	—	—	64	—	—	114	—	—
15	—	—	65	—	—	115	53.10	—
16	—	—	66	—	—	116	46.80	—
17	—	—	67	57.10	—	117	—	—
18	枯損	No18へ代替	68	—	—	118	38.40	—
19	32.55	28.4	69	42.65	—	119	—	—
20	—	—	70	—	—	120	—	—
21	—	—	71	—	—	121	35.30	—
22	39.50	—	72	—	—	122	—	—
23	28.45	—	73	—	—	123	36.70	—
24	44.95	—	74	40.40	34.8	124	—	—
25	42.20	—	75	39.70	—	125	—	—
26	29.05	—	76	30.10	29.9	126	29.25	33.6
27	30.05	27.0	77	34.95	34.9	127	25.90	—
28	—	—	78	29.40	代替なし	128	28.65	—
29	21.20	25.4	79	—	—	129	—	—
30	31.30	—	80	51.35	36.8	130	—	—
31	—	—	81	—	—	131	—	—
32	—	—	82	31.55	No100へ代替	132	47.50	—
33	—	—	83	45.65	—	133	—	—
34	48.85	—	84	—	—	134	—	—
35	43.20	—	85	26.75	No89へ代替	135	—	—
36	26.40	24.8	86	—	—	136	28.50	32.4
37	32.35	—	87	—	—	137	—	—
38	52.20	—	88	—	—	138	41.30	—
39	46.40	—	89	26.45	27.5	139	—	—
40	—	—	90	—	—	140	—	—
41	枯損	—	91	34.15	30.7	141	—	—
42	25.60	—	92	27.00	21.2	142	24.70	—
43	—	—	93	—	—	143	—	—
44	—	—	94	37.75	—	144	38.65	—
45	—	—	95	—	—	145	26.45	29.4
46	—	—	96	46.35	—	146	30.25	—
47	—	—	97	—	—	147	—	—
48	48.75	—	98	38.50	—	148	—	—
49	—	—	99	枯損	—	149	—	—
50	—	—	100	31.90	33.0	150	—	—

附表-2. 胸高直径と樹高
小滑沢 スギ 048B(間伐区) つづき

2016.10			2016.10		
No.	DBH(cm)	樹高(m)	No.	DBH(cm)	樹高(m)
151	—	—	201	—	—
152	57.30	—	202	—	—
153	—	—	203	38.60	—
154	—	—	204	—	—
155	—	—	205	—	—
156	32.95	34.1	206	—	—
157	—	—	207	—	—
158	—	—	208	—	—
159	—	—	209	枯損	—
160	—	—	210	—	—
161	36.20	—	211	—	—
162	—	—	212	枯損	No29に代替
163	—	—	213	50.10	—
164	—	—	214	—	—
165	40.60	—	215	51.15	—
166	26.15	—	216	—	—
167	—	—			
168	41.40	33.4			
169	—	—			
170	37.10	33.1			
171	—	—			
172	—	—			
173	—	—			
174	—	—			
175	33.80	—			
176	32.20	—			
177	—	—			
178	34.50	34.4			
179	—	—			
180	50.80	—			
181	38.50	—			
182	—	—			
183	37.05	—			
184	39.30	—			
185	—	—			
186	26.55	—			
187	—	—			
188	58.40	37.6			
189	—	—			
190	31.60	—			
191	37.20	—			
192	—	—			
193	—	—			
194	—	—			
195	—	—			
196	—	—			
197	36.90	—			
198	22.20	—			
199	47.90	—			
200	31.80	—			

高德佳絵ら
秩父演習林における人工林固定測定試験地成長資料(2014~2017年)

附表-2. 胸高直径と樹高
要倉沢 スギ 003A(間伐後2回間伐)

2017.10			2017.10			2017.10		
No.	DBH(cm)	樹高(m)	No.	DBH(cm)	樹高(m)	No.	DBH(cm)	樹高(m)
1	45.70	36.7	51	45.45	37.1	101	48.65	—
2	—	—	52	—	—	102	—	—
3	—	—	53	—	—	103	70.40	38.6
4	46.45	—	54	—	—			
5	—	—	55	—	—			
6	—	—	56	—	—			
7	—	—	57	—	—			
8	—	—	58	—	—			
9	—	—	59	—	—			
10	—	—	60	—	—			
11	—	—	61	—	—			
12	—	—	62	—	—			
13	57.05	—	63	—	—			
14	—	—	64	—	—			
15	—	—	65	—	—			
16	—	—	66	—	—			
17	43.75	36.8	67	—	—			
18	—	—	68	—	—			
19	—	—	69	41.25	—			
20	—	—	70	—	—			
21	—	—	71	—	—			
22	—	—	72	45.30	36.0			
23	—	—	73	—	—			
24	—	—	74	—	—			
25	—	—	75	63.00	—			
26	46.25	38.5	76	—	—			
27	—	—	77	38.95	—			
28	—	—	78	—	—			
29	—	—	79	—	—			
30	—	—	80	—	—			
31	48.65	37.2	81	—	—			
32	—	—	82	—	—			
33	—	—	83	—	—			
34	—	—	84	—	—			
35	—	—	85	—	—			
36	—	—	86	—	—			
37	—	—	87	72.00	42.7			
38	—	—	88	—	—			
39	—	—	89	—	—			
40	—	—	90	—	—			
41	—	—	91	—	—			
42	—	—	92	—	—			
43	—	—	93	54.95	—			
44	—	—	94	—	—			
45	—	—	95	—	—			
46	—	—	96	40.05	—			
47	—	—	97	—	—			
48	—	—	98	—	—			
49	—	—	99	—	—			
50	67.00	39.8	100	—	—			

附表-2. 胸高直径と樹高
要倉沢 スギ 003B(無間伐後2回間伐)

2017.10			2017.10		
No.	DBH(cm)	樹高(m)	No.	DBH(cm)	樹高(m)
1	—	—	51	—	—
2	50.15	—	52	—	—
3	—	—	53	73.60	—
4	—	—	54	40.55	—
5	—	—	55	—	—
6	—	—	56	64.50	41.2
7	—	—	57	—	—
8	—	—	58	—	—
9	52.10	—	59	—	—
10	52.30	—	60	42.90	35.9
11	—	—	61	50.25	35.8
12	44.05	—	62	66.80	—
13	55.65	34.0	63	62.75	—
14	—	—	64	32.45	—
15	—	—	65	—	—
16	—	—	66	—	—
17	50.05	35.7	67	—	—
18	—	—	68	48.85	—
19	49.10	37.0	69	39.50	33.9
20	—	—			
21	—	—			
22	44.05	—			
23	38.60	—			
24	—	—			
25	—	—			
26	—	—			
27	—	—			
28	47.75	—			
29	45.80	—			
30	—	—			
31	60.80	—			
32	53.25	—			
33	46.75	—			
34	—	—			
35	61.80	39.5			
36	47.40	32.0			
37	—	—			
38	—	—			
39	—	—			
40	45.55	38.9			
41	—	—			
42	36.35	—			
43	45.85	—			
44	—	—			
45	65.10	—			
46	46.10	—			
47	—	—			
48	—	—			
49	—	—			
50	—	—			

附表-2. 胸高直径と樹高
要倉沢 スギ 005A(間伐区)

2017.10			2017.10		
No.	DBH(cm)	樹高(m)	No.	DBH(cm)	樹高(m)
1	37.50	—	51	32.25	27.7
2	—	—	52	46.85	—
3	28.35	28.1	53	—	—
4	54.05	33.4	54	33.75	—
5	—	—	55	—	—
6	38.35	—	56	33.25	—
7	34.80	—	57	—	—
8	30.80	25.5	58	45.65	—
9	—	—	59	30.40	27.8
10	—	—	60	35.65	—
11	—	—	61	48.85	—
12	—	—	62	38.90	—
13	26.05	—	63	33.25	30.4
14	26.30	—	64	33.85	29.5
15	51.55	—	65	—	—
16	41.30	—	66	—	—
17	32.70	—	67	36.40	—
18	—	—	68	20.35	23.8
19	29.25	—	69	—	—
20	40.65	—	70	37.85	—
21	—	—	71	36.95	—
22	50.50	—	72	29.15	—
23	—	—	73	—	—
24	31.70	—	74	31.90	—
25	41.50	—	75	32.60	—
26	36.35	31.5	76	—	—
27	40.00	—	77	38.00	—
28	—	—	78	41.75	—
29	30.80	—	79	37.50	—
30	—	—	80	—	—
31	44.15	—	81	39.90	—
32	26.15	—	82	28.85	—
33	—	—	83	—	—
34	28.15	27.8	84	—	—
35	—	—			
36	37.95	32.2			
37	38.10	—			
38	37.40	30.4			
39	36.20	—			
40	34.10	29.6			
41	39.65	—			
42	44.50	—			
43	24.10	—			
44	—	—			
45	—	—			
46	42.25	—			
47	39.55	—			
48	—	—			
49	36.00	—			
50	27.05	—			

高德佳絵ら
秩父演習林における人工林固定測定試験地成長資料(2014~2017年)

附表-2. 胸高直径と樹高
要倉沢 スギ 005B(無間伐区)

2017.10			2017.10			2017.10		
No.	DBH(cm)	樹高(m)	No.	DBH(cm)	樹高(m)	No.	DBH(cm)	樹高(m)
1	44.15	31.8	51	40.65	—	101	—	—
2	25.05	—	52	—	—	102	—	—
3	36.60	—	53	—	—	103	32.60	—
4	26.50	30.4	54	41.00	—	104	—	—
5	31.50	—	55	24.90	—	105	—	—
6	—	—	56	—	—	106	—	—
7	—	—	57	—	—	107	—	—
8	30.60	—	58	—	—	108	43.15	—
9	—	—	59	—	—	109	—	—
10	—	—	60	—	—	110	28.80	30.2
11	39.10	—	61	—	—	111	—	—
12	21.70	—	62	—	—	112	41.15	—
13	32.85	—	63	枯損	—	113	—	—
14	—	—	64	35.60	—	114	21.85	26.0
15	—	—	65	—	—	115	—	—
16	39.15	—	66	—	—	116	37.45	—
17	—	—	67	48.70	—	117	31.75	—
18	—	—	68	24.55	29.6	118	—	—
19	—	—	69	—	—	119	31.35	—
20	28.70	—	70	22.90	—	120	—	—
21	32.50	—	71	42.10	—	121	39.10	31.4
22	—	—	72	—	—	122	44.50	32.3
23	31.15	28.3	73	30.15	—	123	24.00	24.5
24	—	—	74	—	—	124	—	—
25	—	—	75	—	—	125	37.65	—
26	—	—	76	—	—	126	—	—
27	—	—	77	—	—	127	25.75	—
28	36.45	31.0	78	—	—	128	—	—
29	—	—	79	46.10	—	129	—	—
30	—	—	80	—	—	130	—	—
31	—	—	81	32.60	—	131	—	—
32	34.50	—	82	—	—	132	29.95	—
33	—	—	83	34.95	—	133	—	—
34	43.05	—	84	—	—	134	39.95	—
35	—	—	85	—	—	135	—	—
36	21.05	25.6	86	—	—			
37	39.95	—	87	40.70	—			
38	43.00	—	88	—	—			
39	—	—	89	—	—			
40	32.05	—	90	24.75	—			
41	—	—	91	32.30	—			
42	40.20	—	92	—	—			
43	—	—	93	—	—			
44	—	—	94	—	—			
45	—	—	95	—	—			
46	—	—	96	—	—			
47	—	—	97	—	—			
48	40.50	31.5	98	32.30	—			
49	—	—	99	29.00	—			
50	34.25	—	100	43.65	—			

高德佳絵ら
秩父演習林における人工林固定測定試験地成長資料(2014～2017年)

附表-2. 胸高直径と樹高
入山 スギ 036A(間伐区)

2015.10			2015.10			2015.10		
No.	DBH(cm)	樹高(m)	No.	DBH(cm)	樹高(m)	No.	DBH(cm)	樹高(m)
1	45.85	—	51	36.05	—	101	31.80	32.9
2	42.90	—	52	—	—	102	—	—
3	42.85	—	53	48.35	—	103	—	—
4	47.55	—	54	—	—	104	55.25	—
5	48.50	—	55	43.05	—	105	—	—
6	29.75	—	56	29.95	28.7	106	31.75	—
7	—	—	57	枯損	No73へ代替	107	24.90	—
8	53.20	—	58	—	—	108	—	—
9	54.75	—	59	38.65	—	109	26.00	—
10	36.15	—	60	35.95	32.7	110	25.75	—
11	—	—	61	—	—	111	—	—
12	57.50	—	62	枯損	No101へ代替	112	43.50	—
13	—	—	63	—	—	113	—	—
14	枯損	—	64	32.40	28.8	114	41.15	—
15	—	—	65	34.30	—	115	枯損	—
16	43.05	—	66	51.10	38.2	116	—	—
17	—	—	67	—	—	117	—	—
18	43.10	—	68	—	—	118	35.55	—
19	21.50	26.4	69	45.25	34.4	119	—	—
20	36.25	—	70	枯損	—	120	41.25	—
21	—	—	71	44.90	32.2	121	—	—
22	44.75	34.2	72	—	—	122	—	—
23	—	—	73	26.40	28.8	123	枯損	—
24	41.90	35.8	74	—	—	124	—	—
25	38.10	—	75	29.65	—	125	23.45	—
26	—	—	76	31.25	—	126	55.15	—
27	46.15	—	77	29.05	—	127	31.00	—
28	40.85	—	78	29.45	—			
29	34.40	—	79	枯損	—			
30	—	—	80	—	—			
31	46.50	—	81	43.55	—			
32	—	—	82	48.35	—			
33	50.50	—	83	43.10	—			
34	—	—	84	—	—			
35	45.10	—	85	46.40	—			
36	34.95	—	86	24.55	—			
37	22.70	28.5	87	枯損	—			
38	23.55	24.7	88	—	—			
39	—	—	89	31.30	—			
40	38.80	31.0	90	55.20	—			
41	—	—	91	—	—			
42	42.85	35.5	92	33.95	—			
43	44.80	—	93	—	—			
44	43.10	—	94	37.90	—			
45	37.05	—	95	29.75	—			
46	—	—	96	—	—			
47	42.80	32.7	97	33.85	—			
48	—	—	98	43.95	—			
49	41.10	31.8	99	—	—			
50	47.00	36.2	100	24.60	—			

注)No16.59.101樹種カラマツ

高德佳絵ら
秩父演習林における人工林固定測定試験地成長資料(2014~2017年)

附表-2. 胸高直径と樹高
入山 スギ 036B(無間伐区)

2015.10			2015.10			2015.10		
No.	DBH(cm)	樹高(m)	No.	DBH(cm)	樹高(m)	No.	DBH(cm)	樹高(m)
1	30.80	—	51	53.40	—	101	—	—
2	37.90	—	52	31.15	—	102	40.00	32.8
3	43.80	—	53	—	—	103	40.90	—
4	36.95	—	54	33.70	—	104	39.00	—
5	枯損	No65へ代替	55	41.05	—	105	—	—
6	42.80	—	56	32.05	—	106	43.20	34.2
7	—	—	57	—	—	107	43.40	—
8	41.25	—	58	37.65	—	108	31.00	—
9	28.45	—	59	—	—	109	—	—
10	41.20	—	60	29.45	30.9	110	—	—
11	42.45	—	61	—	—	111	—	—
12	44.85	—	62	31.75	—	112	35.05	—
13	枯損	No60へ代替	63	36.60	—	113	22.80	—
14	—	—	64	37.90	—	114	40.40	—
15	—	—	65	27.40	27.2	115	—	—
16	45.40	—	66	39.45	—	116	—	—
17	枯損	—	67	33.75	—	117	36.10	34.4
18	43.05	—	68	—	—	118	—	—
19	30.00	—	69	28.40	30.4	119	—	—
20	30.45	—	70	41.25	—	120	39.85	31.6
21	41.55	—	71	30.55	—	121	—	—
22	35.00	—	72	37.80	—	122	枯損	—
23	48.40	—	73	29.40	—	123	—	—
24	—	—	74	36.10	30.0	124	26.45	—
25	39.10	—	75	22.95	26.6	125	27.20	—
26	—	—	76	—	—	126	31.60	33.3
27	28.35	—	77	32.35	32.5	127	—	—
28	45.85	—	78	—	—	128	43.15	—
29	—	—	79	—	—	129	—	—
30	51.05	—	80	60.55	—	130	—	—
31	—	—	81	32.05	—	131	—	—
32	30.60	—	82	40.90	—	132	42.15	—
33	51.70	—	83	39.05	—	133	—	—
34	58.80	—	84	50.60	—	134	58.10	—
35	39.20	—	85	36.80	—	135	51.85	—
36	47.75	—	86	53.05	—	136	—	—
37	枯損	—	87	42.55	—	137	28.70	—
38	—	—	88	35.55	—	138	35.20	30.8
39	—	—	89	枯損	No75へ代替	139	—	—
40	51.05	—	90	43.15	33.7	140	40.90	—
41	40.70	—	91	48.35	35.2	141	45.60	—
42	—	—	92	31.70	—	142	—	—
43	45.45	—	93	39.30	—	143	—	—
44	—	—	94	47.50	—	144	—	—
45	42.15	33.0	95	41.35	—	145	32.95	34.4
46	55.40	—	96	40.40	—	146	22.30	—
47	—	—	97	—	—	147	42.95	—
48	—	—	98	40.40	—	148	—	—
49	—	—	99	—	—	149	29.20	25.5
50	—	—	100	—	—	150	—	—

注)No16樹種スギ

附表-2. 胸高直径と樹高
入山 スギ 036B(無間伐区) つづき

2015.10		
No.	DBH(cm)	樹高(m)
151	25.35	—
152	39.55	—
153	—	—
154	25.15	—
155	枯損	No149へ代替
156	40.70	33.1
157	38.40	—
158	30.00	—
159	40.85	—
160	32.50	—
161	54.80	—
162	—	—
163	48.45	—

附表-2. 胸高直径と樹高
矢竹沢 スギ 503A(無間伐区→無間伐区・600本/ha区・収入間伐区)

No.	1962		1997	2008	2014.11		備考 面積区分
	間伐実施	密度再設定	密度再設定	収入間伐	DBH(cm)	樹高(m)	
1	残存	残存	残存	間伐	—	—	b
2	残存	残存	残存	残存	59.60	—	b
3	残存	残存	残存	間伐	—	—	b
4	残存	残存	残存	残存	56.20	—	b
5	残存	残存	枯損	—	—	—	b
6	残存	残存	枯損	—	—	—	b
7	残存	残存	残存	間伐	—	—	b
8	残存	残存	残存	間伐	—	—	b
9	残存	残存	残存	間伐	—	—	b
10	残存	残存	残存	残存	41.75	—	b
11	残存	残存	残存	間伐	—	—	b
12	残存	残存	枯損	—	—	—	b
13	残存	残存	残存	間伐	—	—	b
14	残存	残存	枯損	—	—	—	b
15	残存	残存	残存	間伐	—	—	b
16	残存	残存	残存	残存	37.50	—	b
17	残存	残存	枯損	—	—	—	b
18	残存	残存	残存	残存	52.70	—	b
19	残存	残存	残存	間伐	—	—	b
20	残存	残存	残存	残存	60.50	—	b
21	残存	残存	残存	間伐	—	—	b
22	残存	残存	残存	間伐	—	—	b
23	残存	残存	残存	残存	50.60	—	b
24	残存	残存	残存	残存	46.95	—	c
25	残存	残存	間伐	—	—	—	c
26	残存	残存	枯損	—	—	—	c
27	残存	残存	残存	残存	53.70	—	c
28	残存	残存	枯損	—	—	—	c
29	残存	残存	残存	残存	52.85	38.1	c
30	残存	残存	間伐	—	—	—	b
31	残存	残存	残存	残存	47.10	—	b
32	残存	残存	残存	残存	32.30	—	b
33	残存	残存	残存	残存	30.20	—	b
34	残存	残存	残存	枯損	—	—	b
35	残存	残存	残存	残存	30.05	—	b
36	残存	残存	枯損	—	—	—	b
37	残存	残存	残存	間伐	—	—	b
38	残存	残存	残存	残存	30.30	—	b
39	残存	残存	残存	残存	38.65	—	b
40	残存	残存	残存	間伐	—	—	b
41	残存	残存	残存	間伐	—	—	b
42	残存	残存	残存	間伐	—	—	b
43	残存	残存	残存	残存	39.65	—	b
44	残存	残存	残存	残存	47.30	—	b
45	残存	残存	残存	枯損	—	—	b
46	残存	残存	残存	残存	47.25	—	b
47	残存	残存	残存	残存	33.50	—	b
48	残存	残存	枯損	—	—	—	b
49	残存	残存	残存	枯損	—	—	b
50	残存	残存	残存	残存	32.60	—	b

附表-2. 胸高直径と樹高
矢竹沢 スギ 503A(無間伐区→無間伐区・600本/ha区・収入間伐区) つづき

No.	1962		1997		2008		2014.11		備考 面積区分
	間伐実施	密度再設定	密度再設定	収入間伐	収入間伐	DBH(cm)	樹高(m)		
51	残存	残存	残存	間伐	—	—	—	b	
52	残存	残存	枯損	—	—	—	—	b	
53	残存	残存	残存	残存	47.15	—	—	b	
54	残存	残存	残存	残存	47.85	32.0	—	b	
55	残存	残存	残存	残存	47.20	—	—	b	
56	残存	残存	残存	残存	44.30	—	—	b	
57	残存	残存	枯損	—	—	—	—	b	
58	残存	残存	残存	間伐	—	—	—	b	
59	残存	残存	残存	残存	46.10	—	—	b	
60	残存	残存	残存	間伐	—	—	—	b	
61	残存	残存	枯損	—	—	—	—	b	
62	残存	残存	枯損	—	—	—	—	b	
63	残存	残存	残存	間伐	—	—	—	b	
64	残存	残存	残存	残存	28.95	—	—	b	
65	残存	残存	残存	間伐	—	—	—	b	
66	残存	残存	残存	間伐	—	—	—	b	
67	残存	残存	枯損	—	—	—	—	b	
68	残存	残存	残存	残存	36.05	—	—	b	
69	残存	残存	残存	残存	37.75	—	—	b	
70	枯損	—	—	—	—	—	—	b	
71	枯損	—	—	—	—	—	—	b	
72	残存	残存	枯損	—	—	—	—	b	
73	枯損	—	—	—	—	—	—	b	
74	残存	残存	残存	残存	30.25	—	—	b	
75	残存	残存	残存	枯損	—	—	—	b	
76	残存	残存	残存	間伐	—	—	—	b	
77	残存	残存	枯損	—	—	—	—	b	
78	残存	残存	残存	残存	50.50	—	—	b	
79	残存	残存	枯損	—	—	—	—	b	
80	残存	残存	残存	枯損	—	—	—	b	
81	残存	残存	残存	間伐	—	—	—	b	
82	残存	残存	残存	枯損	—	—	—	b	
83	残存	残存	残存	残存	61.85	38.4	—	b	
84	残存	残存	枯損	—	—	—	—	b	
85	残存	残存	残存	間伐	—	—	—	b	
86	残存	残存	枯損	—	—	—	—	b	
87	残存	残存	枯損	—	—	—	—	b	
88	残存	残存	間伐	—	—	—	—	b	
89	残存	残存	残存	残存	34.50	—	—	b	
90	残存	残存	枯損	—	—	—	—	b	
91	残存	残存	枯損	—	—	—	—	b	
92	残存	残存	残存	残存	30.85	—	—	b	
93	残存	残存	残存	間伐	—	—	—	b	
94	残存	残存	残存	残存	41.30	—	—	b	
95	残存	残存	残存	残存	30.70	31.2	—	b	
96	残存	残存	残存	間伐	—	—	—	b	
97	残存	残存	残存	残存	37.25	—	—	b	
98	残存	残存	残存	間伐	—	—	—	b	
99	残存	残存	残存	間伐	—	—	—	b	
100	残存	残存	残存	残存	54.30	—	—	b	

附表-2. 胸高直径と樹高
矢竹沢 スギ 503A(無間伐区→無間伐区・600本/ha区・収入間伐区) つづき

No.	1962		1997		2008		2014.11		備考 面積区分
	間伐実施	密度再設定	密度再設定	収入間伐	収入間伐	DBH(cm)	樹高(m)		
101	残存	残存	残存	間伐	—	—	—	b	
102	残存	残存	残存	残存	39.65	—	—	b	
103	残存	残存	残存	残存	45.65	—	—	b	
104	残存	残存	枯損	—	—	—	—	b	
105	残存	残存	残存	残存	48.05	—	—	b	
106	残存	残存	残存	間伐	—	—	—	b	
107	残存	残存	残存	残存	39.15	—	—	b	
108	残存	残存	枯損	—	—	—	—	b	
109	残存	残存	残存	間伐	—	—	—	b	
110	残存	残存	枯損	—	—	—	—	b	
111	残存	残存	残存	間伐	—	—	—	b	
112	残存	残存	残存	残存	36.00	—	—	b	
113	残存	残存	枯損	—	—	—	—	b	
114	残存	残存	残存	残存	35.45	—	—	b	
115	残存	残存	残存	残存	60.05	36.4	—	c	
116	残存	残存	枯損	—	—	—	—	c	
117	残存	残存	残存	残存	42.30	—	—	b	
118	残存	残存	残存	残存	40.15	—	—	b	
119	残存	残存	間伐	—	—	—	—	b	
120	残存	残存	枯損	—	—	—	—	b	
121	残存	残存	残存	枯損	—	—	—	b	
122	残存	残存	枯損	—	—	—	—	b	
123	残存	残存	残存	残存	47.90	—	—	b	
124	残存	残存	残存	間伐	—	—	—	b	
125	残存	残存	残存	間伐	—	—	—	b	
126	残存	残存	残存	残存	30.70	—	—	b	
127	残存	残存	残存	残存	33.75	—	—	b	
128	残存	残存	残存	間伐	—	—	—	b	
129	残存	残存	残存	間伐	—	—	—	b	
130	残存	残存	残存	残存	45.35	—	—	b	
131	残存	残存	枯損	—	—	—	—	b	
132	残存	残存	残存	残存	60.00	—	—	b	
133	残存	残存	残存	間伐	—	—	—	b	
134	残存	残存	残存	間伐	—	—	—	b	
135	残存	残存	残存	間伐	—	—	—	b	
136	残存	残存	残存	残存	48.65	—	—	b	
137	残存	残存	残存	枯損	—	—	—	b	
138	残存	残存	残存	間伐	—	—	—	b	
139	残存	残存	枯損	—	—	—	—	b	
140	残存	残存	残存	間伐	—	—	—	b	
141	残存	残存	残存	残存	47.50	—	—	b	
142	残存	残存	残存	間伐	—	—	—	b	
143	残存	残存	残存	残存	35.65	—	—	c	
144	残存	残存	間伐	—	—	—	—	c	
145	残存	残存	間伐	—	—	—	—	c	
146	残存	残存	残存	残存	28.30	—	—	c	
147	残存	残存	間伐	—	—	—	—	b	
148	残存	残存	残存	間伐	—	—	—	b	
149	残存	残存	残存	間伐	—	—	—	b	
150	残存	残存	残存	間伐	—	—	—	b	

附表-2. 胸高直径と樹高
矢竹沢 スギ 503A(無間伐区→無間伐区・600本/ha区・収入間伐区) つづき

No.	1962			2014.11		備考 面積区分
	間伐実施	密度再設定	収入間伐	DBH(cm)	樹高(m)	
151	残存	残存	残存	40.55	—	b
152	残存	残存	間伐	—	—	b
153	残存	残存	残存	48.90	—	b
154	残存	残存	間伐	—	—	b
155	残存	残存	残存	39.60	—	b
156	残存	枯損	—	—	—	b
157	枯損	—	—	—	—	b
158	残存	枯損	—	—	—	b
159	残存	残存	残存	47.50	—	b
160	枯損	—	—	—	—	b
161	枯損	—	—	—	—	b
162	枯損	—	—	—	—	b
163	残存	残存	残存	27.90	—	b
164	残存	枯損	—	—	—	b
165	残存	残存	間伐	—	—	b
166	残存	残存	残存	41.20	—	b
167	残存	残存	間伐	—	—	b
168	残存	残存	枯損	—	—	b
169	残存	残存	間伐	—	—	b
170	残存	残存	残存	30.15	—	b
171	残存	残存	残存	52.50	—	b
172	残存	間伐	—	—	—	c
173	残存	間伐	—	—	—	c
174	残存	枯損	—	—	—	c
175	残存	残存	残存	50.35	—	c
176	残存	残存	間伐	—	—	b
177	残存	残存	残存	37.60	34.5	b
178	残存	残存	間伐	—	—	b
179	残存	枯損	—	—	—	b
180	残存	残存	残存	33.20	—	b
181	残存	残存	間伐	—	—	b
182	残存	枯損	—	—	—	b
183	残存	残存	残存	57.10	—	b
184	残存	残存	残存	53.50	—	b
185	残存	残存	残存	55.20	—	b
186	残存	残存	残存	39.55	—	b
187	残存	残存	枯損	—	—	b
188	残存	残存	残存	43.45	—	b
189	残存	残存	間伐	—	—	b
190	残存	残存	残存	32.55	—	c
191	残存	枯損	—	—	—	c
192	残存	残存	残存	54.10	—	c
193	残存	枯損	—	—	—	c
194	残存	残存	残存	39.90	—	b
195	残存	枯損	—	—	—	b
196	残存	残存	間伐	—	—	b
197	残存	枯損	—	—	—	b
198	残存	残存	間伐	—	—	b
199	残存	枯損	—	—	—	b
200	残存	残存	間伐	—	—	b

附表-2. 胸高直径と樹高
矢竹沢 スギ 503A(無間伐区→無間伐区・600本/ha区・収入間伐区) つづき

No.	1962		1997		2008		2014.11		備考 面積区分
	間伐実施	密度再設定	密度再設定	収入間伐	DBH(cm)	樹高(m)	DBH(cm)	樹高(m)	
201	残存	残存	残存	残存	36.00	—	—	—	b
202	残存	残存	残存	間伐	—	—	—	—	b
203	残存	残存	残存	残存	55.55	—	—	—	b
204	残存	残存	残存	間伐	—	—	—	—	b
205	残存	残存	枯損	—	—	—	—	—	b
206	残存	残存	枯損	—	—	—	—	—	a
207	残存	残存	残存	残存	58.30	—	—	—	a
208	残存	残存	残存	残存	27.00	—	—	—	c
209	残存	残存	残存	残存	42.50	—	—	—	c
210	残存	残存	枯損	—	—	—	—	—	c
211	残存	残存	間伐	—	—	—	—	—	c
212	残存	残存	残存	残存	57.20	—	—	—	a
213	残存	残存	残存	残存	29.25	—	—	—	a
214	残存	残存	残存	残存	45.95	—	—	—	a
215	残存	残存	枯損	—	—	—	—	—	a
216	残存	残存	残存	残存	40.60	—	—	—	b
217	残存	残存	残存	残存	47.20	—	—	—	b
218	残存	残存	枯損	—	枯損	—	—	—	b
219	残存	残存	枯損	—	—	—	—	—	b
220	残存	残存	残存	残存	47.10	—	—	—	b
221	残存	残存	残存	残存	53.25	—	—	—	b
222	残存	残存	残存	残存	56.90	39.4	—	—	a
223	残存	残存	残存	残存	27.90	—	—	—	a
224	残存	残存	枯損	—	枯損	—	—	—	a
225	残存	残存	枯損	—	—	—	—	—	a
226	残存	残存	残存	残存	33.95	—	—	—	a
227	残存	残存	残存	残存	24.35	—	—	—	a
228	残存	残存	枯損	—	—	—	—	—	a
229	残存	残存	残存	枯損	—	—	—	—	a
230	残存	残存	残存	残存	34.25	—	—	—	a
231	残存	残存	残存	残存	44.40	—	—	—	a
232	残存	残存	枯損	—	—	—	—	—	a
233	残存	残存	残存	残存	58.80	—	—	—	a
234	残存	残存	残存	残存	43.30	—	—	—	a
235	残存	残存	枯損	—	—	—	—	—	a
236	残存	残存	枯損	—	—	—	—	—	a
237	残存	残存	残存	残存	36.00	—	—	—	a
238	残存	残存	残存	残存	48.55	—	—	—	a
239	残存	残存	残存	残存	39.00	—	—	—	c
240	残存	残存	枯損	—	—	—	—	—	a
241	残存	残存	残存	残存	38.35	—	—	—	a
242	残存	残存	残存	残存	25.70	—	—	—	a
243	残存	残存	残存	残存	30.65	—	—	—	a
244	残存	残存	残存	残存	61.80	—	—	—	a
245	残存	残存	残存	残存	18.95	15.3	—	—	a
246	残存	残存	残存	残存	56.70	—	—	—	a
247	残存	残存	残存	残存	36.35	—	—	—	a
248	残存	残存	残存	残存	20.55	—	—	—	a
249	残存	残存	間伐	—	—	—	—	—	c
250	残存	残存	残存	残存	49.15	—	—	—	a

附表-2. 胸高直径と樹高
矢竹沢 スギ 503A(無間伐区→無間伐区・600本/ha区・収入間伐区) つづき

No.	1962	1997	2008	2014.11		備考 面積区分
	間伐実施	密度再設定	収入間伐	DBH(cm)	樹高(m)	
251	残存	残存	枯損	—	—	a
252	残存	残存	残存	50.00	—	a
253	残存	残存	残存	39.05	33.3	a
254	残存	残存	残存	40.45	—	a
255	残存	残存	残存	46.90	35.3	a
256	残存	枯損	—	—	—	a
257	残存	残存	残存	38.70	—	a
258	残存	残存	残存	44.05	—	c
259	残存	残存	残存	37.75	—	a
260	残存	残存	残存	34.05	—	a
261	残存	残存	枯損	—	—	a
262	残存	残存	残存	15.95	17.5	a
263	残存	残存	残存	24.30	23.6	a
264	残存	枯損	—	—	—	a
265	残存	残存	残存	58.35	—	a
266	残存	枯損	—	—	—	a
267	残存	残存	残存	38.35	—	a
268	残存	残存	残存	61.80	—	a
269	残存	残存	残存	42.60	—	a
270	残存	残存	残存	40.85	—	a
271	残存	間伐	—	—	—	c
272	残存	残存	残存	41.15	34.6	c
273	残存	残存	残存	40.25	33.4	c
274	残存	残存	残存	31.85	—	a
275	残存	残存	残存	34.55	—	a
276	残存	残存	残存	29.55	—	a
277	残存	残存	残存	45.75	—	a
278	残存	残存	残存	26.00	—	a
279	残存	残存	残存	21.85	—	a
280	残存	残存	残存	28.15	—	a
281	残存	残存	残存	42.65	34.4	c
282	残存	残存	残存	35.25	—	a
283	残存	残存	残存	42.50	—	a
284	残存	枯損	—	—	—	a
285	残存	残存	残存	46.90	—	a
286	残存	残存	残存	22.45	—	a
287	残存	残存	残存	63.80	—	a
288	残存	残存	残存	20.55	—	a
289	残存	残存	残存	51.15	32.0	a
290	残存	枯損	—	—	—	a
291	残存	残存	残存	34.85	—	a
292	残存	残存	残存	34.85	—	a
293	残存	残存	残存	32.65	34.2	a
294	残存	間伐	—	—	—	c
295	残存	枯損	—	—	—	a
296	残存	残存	残存	44.60	—	a
297	残存	枯損	—	—	—	a
298	残存	枯損	—	—	—	a
299	残存	残存	残存	32.35	—	a
300	残存	残存	残存	27.60	—	a

附表-2. 胸高直径と樹高
矢竹沢 スギ 503A(無間伐区→無間伐区・600本/ha区・収入間伐区) つづき

No.	1962			2014.11		備考 面積区分
	間伐実施	密度再設定	収入間伐	DBH(cm)	樹高(m)	
301	残存	残存	残存	50.20	—	a
302	残存	残存	残存	47.60	—	a
303	残存	残存	残存	41.60	—	a
304	残存	残存	残存	39.15	—	a
305	残存	残存	残存	44.25	—	a
306	残存	残存	残存	32.65	32.6	a
307	残存	残存	残存	37.35	—	a
308	残存	残存	残存	33.30	32.2	a
309	残存	枯損	—	—	—	c
310	残存	残存	残存	32.70	—	c
311	残存	残存	残存	52.45	—	c
312	残存	枯損	—	—	—	c
313	残存	枯損	—	—	—	c
314	残存	残存	残存	26.95	—	a
315	残存	残存	残存	24.55	30.2	a
316	残存	残存	残存	37.70	32.1	a
317	枯損	—	—	—	—	a
318	残存	残存	残存	46.35	—	a
319	残存	残存	残存	34.30	—	a
320	枯損	—	—	—	—	a
321	残存	残存	残存	31.75	—	a
322	残存	残存	残存	35.15	33.6	a
323	残存	枯損	—	—	—	c
324	残存	間伐	—	—	—	c
325	残存	残存	残存	42.90	—	c
326	残存	間伐	—	—	—	c
327	残存	残存	残存	49.35	—	c
328	残存	残存	残存	29.25	—	c
329	残存	残存	残存	29.85	—	a
330	残存	残存	残存	20.25	—	a
331	残存	残存	残存	41.75	—	a
332	残存	残存	残存	47.00	—	a
333	残存	残存	残存	30.10	—	a
334	残存	残存	残存	27.05	—	a
335	残存	残存	残存	24.50	—	a
336	残存	残存	残存	21.80	—	c
337	枯損	—	—	—	—	c
338	残存	枯損	—	—	—	c
339	残存	残存	残存	41.50	—	c
340	残存	枯損	—	—	—	c
341	残存	残存	残存	39.85	33.8	a
342	残存	残存	残存	35.70	31.3	a
343	残存	残存	残存	50.60	—	a
344	残存	残存	残存	45.75	—	a
345	残存	残存	残存	27.50	26.4	a
346	残存	枯損	—	—	—	a
347	残存	残存	残存	44.05	—	c
348	残存	間伐	—	—	—	c
349	残存	残存	残存	37.00	—	c
350	残存	間伐	—	—	—	c

附表-2. 胸高直径と樹高
矢竹沢 スギ 503A(無間伐区→無間伐区・600本/ha区・収入間伐区) つづき

No.	1962		1997		2008		2014.11		備考 面積区分
	間伐実施	密度再設定	密度再設定	収入間伐	収入間伐	DBH(cm)	樹高(m)		
351	残存	残存	残存	残存	残存	35.65	—	c	
352	枯損	—	—	—	—	—	—	a	
353	残存	枯損	—	—	—	—	—	a	
354	残存	残存	残存	残存	残存	40.65	—	a	
355	残存	残存	残存	残存	残存	47.75	—	a	
356	残存	残存	残存	残存	残存	39.90	—	c	
357	残存	間伐	—	—	—	—	—	c	
358	残存	残存	残存	残存	残存	30.10	—	c	
359	残存	残存	枯損	—	—	—	—	c	
360	枯損	—	—	—	—	—	—	c	
361	残存	残存	残存	残存	残存	42.80	—	c	
362	残存	不明	—	—	—	—	—	c	
363	残存	残存	残存	残存	残存	37.75	—	a	
364	残存	間伐	—	—	—	—	—	c	
365	残存	間伐	—	—	—	—	—	c	
366	残存	間伐	—	—	—	—	—	c	
367	残存	間伐	—	—	—	—	—	c	
368	残存	残存	残存	残存	残存	57.70	—	c	
369	残存	残存	残存	残存	残存	46.90	—	c	
370	残存	残存	残存	残存	残存	52.05	—	a	
371	残存	残存	残存	残存	残存	38.15	—	a	
372	残存	残存	残存	残存	残存	60.30	—	a	
373	残存	枯損	—	—	—	—	—	c	
374	残存	間伐	—	—	—	—	—	c	
375	残存	間伐	—	—	—	—	—	c	
376	残存	枯損	—	—	—	—	—	c	
377	残存	間伐	—	—	—	—	—	c	
378	残存	枯損	—	—	—	—	—	c	
379	残存	枯損	—	—	—	—	—	c	
380	残存	枯損	—	—	—	—	—	c	
381	残存	枯損	—	—	—	—	—	c	

附表-2. 胸高直径と樹高
矢竹沢 スギ 503B(強度間伐区→600本/ha区・200本/ha区)

No.	1962		1997		2014.11		備考 面積区分
	間伐実施	密度再設定	DBH(cm)	樹高(m)	DBH(cm)	樹高(m)	
1	間伐	—	—	—	—	—	d
2	残存	残存	62.10	—	—	—	d
3	間伐	—	—	—	—	—	d
4	残存	間伐	—	—	—	—	d
5	残存	残存	37.40	—	—	—	d
6	残存	間伐	—	—	—	—	d
7	残存	間伐	—	—	—	—	d
8	間伐	—	—	—	—	—	d
9	残存	残存	47.00	36.7	—	—	d
10	残存	残存	44.55	38.3	—	—	d
11	間伐	—	—	—	—	—	d
12	間伐	—	—	—	—	—	d
13	間伐	—	—	—	—	—	d
14	残存	間伐	—	—	—	—	d
15	間伐	—	—	—	—	—	d
16	残存	残存	85.03	44.3	—	—	d
17	間伐	—	—	—	—	—	d
18	間伐	—	—	—	—	—	d
19	残存	間伐	—	—	—	—	e
20	残存	間伐	—	—	—	—	e
21	間伐	—	—	—	—	—	e
22	残存	残存	44.10	—	—	—	e
23	残存	間伐	—	—	—	—	e
24	間伐	—	—	—	—	—	e
25	残存	間伐	—	—	—	—	e
26	間伐	—	—	—	—	—	e
27	残存	間伐	—	—	—	—	e
28	間伐	—	—	—	—	—	e
29	残存	残存	58.60	—	—	—	e
30	間伐	—	—	—	—	—	e
31	残存	間伐	—	—	—	—	e
32	残存	間伐	—	—	—	—	e
33	残存	間伐	—	—	—	—	e
34	残存	間伐	—	—	—	—	e
35	残存	間伐	—	—	—	—	e
36	間伐	—	—	—	—	—	e
37	間伐	—	—	—	—	—	e
38	残存	残存	44.95	—	—	—	d
39	残存	残存	45.45	—	—	—	d
40	残存	間伐	—	—	—	—	d
41	間伐	—	—	—	—	—	d
42	間伐	—	—	—	—	—	d
43	間伐	—	—	—	—	—	d
44	残存	残存	35.35	—	—	—	d
45	残存	残存	47.05	—	—	—	d
46	間伐	—	—	—	—	—	d
47	残存	間伐	—	—	—	—	d
48	残存	残存	62.50	38.9	—	—	d
49	間伐	—	—	—	—	—	d
50	残存	残存	—	—	—	—	d

附表-2. 胸高直径と樹高
矢竹沢 スギ 503B(強度間伐区→600本/ha区・200本/ha区) つづき

No.	1962		1997		2014.11		備考 面積区分
	間伐実施	密度再設定	DBH(cm)	樹高(m)	DBH(cm)	樹高(m)	
51	間伐	—	—	—	—	—	d
52	残存	残存	43.85	—	—	—	d
53	残存	枯損	—	—	—	—	d
54	残存	残存	53.75	31.3	—	—	d
55	残存	残存	40.70	—	—	—	d
56	間伐	—	—	—	—	—	d
57	残存	残存	41.00	37.6	—	—	d
58	間伐	—	—	—	—	—	d
59	残存	間伐	—	—	—	—	d
60	残存	残存	50.00	—	—	—	d
61	間伐	—	—	—	—	—	d
62	間伐	—	—	—	—	—	d
63	間伐	—	—	—	—	—	d
64	残存	残存	36.60	30.7	—	—	d
65	残存	残存	35.20	35.6	—	—	d
66	残存	間伐	—	—	—	—	d
67	間伐	—	—	—	—	—	d
68	残存	残存	41.65	—	—	—	d
69	間伐	—	—	—	—	—	d
70	残存	間伐	—	—	—	—	d
71	間伐	—	—	—	—	—	d
72	残存	残存	59.90	—	—	—	d
73	間伐	—	—	—	—	—	d
74	残存	残存	34.25	—	—	—	d
75	間伐	—	—	—	—	—	e
76	残存	間伐	—	—	—	—	e
77	間伐	—	—	—	—	—	e
78	間伐	—	—	—	—	—	e
79	残存	間伐	—	—	—	—	e
80	間伐	—	—	—	—	—	e
81	残存	間伐	—	—	—	—	d
82	間伐	—	—	—	—	—	d
83	残存	残存	42.95	—	—	—	d
84	残存	残存	34.80	—	—	—	d
85	間伐	—	—	—	—	—	d
86	残存	残存	53.55	—	—	—	d
87	残存	間伐	—	—	—	—	e
88	残存	間伐	—	—	—	—	e
89	残存	残存	62.25	—	—	—	e
90	間伐	—	—	—	—	—	e
91	残存	残存	46.15	—	—	—	e
92	間伐	—	—	—	—	—	e
93	残存	間伐	—	—	—	—	e
94	間伐	—	—	—	—	—	e
95	残存	間伐	—	—	—	—	e
96	残存	間伐	—	—	—	—	e
97	間伐	—	—	—	—	—	e
98	残存	間伐	—	—	—	—	e
99	間伐	—	—	—	—	—	e
100	間伐	—	—	—	—	—	e

附表-2. 胸高直径と樹高
矢竹沢 スギ 503B(強度間伐区→600本/ha区・200本/ha区) つづき

No.	1962		1997		2014.11		備考
	間伐実施	密度再設定	DBH(cm)	樹高(m)	面積区分		
101	残存	枯損	—	—		e	
102	残存	間伐	—	—		e	
103	残存	間伐	—	—		e	
104	間伐	—	—	—		e	
105	間伐	—	—	—		e	
106	間伐	—	—	—		e	
107	残存	間伐	—	—		e	
108	残存	間伐	—	—		e	
109	間伐	—	—	—		e	
110	間伐	—	—	—		e	
111	残存	間伐	—	—		e	
112	間伐	—	—	—		e	
113	残存	間伐	—	—		e	
114	間伐	—	—	—		e	
115	残存	間伐	—	—		e	
116	残存	残存	46.25	—		e	
117	間伐	—	—	—		e	
118	間伐	—	—	—		e	
119	間伐	—	—	—		e	
120	残存	間伐	—	—		e	
121	残存	間伐	—	—		e	
122	残存	間伐	—	—		e	
123	残存	間伐	—	—		e	
124	残存	残存	37.75	—		d	
125	間伐	—	—	—		d	
126	間伐	—	—	—		d	
127	残存	残存	48.65	—		d	
128	間伐	—	—	—		d	
129	間伐	—	—	—		d	
130	残存	間伐	—	—		d	
131	残存	間伐	—	—		d	
132	間伐	—	—	—		d	
133	間伐	—	—	—		d	
134	残存	残存	49.45	—		d	
135	間伐	—	—	—		d	
136	残存	間伐	—	—		d	
137	残存	残存	30.15	—		d	
138	残存	間伐	—	—		d	
139	間伐	—	—	—		d	
140	残存	残存	56.75	—		d	
141	間伐	—	—	—		d	
142	残存	残存	43.50	—		d	
143	間伐	—	—	—		d	
144	残存	残存	50.80	—		d	
145	間伐	—	—	—		d	
146	残存	残存	43.65	—		d	
147	残存	間伐	—	—		d	
148	間伐	—	—	—		d	
149	残存	間伐	—	—		d	
150	残存	間伐	38.50	—		d	

附表-2. 胸高直径と樹高
矢竹沢 スギ 503B(強度間伐区→600本/ha区・200本/ha区) つづき

No.	1962		1997		2014.11		備考
	間伐実施	密度再設定	DBH(cm)	樹高(m)	面積区分		
151	残存	間伐	—	—		d	
152	残存	残存	48.85	—		d	
153	残存	残存	34.90	—		d	
154	残存	残存	42.50	—		d	
155	間伐	—	—	—		d	
156	残存	残存	55.65	—		d	
157	残存	間伐	—	—		d	
158	間伐	—	—	—		d	
159	残存	残存	52.70	—		d	
160	残存	残存	40.10	—		d	
161	間伐	—	—	—		d	
162	残存	残存	44.45	—		d	
163	間伐	—	—	—		d	
164	残存	残存	42.00	—		d	
165	残存	残存	38.55	—		d	
166	間伐	—	—	—		d	
167	間伐	—	—	—		d	
168	間伐	—	—	—		d	
169	残存	残存	51.50	—		d	
170	間伐	—	—	—		d	
171	残存	残存	41.10	—		d	
172	残存	間伐	—	—		d	
173	残存	残存	54.00	—		d	
174	残存	間伐	—	—		d	
175	間伐	—	—	—		d	
176	残存	残存	40.25	28		d	
177	間伐	—	—	—		d	
178	間伐	—	—	—		d	
179	間伐	—	—	—		d	
180	残存	間伐	—	—		d	
181	残存	残存	41.65	—		d	
182	残存	残存	36.05	—		d	
183	残存	残存	39.10	28.9		d	
184	残存	残存	42.45	34.1		d	
185	残存	残存	54.50	34.8		d	
186	間伐	—	—	—		d	
187	残存	間伐	—	—		d	
188	間伐	—	—	—		d	
189	残存	間伐	—	—		d	
190	間伐	—	—	—		d	
191	残存	残存	61.05	38.3		d	
192	残存	残存	71.43	34.9		d	
193	間伐	—	—	—		e	
194	間伐	—	—	—		e	
195	残存	間伐	—	—		e	
196	残存	間伐	—	—		e	
197	残存	間伐	—	—		e	
198	残存	残存	53.10	—		e	
199	残存	間伐	—	—		e	
200	間伐	—	—	—		e	

附表-2. 胸高直径と樹高
矢竹沢 スギ 503B(強度間伐区→600本/ha区・200本/ha区) つづき

No.	1962		1997		2014.11		備考 面積区分
	間伐実施	密度再設定	DBH(cm)	樹高(m)	DBH(cm)	樹高(m)	
201	間伐	—	—	—	—	—	e
202	残存	間伐	—	—	—	—	e
203	残存	間伐	—	—	—	—	e
204	残存	間伐	—	—	—	—	e
205	間伐	—	—	—	—	—	e
206	残存	間伐	—	—	—	—	e
207	残存	間伐	—	—	—	—	e
208	間伐	—	—	—	—	—	e
209	残存	残存	56.70	—	—	—	e
210	間伐	—	—	—	—	—	e
211	残存	間伐	—	—	—	—	e
212	間伐	—	—	—	—	—	e
213	残存	残存	64.75	—	—	—	e
214	間伐	—	—	—	—	—	e
215	残存	間伐	—	—	—	—	e
216	残存	間伐	—	—	—	—	e
217	間伐	—	—	—	—	—	e
218	残存	間伐	—	—	—	—	e
219	間伐	—	—	—	—	—	e
220	残存	枯損	—	—	—	—	e
221	間伐	—	—	—	—	—	e
222	残存	残存	61.70	—	—	—	e
223	残存	間伐	—	—	—	—	e
224	残存	間伐	—	—	—	—	e
225	残存	残存	55.50	—	—	—	e
226	残存	間伐	—	—	—	—	d
227	残存	間伐	—	—	—	—	d
228	残存	間伐	—	—	—	—	d
229	間伐	—	—	—	—	—	d
230	残存	枯損	—	—	—	—	d
231	間伐	—	—	—	—	—	d
232	間伐	—	—	—	—	—	d
233	残存	残存	45.80	—	—	—	d
234	残存	残存	43.40	—	—	—	d
235	間伐	—	—	—	—	—	d
236	間伐	—	—	—	—	—	d
237	残存	間伐	—	—	—	—	d
238	間伐	—	—	—	—	—	d
239	間伐	—	—	—	—	—	d
240	間伐	—	—	—	—	—	d
241	間伐	—	—	—	—	—	d
242	残存	残存	47.70	—	—	—	d
243	残存	間伐	—	—	—	—	d
244	間伐	—	—	—	—	—	d
245	間伐	—	—	—	—	—	d
246	残存	間伐	—	—	—	—	d
247	残存	間伐	—	—	—	—	d
248	間伐	—	—	—	—	—	d
249	残存	残存	37.25	—	—	—	d
250	残存	残存	39.45	—	—	—	d

附表-2. 胸高直径と樹高
矢竹沢 スギ 503B(強度間伐区→600本/ha区・200本/ha区) つづき

No.	1962	1997	2014.11		備考 面積区分
	間伐実施	密度再設定	DBH(cm)	樹高(m)	
251	残存	間伐	—	—	d
252	間伐	—	—	—	d
253	残存	間伐	—	—	d
254	間伐	—	—	—	d
255	残存	残存	43.45	—	d
256	残存	間伐	—	—	d
257	残存	枯損	—	—	d
258	間伐	—	—	—	d
259	残存	残存	50.90	—	d
260	間伐	—	—	—	d
261	残存	残存	28.30	—	d
262	残存	残存	52.80	—	d
263	間伐	—	—	—	d
264	残存	残存	58.50	—	d
265	残存	残存	50.00	—	d
266	間伐	—	—	—	d
267	間伐	—	—	—	d
268	残存	間伐	—	—	d
269	残存	残存	39.80	—	d
270	間伐	—	—	—	d
271	残存	間伐	—	—	d
272	残存	間伐	45.35	32.2	d
273	残存	枯損	—	—	d
274	残存	間伐	—	—	e
275	残存	残存	—	—	e
276	残存	残存	55.75	—	e
277	残存	間伐	—	—	e
278	残存	間伐	—	—	e
279	間伐	—	—	—	e
280	残存	間伐	—	—	e
281	間伐	—	—	—	e
282	残存	残存	58.25	—	e
283	残存	間伐	—	—	e
284	間伐	—	—	—	e
285	残存	残存	62.40	—	e
286	間伐	—	—	—	e
287	間伐	—	—	—	e
288	残存	枯損	—	—	e
289	残存	間伐	—	—	e
290	残存	間伐	—	—	e
291	間伐	—	—	—	e
292	残存	間伐	—	—	e
293	間伐	—	—	—	e
294	残存	間伐	—	—	e
295	残存	間伐	—	—	e
296	間伐	—	—	—	e
297	残存	残存	38.50	—	e
298	残存	間伐	—	—	e
299	残存	間伐	—	—	d
300	残存	残存	41.85	—	d

附表-2. 胸高直径と樹高
矢竹沢 スギ 503B(強度間伐区→600本/ha区・200本/ha区) つづき

No.	1962	1997	2014.11		備考 面積区分
	間伐実施	密度再設定	DBH(cm)	樹高(m)	
301	間伐	—	—	—	d
302	間伐	—	—	—	d
303	間伐	—	—	—	d
304	残存	残存	55.35	33.5	d
305	残存	間伐	—	—	d
306	間伐	—	—	—	d
307	間伐	—	—	—	d
308	間伐	—	—	—	d
309	間伐	—	—	—	d
310	残存	間伐	—	—	d
311	間伐	—	—	—	d
312	残存	間伐	—	—	d
313	間伐	—	—	—	d
314	残存	間伐	—	—	d
315	間伐	—	—	—	d
316	残存	残存	56.55	—	d
317	間伐	—	—	—	d
318	残存	間伐	—	—	d
319	残存	残存	44.45	32	d
320	間伐	—	—	—	d
321	間伐	—	—	—	d
322	残存	残存	47.40	—	d
323	残存	間伐	—	—	d
324	残存	残存	40.50	—	d
325	残存	間伐	—	—	d
326	残存	残存	35.70	—	d
327	残存	間伐	—	—	d
328	間伐	—	—	—	d
329	残存	間伐	—	—	d
330	間伐	—	—	—	d
331	残存	間伐	—	—	d
332	残存	残存	32.95	—	d
333	残存	残存	46.55	—	d
334	残存	間伐	—	—	d
335	間伐	—	—	—	d
336	残存	間伐	—	—	d
337	残存	枯損	—	—	d
338	間伐	—	—	—	d
339	残存	間伐	—	—	d
340	残存	残存	43.75	—	d
341	間伐	—	—	—	d
342	間伐	—	—	—	d
343	残存	間伐	—	—	d
344	残存	間伐	—	—	d
345	間伐	—	—	—	d
346	残存	残存	37.30	30.8	d
347	間伐	—	—	—	d
348	残存	残存	45.45	—	d
349	間伐	—	—	—	d
350	残存	枯損	—	—	d

附表-2. 胸高直径と樹高
矢竹沢 スギ 503B(強度間伐区→600本/ha区・200本/ha区) つづき

No.	1962		1997		2014.11		備考 面積区分
	間伐実施	密度再設定	DBH(cm)	樹高(m)	DBH(cm)	樹高(m)	
351	間伐	—	—	—	—	—	d
352	残存	残存	45.85	—	—	—	d
353	残存	間伐	—	—	—	—	d
354	間伐	—	—	—	—	—	d
355	間伐	—	—	—	—	—	d
356	残存	枯損	—	—	—	—	d
357	残存	間伐	—	—	—	—	d
358	間伐	—	—	—	—	—	d
359	残存	間伐	—	—	—	—	d
360	間伐	—	—	—	—	—	d
361	間伐	—	—	—	—	—	d
362	残存	残存	—	—	—	—	d
363	残存	残存	—	—	—	—	d
364	間伐	—	—	—	—	—	d
365	残存	間伐	—	—	—	—	d
366	残存	間伐	—	—	—	—	d
367	残存	間伐	—	—	—	—	d
368	間伐	—	—	—	—	—	d
369	残存	間伐	—	—	—	—	d
370	間伐	—	—	—	—	—	e
371	残存	間伐	—	—	—	—	e
372	間伐	—	—	—	—	—	e
373	残存	間伐	—	—	—	—	e
374	残存	間伐	—	—	—	—	e
375	残存	間伐	—	—	—	—	e
376	間伐	—	—	—	—	—	e
377	間伐	—	—	—	—	—	e
378	残存	間伐	—	—	—	—	e
379	残存	間伐	—	—	—	—	e
380	間伐	—	—	—	—	—	e
381	残存	残存	51.80	—	—	—	e
382	残存	間伐	—	—	—	—	e
383	残存	間伐	—	—	—	—	e
384	間伐	—	—	—	—	—	e
385	残存	間伐	—	—	—	—	e
386	残存	間伐	—	—	—	—	e
387	残存	残存	60.20	—	—	—	e
388	残存	間伐	—	—	—	—	e
389	残存	間伐	—	—	—	—	e
390	残存	残存	57.85	—	—	—	e
391	間伐	—	—	—	—	—	e
392	残存	間伐	—	—	—	—	e
393	間伐	—	—	—	—	—	e
394	間伐	—	—	—	—	—	e
395	間伐	—	—	—	—	—	e
396	残存	間伐	—	—	—	—	e
397	残存	間伐	—	—	—	—	e
398	残存	間伐	—	—	—	—	e
399	残存	残存	59.05	—	—	—	e
400	残存	間伐	—	—	—	—	e

附表-2. 胸高直径と樹高
矢竹沢 スギ 503B(強度間伐区→600本/ha区・200本/ha区) つづき

No.	1962	1997	2014.11		備考 面積区分
	間伐実施	密度再設定	DBH(cm)	樹高(m)	
401	残存	間伐	—	—	e
402	残存	残存	60.70	—	e
403	間伐	—	—	—	e
404	残存	間伐	—	—	e
405	残存	間伐	—	—	e
406	残存	残存	—	—	e
407	間伐	—	—	—	e
408	間伐	—	—	—	e
409	間伐	間伐	—	—	e
410	間伐	—	—	—	e
411	残存	間伐	—	—	e
412	残存	間伐	—	—	e
413	間伐	—	—	—	e
414	残存	枯損	—	—	e
415	間伐	—	—	—	e
416	残存	残存	50.00	—	e
417	間伐	—	—	—	e
418	残存	間伐	—	—	e
419	残存	間伐	—	—	e
420	間伐	—	—	—	e
421	残存	間伐	—	—	e
422	間伐	枯損	—	—	e
423	間伐	枯損	—	—	e
424	間伐	枯損	—	—	e
425	残存	間伐	—	—	e
426	間伐	—	—	—	e
427	残存	間伐	—	—	e
428	間伐	—	—	—	e
429	残存	間伐	—	—	e
430	残存	間伐	—	—	e
431	間伐	—	—	—	e
432	残存	間伐	—	—	e
433	残存	間伐	—	—	e
434	間伐	—	—	—	e
435	残存	間伐	—	—	e
436	間伐	—	—	—	e
437	残存	間伐	—	—	e
438	間伐	—	—	—	e
439	残存	残存	55.20	—	d
440	間伐	—	—	—	d
441	残存	間伐	—	—	d
442	間伐	—	—	—	d
443	間伐	—	—	—	d
444	残存	残存	39.85	—	d
445	残存	間伐	—	—	d
446	間伐	—	—	—	d
447	残存	枯損	—	—	d
448	間伐	—	—	—	d
449	残存	枯損	—	—	d
450	残存	枯損	—	—	d

附表-2. 胸高直径と樹高
矢竹沢 スギ 503B(強度間伐区→600本/ha区・200本/ha区) つづき

No.	1962	1997	2014.11		備考 面積区分
	間伐実施	密度再設定	DBH(cm)	樹高(m)	
451	残存	間伐	—	—	d
452	間伐	—	—	—	d
453	残存	間伐	—	—	d
454	残存	間伐	—	—	d
455	残存	間伐	—	—	d
456	間伐	—	—	—	d
457	残存	間伐	—	—	d
458	間伐	—	—	—	d
459	残存	間伐	—	—	d
460	残存	間伐	—	—	d
461	間伐	—	—	—	d
462	残存	間伐	—	—	d
463	残存	間伐	—	—	d
464	残存	枯損	—	—	d
465	残存	枯損	—	—	d
466	残存	枯損	—	—	d
467	残存	枯損	—	—	d
468	残存	枯損	—	—	d
469	残存	間伐	—	—	d
470	間伐	—	—	—	d
471	残存	間伐	—	—	d
472	間伐	—	—	—	d
473	残存	間伐	—	—	d
474	残存	間伐	—	—	d
475	間伐	—	—	—	d
476	残存	枯損	—	—	d
477	残存	間伐	—	—	d
478	残存	間伐	—	—	d
479	間伐	—	—	—	d
480	残存	不明	—	—	d
481	残存	不明	—	—	d
482	残存	間伐	—	—	d
483	残存	間伐	—	—	d
484	間伐	—	—	—	d
485	残存	枯損	—	—	d
486	残存	枯損	—	—	d
487	残存	枯損	—	—	d
488	残存	不明	—	—	d
489	残存	枯損	—	—	d
490	残存	枯損	—	—	d
491	間伐	—	—	—	d
492	間伐	—	—	—	d
493	間伐	—	—	—	d
494	間伐	—	—	—	d
495	間伐	—	—	—	d
496	間伐	—	—	—	d
497	間伐	—	—	—	d
498	間伐	—	—	—	d
499	間伐	—	—	—	d
500	間伐	—	—	—	d

附表-2. 胸高直径と樹高
矢竹沢 スギ 503B(強度間伐区→600本/ha区・200本/ha区) つづき

No.	1962	1997	2014.11		備考 面積区分
	間伐実施	密度再設定	DBH(cm)	樹高(m)	
501	間伐	—	—	—	d
502	間伐	—	—	—	d
503	間伐	—	—	—	d
504	間伐	—	—	—	d
505	間伐	—	—	—	d

附表-2. 胸高直径と樹高
矢竹沢 スギ 503C(弱度間伐区→200本/ha区・400本/ha区)

No.	1962		1997		2014.11		備考 面積区分
	間伐実施	密度再設定	DBH(cm)	樹高(m)	DBH(cm)	樹高(m)	
1	残存	間伐	—	—	—	—	f
2	残存	間伐	—	—	—	—	f
3	残存	残存	56.65	—	—	—	f
4	残存	間伐	—	—	—	—	f
5	残存	残存	56.50	36.0	—	—	f
6	間伐	—	—	—	—	—	f
7	間伐	—	—	—	—	—	f
8	残存	残存	49.85	—	—	—	g
9	残存	間伐	—	—	—	—	g
10	間伐	—	—	—	—	—	g
11	残存	残存	61.75	33.4	—	—	g
12	残存	残存	54.30	—	—	—	g
13	残存	間伐	—	—	—	—	g
14	間伐	—	—	—	—	—	g
15	残存	間伐	—	—	—	—	g
16	残存	間伐	—	—	—	—	g
17	残存	残存	47.85	—	—	—	g
18	残存	間伐	—	—	—	—	g
19	残存	残存	45.95	—	—	—	g
20	間伐	—	—	—	—	—	g
21	残存	間伐	—	—	—	—	g
22	残存	間伐	—	—	—	—	g
23	残存	残存	64.65	30.2	—	—	g
24	残存	間伐	—	—	—	—	g
25	間伐	—	—	—	—	—	g
26	間伐	—	—	—	—	—	g
27	間伐	—	—	—	—	—	g
28	残存	残存	58.70	—	—	—	g
29	残存	間伐	—	—	—	—	g
30	残存	間伐	—	—	—	—	g
31	残存	残存	54.90	—	—	—	g
32	残存	間伐	—	—	—	—	g
33	残存	間伐	—	—	—	—	g
34	残存	残存	40.45	—	—	—	g
35	残存	間伐	—	—	—	—	g
36	間伐	—	—	—	—	—	g
37	残存	間伐	—	—	—	—	f
38	間伐	—	—	—	—	—	f
39	残存	間伐	—	—	—	—	f
40	間伐	—	—	—	—	—	f
41	間伐	—	—	—	—	—	f
42	間伐	—	—	—	—	—	f
43	残存	間伐	—	—	—	—	f
44	残存	間伐	—	—	—	—	f
45	間伐	—	—	—	—	—	f
46	残存	間伐	—	—	—	—	f
47	残存	間伐	—	—	—	—	f
48	間伐	—	—	—	—	—	f
49	間伐	—	—	—	—	—	f
50	残存	間伐	—	—	—	—	g

附表-2. 胸高直径と樹高
矢竹沢 スギ 503C(弱度間伐区→200本/ha区・400本/ha区) つづき

No.	1962	1997	2014.11		備考 面積区分
	2回目測定	密度再設定	DBH(cm)	樹高(m)	
51	間伐	—	—	—	g
52	残存	間伐	—	—	g
53	残存	間伐	—	—	g
54	残存	残存	52.10	—	g
55	残存	間伐	—	—	g
56	残存	間伐	—	—	g
57	間伐	—	—	—	g
58	間伐	—	—	—	g
59	残存	間伐	—	—	g
60	間伐	—	—	—	g
61	残存	残存	46.45	—	g
62	残存	間伐	—	—	g
63	残存	間伐	—	—	g
64	間伐	—	—	—	g
65	残存	残存	56.15	—	g
66	残存	間伐	—	—	g
67	残存	残存	58.85	—	g
68	残存	間伐	—	—	g
69	残存	間伐	—	—	g
70	間伐	—	—	—	g
71	残存	間伐	—	—	g
72	残存	間伐	—	—	g
73	残存	間伐	—	—	g
74	残存	間伐	—	—	f
75	残存	残存	45.45	—	f
76	残存	間伐	—	—	f
77	間伐	—	—	—	f
78	間伐	—	—	—	f
79	残存	残存	51.75	—	f
80	残存	間伐	—	—	f
81	間伐	—	—	—	f
82	残存	間伐	—	—	f
83	残存	間伐	—	—	f
84	残存	間伐	—	—	g
85	残存	間伐	—	—	g
86	残存	残存	42.65	—	g
87	残存	枯損	—	—	g
88	間伐	—	—	—	g
89	間伐	—	—	—	g
90	残存	残存	46.25	—	g
91	間伐	—	—	—	g
92	残存	間伐	—	—	g
93	残存	間伐	—	—	g
94	残存	残存	47.25	—	g
95	間伐	—	—	—	g
96	間伐	—	—	—	g
97	残存	間伐	—	—	g
98	残存	間伐	—	—	g
99	残存	残存	47.50	—	g
100	間伐	—	—	—	g

附表-2. 胸高直径と樹高
矢竹沢 スギ 503C(弱度間伐区→200本/ha区・400本/ha区) つづき

No.	1962		1997		2014.11		備考
	2回目測定	密度再設定	DBH(cm)	樹高(m)	面積区分		
101	間伐	—	—	—	—	g	
102	残存	残存	65.05	—	—	g	
103	残存	間伐	—	—	—	g	
104	残存	間伐	—	—	—	g	
105	間伐	—	—	—	—	g	
106	間伐	—	—	—	—	g	
107	間伐	—	—	—	—	g	
108	残存	枯損	—	—	—	g	
109	間伐	—	—	—	—	g	
110	残存	残存	53.00	—	—	g	
111	残存	間伐	—	—	—	g	
112	残存	残存	43.45	—	—	g	
113	間伐	—	—	—	—	g	
114	残存	間伐	—	—	—	g	
115	残存	間伐	—	—	—	g	
116	間伐	—	—	—	—	g	
117	間伐	—	—	—	—	g	
118	残存	間伐	—	—	—	g	
119	間伐	—	—	—	—	g	
120	間伐	—	—	—	—	g	
121	残存	間伐	—	—	—	f	
122	残存	間伐	—	—	—	f	
123	残存	残存	54.50	36.0	—	f	
124	残存	間伐	—	—	—	f	
125	間伐	—	—	—	—	f	
126	残存	間伐	—	—	—	f	
127	間伐	—	—	—	—	f	
128	残存	間伐	—	—	—	f	
129	残存	残存	54.00	—	—	f	
130	間伐	—	—	—	—	f	
131	残存	間伐	—	—	—	f	
132	間伐	—	—	—	—	g	
133	残存	間伐	—	—	—	g	
134	残存	間伐	—	—	—	g	
135	間伐	—	—	—	—	g	
136	残存	間伐	—	—	—	g	
137	残存	残存	58.35	—	—	g	
138	間伐	—	—	—	—	g	
139	間伐	—	—	—	—	g	
140	残存	残存	38.90	—	—	g	
141	間伐	—	—	—	—	g	
142	間伐	—	—	—	—	g	
143	残存	間伐	—	—	—	g	
144	残存	間伐	—	—	—	g	
145	残存	間伐	—	—	—	g	
146	間伐	—	—	—	—	g	
147	残存	残存	44.50	—	—	g	
148	残存	間伐	—	—	—	g	
149	残存	間伐	—	—	—	g	
150	残存	間伐	—	—	—	g	

附表-2. 胸高直径と樹高
矢竹沢 スギ 503C(弱度間伐区→200本/ha区・400本/ha区) つづき

No.	1962	1997	2014.11		備考 面積区分
	2回目測定	密度再設定	DBH(cm)	樹高(m)	
151	間伐	—	—	—	g
152	間伐	—	—	—	g
153	残存	間伐	—	—	g
154	間伐	—	—	—	g
155	間伐	—	—	—	g
156	残存	残存	48.35	—	g
157	残存	間伐	—	—	g
158	間伐	—	—	—	g
159	間伐	—	—	—	g
160	間伐	—	—	—	g
161	残存	残存	57.45	—	g
162	間伐	—	—	—	g
163	残存	間伐	—	—	f
164	間伐	—	—	—	f
165	残存	間伐	—	—	f
166	間伐	—	—	—	f
167	間伐	—	—	—	f
168	残存	残存	—	—	f
169	残存	間伐	—	—	f
170	残存	間伐	—	—	f
171	残存	間伐	—	—	g
172	残存	残存	44.30	—	g
173	間伐	—	—	—	g
174	残存	間伐	—	—	g
175	残存	残存	61.65	—	g
176	残存	残存	37.75	—	g
177	残存	間伐	—	—	g
178	残存	残存	57.50	—	g
179	間伐	—	—	—	g
180	残存	間伐	—	—	g
181	残存	残存	45.90	—	g
182	間伐	—	—	—	g
183	残存	間伐	—	—	g
184	残存	残存	45.90	—	g
185	残存	間伐	—	—	g
186	残存	間伐	—	—	g
187	間伐	—	—	—	g
188	間伐	—	—	—	g
189	間伐	—	—	—	g
190	残存	残存	46.95	—	g
191	残存	間伐	—	—	g
192	残存	残存	40.45	—	g
193	残存	間伐	—	—	g
194	残存	間伐	—	—	g
195	間伐	—	—	—	g
196	間伐	—	—	—	g
197	間伐	—	—	—	g
198	残存	残存	67.74	—	g
199	残存	間伐	—	—	g
200	残存	間伐	—	—	g

附表-2. 胸高直径と樹高
矢竹沢 スギ 503C(弱度間伐区→200本/ha区・400本/ha区) つづき

No.	1962		1997		2014.11		備考
	2回目測定	密度再設定	DBH(cm)	樹高(m)	面積区分		
201	間伐	—	—	—	—	g	
202	残存	残存	48.25	—	—	g	
203	残存	間伐	—	—	—	g	
204	残存	間伐	—	—	—	g	
205	残存	間伐	—	—	—	g	
206	残存	間伐	—	—	—	g	
207	間伐	—	—	—	—	g	
208	間伐	—	—	—	—	g	
209	残存	間伐	—	—	—	g	
210	残存	間伐	—	—	—	g	
211	残存	間伐	—	—	—	g	
212	残存	間伐	—	—	—	g	
213	残存	間伐	—	—	—	g	
214	間伐	—	—	—	—	g	
215	間伐	—	—	—	—	g	
216	間伐	—	—	—	—	g	
217	残存	残存	55.25	32.7	—	g	
218	残存	間伐	—	—	—	g	
219	残存	残存	40.35	—	—	g	
220	残存	残存	38.10	—	—	g	
221	残存	残存	48.90	—	—	g	
222	残存	残存	42.95	—	—	g	
223	残存	間伐	—	—	—	g	
224	残存	間伐	—	—	—	f	
225	間伐	—	—	—	—	f	
226	残存	間伐	—	—	—	f	
227	残存	残存	40.65	—	—	f	
228	間伐	—	—	—	—	f	
229	残存	間伐	—	—	—	f	
230	間伐	—	—	—	—	f	
231	間伐	—	—	—	—	f	
232	残存	間伐	—	—	—	f	
233	残存	間伐	—	—	—	f	
234	残存	間伐	—	—	—	f	
235	間伐	—	—	—	—	f	
236	間伐	—	—	—	—	f	
237	残存	残存	40.60	—	—	f	
238	残存	枯損	—	—	—	g	
239	間伐	—	—	—	—	g	
240	残存	残存	47.80	33.1	—	g	
241	残存	間伐	—	—	—	g	
242	残存	間伐	—	—	—	g	
243	残存	枯損	—	—	—	g	
244	間伐	—	—	—	—	g	
245	間伐	—	—	—	—	g	
246	残存	残存	48.85	—	—	g	
247	残存	間伐	—	—	—	g	
248	残存	残存	60.60	—	—	g	
249	残存	間伐	—	—	—	g	
250	残存	間伐	—	—	—	g	

附表-2. 胸高直径と樹高
矢竹沢 スギ 503C(弱度間伐区→200本/ha区・400本/ha区) つづき

No.	1962		1997		2014.11		備考
	2回目測定	密度再設定	DBH(cm)	樹高(m)	面積区分		
251	残存	間伐	—	—			g
252	間伐	—	—	—			g
253	残存	間伐	—	—			g
254	残存	間伐	—	—			g
255	残存	間伐	—	—			g
256	残存	残存	62.30	34.4			g
257	残存	残存	37.25	—			g
258	残存	残存	36.75	—			g
259	残存	間伐	—	—			g
260	間伐	—	—	—			g
261	間伐	—	—	—			g
262	残存	残存	53.15	—			g
263	残存	間伐	—	—			g
264	残存	間伐	—	—			g
265	残存	間伐	—	—			g
266	間伐	—	—	—			g
267	残存	残存	70.86	—			g
268	間伐	—	—	—			g
269	間伐	—	—	—			g
270	間伐	—	—	—			g
271	残存	間伐	—	—			g
272	間伐	—	—	—			g
273	間伐	—	—	—			g
274	残存	残存	45.95	—			g
275	残存	残存	45.50	—			g
276	残存	前に間伐	—	—			g
277	間伐	—	—	—			g
278	残存	前に間伐	—	—			g
279	間伐	—	—	—			g
280	間伐	—	—	—			g
281	間伐	—	—	—			g
282	残存	前に間伐	—	—			g
283	残存	残存	57.00	—			g
284	残存	間伐	—	—			g
285	残存	間伐	—	—			f
286	間伐	—	—	—			f
287	残存	前に間伐	—	—			f
288	間伐	—	—	—			f
289	間伐	—	—	—			f
290	残存	間伐	—	—			f
291	間伐	—	—	—			f
292	間伐	—	—	—			f
293	残存	間伐	—	—			f
294	残存	間伐	—	—			f
295	間伐	—	—	—			f
296	残存	間伐	—	—			f
297	間伐	—	—	—			f
298	残存	間伐	—	—			f
299	残存	間伐	—	—			f
300	残存	間伐	—	—			f

附表-2. 胸高直径と樹高
矢竹沢 スギ 503C(弱度間伐区→200本/ha区・400本/ha区) つづき

No.	1962		1997		2014.11		備考
	2回目測定	密度再設定	DBH(cm)	樹高(m)	面積区分		
301	残存	間伐	—	—		g	
302	間伐	—	—	—		g	
303	残存	残存	36.15	29.2		g	
304	間伐	—	—	—		g	
305	残存	間伐	—	—		g	
306	残存	間伐	—	—		g	
307	残存	残存	49.20	—		g	
308	残存	残存	52.50	—		g	
309	間伐	—	—	—		g	
310	間伐	—	—	—		g	
311	残存	残存	—	—		g	
312	間伐	—	—	—		g	
313	残存	残存	57.55	—		g	
314	残存	前に間伐	—	—		g	
315	間伐	—	—	—		g	
316	残存	間伐	—	—		g	
317	残存	残存	61.70	—		g	
318	残存	間伐	—	—		g	
319	残存	間伐	—	—		g	
320	間伐	—	—	—		g	
321	残存	前に間伐	—	—		g	
322	間伐	—	—	—		g	
323	残存	残存	38.00	30		g	
324	間伐	—	—	—		g	
325	残存	枯損	—	—		g	
326	残存	不明	—	—		g	
327	残存	間伐	—	—		f	
328	残存	間伐	—	—		f	
329	残存	不明	—	—		f	
330	残存	残存	45.30	—		f	
331	間伐	—	—	—		g	
332	残存	間伐	—	—		g	
333	間伐	—	—	—		g	
334	間伐	—	—	—		g	
335	残存	枯損	—	—		g	
336	間伐	—	—	—		g	
337	残存	残存	50.10	31.7		g	
338	残存	間伐	—	—		g	
339	残存	間伐	—	—		g	
340	間伐	—	—	—		g	
341	間伐	—	—	—		g	
342	間伐	—	—	—		g	
343	残存	残存	48.85	—		g	
344	残存	残存	59.05	—		g	
345	残存	間伐	—	—		g	
346	間伐	—	—	—		g	
347	間伐	—	—	—		g	
348	残存	残存	70.92	34.5		g	
349	残存	間伐	—	—		g	
350	残存	間伐	—	—		g	

附表-2. 胸高直径と樹高
矢竹沢 スギ 503C(弱度間伐区→200本/ha区・400本/ha区) つづき

No.	1962		1997		2014.11		備考
	2回目測定	密度再設定	DBH(cm)	樹高(m)	面積区分		
351	間伐	—	—	—	—	g	
352	残存	残存	60.10	—	—	g	
353	残存	間伐	—	—	—	g	
354	残存	間伐	—	—	—	g	
355	残存	残存	60.15	—	—	g	
356	残存	前に間伐	—	—	—	g	
357	間伐	—	—	—	—	g	
358	残存	残存	49.70	—	—	g	
359	残存	間伐	—	—	—	f	
360	間伐	—	—	—	—	f	
361	間伐	—	—	—	—	f	
362	残存	間伐	—	—	—	f	
363	間伐	—	—	—	—	f	
364	間伐	—	—	—	—	f	
365	残存	残存	55.35	—	—	f	
366	間伐	—	—	—	—	f	
367	残存	間伐	—	—	—	f	
368	残存	枯損	—	—	—	f	
369	残存	間伐	—	—	—	f	
370	間伐	—	—	—	—	f	
371	残存	間伐	—	—	—	f	
372	間伐	—	—	—	—	f	
373	残存	間伐	—	—	—	f	
374	間伐	—	—	—	—	f	
375	間伐	—	—	—	—	f	
376	残存	間伐	—	—	—	f	
377	残存	間伐	—	—	—	g	
378	残存	間伐	—	—	—	g	
379	残存	残存	45.45	—	—	g	
380	残存	残存	47.35	—	—	g	
381	残存	間伐	—	—	—	g	
382	残存	残存	48.05	30.9	—	g	
383	残存	間伐	—	—	—	g	
384	残存	間伐	—	—	—	g	
385	残存	残存	54.30	—	—	g	
386	間伐	—	—	—	—	g	
387	残存	間伐	—	—	—	g	
388	間伐	—	—	—	—	g	
389	残存	残存	70.38	—	—	g	
390	間伐	—	—	—	—	g	
391	間伐	—	—	—	—	g	
392	残存	間伐	—	—	—	g	
393	残存	間伐	—	—	—	g	
394	残存	間伐	—	—	—	g	
395	残存	残存	43.50	28.5	—	g	
396	残存	残存	43.80	—	—	g	
397	間伐	—	—	—	—	g	
398	間伐	—	—	—	—	g	
399	間伐	—	—	—	—	g	
400	間伐	—	—	—	—	g	

附表-2. 胸高直径と樹高
矢竹沢 スギ 503C(弱度間伐区→200本/ha区・400本/ha区) つづき

No.	1962		1997		2014.11		備考
	2回目測定	密度再設定	DBH(cm)	樹高(m)	面積区分		
401	残存	残存	51.15	—	—	g	
402	残存	間伐	—	—	—	g	
403	間伐	—	—	—	—	g	
404	間伐	—	—	—	—	g	
405	間伐	—	—	—	—	g	
406	残存	間伐	—	—	—	f	
407	間伐	—	—	—	—	f	
408	残存	枯損	—	—	—	f	
409	残存	間伐	—	—	—	f	
410	残存	残存	44.00	—	—	f	
411	残存	間伐	—	—	—	f	
412	間伐	—	—	—	—	f	
413	間伐	—	—	—	—	f	
414	残存	間伐	—	—	—	g	
415	残存	間伐	—	—	—	g	
416	間伐	—	—	—	—	g	
417	残存	残存	46.40	—	—	g	
418	残存	間伐	—	—	—	g	
419	間伐	—	—	—	—	g	
420	残存	残存	53.10	—	—	g	
421	残存	残存	47.35	—	—	g	
422	残存	間伐	—	—	—	g	
423	残存	間伐	—	—	—	g	
424	残存	間伐	—	—	—	g	
425	残存	間伐	—	—	—	g	
426	間伐	—	—	—	—	g	
427	残存	残存	43.90	—	—	g	
428	枯損	—	—	—	—	g	
429	間伐	—	—	—	—	g	
430	残存	間伐	—	—	—	g	
431	間伐	—	—	—	—	g	
432	残存	残存	66.70	—	—	g	
433	間伐	—	—	—	—	g	
434	残存	間伐	—	—	—	g	
435	残存	間伐	—	—	—	g	
436	残存	間伐	—	—	—	g	
437	間伐	—	—	—	—	g	
438	残存	残存	45.15	—	—	g	
439	残存	残存	47.70	—	—	g	
440	残存	間伐	—	—	—	g	
441	残存	間伐	—	—	—	g	
442	間伐	—	—	—	—	g	
443	間伐	—	—	—	—	g	
444	間伐	—	—	—	—	g	
445	残存	残存	55.95	—	—	g	
446	間伐	—	—	—	—	g	
447	残存	間伐	—	—	—	f	
448	残存	残存	57.30	—	—	f	
449	残存	間伐	—	—	—	f	
450	間伐	—	—	—	—	f	

附表-2. 胸高直径と樹高
矢竹沢 スギ 503C(弱度間伐区→200本/ha区・400本/ha区) つづき

No.	1962	1997	2014.11		備考 面積区分
	2回目測定	密度再設定	DBH(cm)	樹高(m)	
451	残存	間伐	—	—	f
452	残存	間伐	—	—	f
453	残存	間伐	—	—	f
454	間伐	—	—	—	f
455	間伐	—	—	—	f
456	間伐	—	—	—	f
457	残存	残存	57.80	—	f
458	間伐	—	—	—	f
459	間伐	—	—	—	f
460	残存	間伐	—	—	g
461	残存	残存	54.95	36.7	f
462	間伐	—	—	—	f
463	間伐	—	—	—	f
464	残存	残存	45.15	—	g
465	間伐	—	—	—	g
466	間伐	—	—	—	g
467	残存	残存	50.40	33.2	g
468	残存	枯損	—	—	g
469	残存	間伐	—	—	g
470	間伐	—	—	—	g
471	間伐	—	—	—	g
472	残存	間伐	—	—	g
473	残存	間伐	—	—	g
474	残存	間伐	—	—	g
475	残存	間伐	—	—	g
476	残存	残存	49.40	—	g
477	残存	残存	58.65	—	g
478	間伐	—	—	—	g
479	間伐	—	—	—	g
480	残存	残存	49.75	—	g
481	間伐	—	—	—	g
482	間伐	—	—	—	g
483	残存	間伐	—	—	g
484	間伐	—	—	—	g
485	残存	間伐	—	—	g
486	間伐	—	—	—	g
487	残存	間伐	—	—	g
488	残存	残存	44.90	—	g
489	間伐	—	—	—	g
490	残存	間伐	—	—	g
491	残存	間伐	—	—	g
492	間伐	—	—	—	g
493	間伐	—	—	—	g
494	残存	間伐	—	—	g
495	残存	間伐	—	—	g
496	間伐	—	—	—	g
497	残存	残存	51.20	—	g
498	間伐	—	—	—	g
499	残存	残存	55.75	—	f
500	残存	間伐	—	—	f

附表-2. 胸高直径と樹高
矢竹沢 スギ 503C(弱度間伐区→200本/ha区・400本/ha区) つづき

No.	1962	1997	2014.11		備考 面積区分
	2回目測定	密度再設定	DBH(cm)	樹高(m)	
501	間伐	—	—	—	f
502	残存	間伐	—	—	f
503	残存	残存	44.75	—	g
504	間伐	—	—	—	g
505	残存	間伐	—	—	g
506	残存	残存	49.65	—	g
507	間伐	—	—	—	g
508	残存	間伐	—	—	g
509	間伐	—	—	—	g
510	残存	残存	72.55	—	g
511	間伐	—	—	—	g
512	残存	間伐	—	—	g
513	残存	残存	58.30	—	g
514	間伐	—	—	—	g
515	残存	間伐	—	—	g
516	残存	間伐	—	—	g
517	残存	残存	72.29	—	g
518	間伐	—	—	—	g
519	残存	前に間伐	—	—	g

高德佳絵ら
秩父演習林における人工林固定測定試験地成長資料(2014~2017年)

附表-2. 胸高直径と樹高
矢竹沢 スギ 032D(無間伐後1回間伐)

2014.11			2014.11			2014.11		
No.	DBH(cm)	樹高(m)	No.	DBH(cm)	樹高(m)	No.	DBH(cm)	樹高(m)
1	—	—	51	—	—	101	—	—
2	—	—	52	44.80	—	102	—	—
3	44.35	—	53	25.35	29.9	103	—	—
4	49.95	35.5	54	—	—	104	59.10	38.1
5	32.10	30.2	55	—	—	105	—	—
6	18.30	—	56	46.45	34.3	106	36.45	—
7	60.95	38.7	57	—	—	107	—	—
8	42.10	30.1	58	40.50	—	108	—	—
9	—	—	59	—	—	109	52.50	38.0
10	—	—	60	34.05	34.5	110	—	—
11	—	—	61	35.25	35.1	111	—	—
12	56.05	35.9	62	—	—	112	44.35	37.7
13	—	—	63	—	—			
14	49.55	32.2	64	—	—			
15	—	—	65	—	—			
16	—	—	66	—	—			
17	28.75	—	67	38.90	36.3			
18	29.05	26.9	68	—	—			
19	—	—	69	—	—			
20	—	—	70	—	—			
21	31.20	—	71	—	—			
22	—	—	72	—	—			
23	43.25	36.7	73	—	—			
24	—	—	74	—	—			
25	—	—	75	49.15	36.5			
26	58.35	—	76	—	—			
27	—	—	77	35.80	31.8			
28	38.60	—	78	—	—			
29	47.50	—	79	43.25	—			
30	42.80	37.9	80	—	—			
31	—	—	81	—	—			
32	—	—	82	—	—			
33	—	—	83	34.60	33.3			
34	—	—	84	—	—			
35	41.65	34.6	85	37.20	—			
36	—	—	86	—	—			
37	—	—	87	—	—			
38	—	—	88	—	—			
39	—	—	89	43.80	35.2			
40	36.05	33.7	90	38.00	35.4			
41	—	—	91	—	—			
42	—	—	92	—	—			
43	—	—	93	41.90	—			
44	44.30	33.0	94	—	—			
45	46.65	—	95	43.05	—			
46	13.15	—	96	—	—			
47	—	—	97	—	—			
48	—	—	98	36.10	—			
49	35.65	35.7	99	40.60	32.9			
50	—	—	100	—	—			

附表-2. 胸高直径と樹高
矢竹沢 スギ 032E(間伐後1回間伐)

2014.11			2014.11			2014.11		
No.	DBH(cm)	樹高(m)	No.	DBH(cm)	樹高(m)	No.	DBH(cm)	樹高(m)
1	45.80	—	51	—	—	101	—	—
2	—	—	52	32.90	32.7	102	—	—
3	—	—	53	—	—	103	—	—
4	34.30	—	54	—	—	104	—	—
5	—	—	55	—	—	105	45.85	—
6	38.60	—	56	—	—	106	—	—
7	32.90	—	57	38.25	—	107	—	—
8	—	—	58	45.30	35.6	108	—	—
9	—	—	59	—	—	109	—	—
10	—	—	60	42.55	—	110	—	—
11	—	—	61	—	—	111	—	—
12	—	—	62	—	—	112	29.00	31.2
13	—	—	63	39.90	—	113	—	—
14	—	—	64	—	—	114	45.80	—
15	30.45	30.0	65	34.60	33.3	115	—	—
16	—	—	66	—	—	116	—	—
17	—	—	67	—	—	117	—	—
18	—	—	68	—	—	118	—	—
19	42.90	—	69	—	—	119	46.00	—
20	—	—	70	—	—	120	—	—
21	—	—	71	—	—	121	—	—
22	—	—	72	—	—	122	—	—
23	48.75	33.1	73	—	—	123	—	—
24	—	—	74	56.45	38.4	124	—	—
25	—	—	75	—	—	125	—	—
26	—	—	76	—	—	126	—	—
27	—	—	77	—	—	127	—	—
28	—	—	78	—	—	128	—	—
29	37.40	33.7	79	—	—	129	42.15	—
30	—	—	80	—	—	130	—	—
31	31.35	32.1	81	—	—	131	—	—
32	—	—	82	—	—	132	—	—
33	—	—	83	—	—	133	46.55	—
34	51.75	—	84	—	—	134	—	—
35	—	—	85	—	—	135	—	—
36	不明	—	86	—	—	136	—	—
37	44.35	36.7	87	—	—	137	—	—
38	—	—	88	40.65	—	138	—	—
39	—	—	89	—	—	139	—	—
40	30.80	30.4	90	—	—	140	—	—
41	40.85	—	91	28.05	31.9	141	—	—
42	—	—	92	—	—	142	—	—
43	—	—	93	—	—	143	54.35	—
44	44.60	—	94	39.05	—	144	—	—
45	65.40	—	95	—	—	145	41.60	—
46	—	—	96	—	—	146	—	—
47	—	—	97	40.85	—	147	33.65	—
48	47.45	—	98	—	—	148	—	—
49	—	—	99	—	—	149	38.30	—
50	—	—	100	29.20	—	150	—	—

附表-2. 胸高直径と樹高
矢竹沢 スギ 032E(間伐後1回間伐) つづき

No.	2014.11	
	DBH(cm)	樹高(m)
151	—	—
152	—	—
153	59.85	—
154	—	—
155	55.10	—
156	—	—
157	40.95	—

附表-2. 胸高直径と樹高
要倉沢 ヒノキ 006A(間伐区)

2017.10			2017.10		
No.	DBH(cm)	樹高(m)	No.	DBH(cm)	樹高(m)
1	25.40	21.0	51	23.90	21.8
2	32.00	—	52	—	—
3	33.60	—	53	28.05	22.8
4	27.30	—	54	28.05	23.3
5	26.95	—	55	30.45	—
6	35.75	—	56	35.10	23.9
7	30.30	—	57	—	—
8	36.85	24.0	58	30.70	—
9	36.35	—	59	—	—
10	—	—	60	30.30	—
11	40.85	23.0	61	31.30	—
12	枯損	No51へ代替	62	39.40	—
13	35.75	—	63	37.00	—
14	—	—	64	30.55	24.0
15	—	—	65	—	—
16	42.15	24.5	66	31.85	22.6
17	29.50	—			
18	33.80	—			
19	34.30	—			
20	29.55	23.7			
21	30.10	27.8			
22	44.80	—			
23	35.40	—			
24	23.50	23.8			
25	26.60	—			
26	38.40	25.9			
27	38.50	25.0			
28	28.00	—			
29	38.35	—			
30	—	—			
31	27.65	—			
32	—	—			
33	29.20	—			
34	枯損	—			
35	30.75	—			
36	33.95	—			
37	25.35	—			
38	34.00	—			
39	33.20	—			
40	34.60	—			
41	—	—			
42	—	—			
43	37.80	—			
44	—	—			
45	36.70	—			
46	—	—			
47	30.90	—			
48	39.25	—			
49	25.00	—			
50	29.15	—			

高德佳絵ら
秩父演習林における人工林固定測定試験地成長資料(2014~2017年)

附表-2. 胸高直径と樹高
要倉沢 ヒノキ 006B(無間伐区)

2017.10			2017.10			2017.10		
No.	DBH(cm)	樹高(m)	No.	DBH(cm)	樹高(m)	No.	DBH(cm)	樹高(m)
1	40.00	27.0	51	17.15	22.8	101	33.45	—
2	27.80	—	52	—	—	102	21.30	—
3	39.90	—	53	—	—	103	24.30	—
4	—	—	54	32.55	—	104	28.15	—
5	—	—	55	24.35	24.0	105	—	—
6	30.55	—	56	—	—	106	—	—
7	36.50	—	57	—	—	107	—	—
8	31.75	—	58	—	—	108	24.95	—
9	—	—	59	—	—	109	25.35	22.0
10	22.70	—	60	27.15	22.9	110	34.80	—
11	30.65	—	61	28.75	—	111	29.65	—
12	—	—	62	—	—	112	29.25	—
13	—	—	63	25.20	—	113	22.05	—
14	21.10	—	64	—	—	114	27.25	23.0
15	—	—	65	—	—	115	—	—
16	22.75	—	66	25.75	—	116	—	—
17	36.10	26.3	67	41.90	—	117	—	—
18	22.30	—	68	—	—	118	—	—
19	—	—	69	22.80	—	119	35.55	24.6
20	31.15	—	70	29.55	—	120	21.70	23.7
21	36.10	—	71	26.90	—	121	—	—
22	—	—	72	23.50	—	122	30.95	—
23	27.05	—	73	36.05	—	123	22.05	—
24	28.85	—	74	32.50	—	124	27.00	—
25	—	—	75	29.40	—	125	—	—
26	—	—	76	—	—	126	44.25	26.3
27	25.35	—	77	28.30	—	127	36.50	—
28	—	—	78	—	—	128	—	—
29	29.25	24.9	79	—	—	129	—	—
30	28.80	—	80	枯損	—	130	24.10	—
31	—	—	81	29.25	—	131	26.95	—
32	25.50	24.6	82	34.05	—	132	23.45	—
33	35.15	—	83	31.45	—	133	32.10	—
34	—	—	84	32.50	—	134	34.25	—
35	30.75	26.7	85	—	—	135	24.70	—
36	—	—	86	—	—	136	20.80	22.3
37	—	—	87	30.65	—	137	—	—
38	22.35	—	88	—	—	138	32.45	24.5
39	—	—	89	30.85	—	139	—	—
40	25.25	—	90	26.50	—			
41	31.50	—	91	30.75	—			
42	—	—	92	—	—			
43	—	—	93	—	—			
44	40.00	—	94	—	—			
45	—	—	95	41.65	—			
46	41.30	—	96	17.10	18.9			
47	—	—	97	22.60	—			
48	—	—	98	—	—			
49	32.25	—	99	—	—			
50	—	—	100	38.65	—			

注)No74樹種サワラ

高德佳絵ら
秩父演習林における人工林固定測定試験地成長資料(2014~2017年)

附表-2. 胸高直径と樹高
入山 ヒノキ 504A(強度間伐区)

2015.10			2015.10			2015.10		
No.	DBH(cm)	樹高(m)	No.	DBH(cm)	樹高(m)	No.	DBH(cm)	樹高(m)
1	31.70	—	51	—	—	101	28.50	—
2	—	—	52	—	—	102	42.65	—
3	39.50	—	53	—	—	103	—	—
4	—	—	54	—	—	104	46.75	—
5	25.65	—	55	21.15	26.1	105	37.00	—
6	—	—	56	44.00	—	106	—	—
7	—	—	57	—	—	107	—	—
8	—	—	58	—	—	108	44.75	—
9	—	—	59	—	—	109	23.75	26.5
10	—	—	60	—	—	110	—	—
11	—	—	61	42.85	—	111	38.25	—
12	—	—	62	—	—	112	—	—
13	—	—	63	23.85	26.1	113	41.35	—
14	—	—	64	—	—	114	枯損	No63へ代替
15	43.60	26.9	65	44.15	—	115	33.30	—
16	25.25	26.8	66	—	—	116	—	—
17	50.60	—	67	38.20	—	117	—	—
18	—	—	68	27.00	—	118	—	—
19	25.40	—	69	42.20	—	119	—	—
20	35.75	—	70	—	—	120	—	—
21	—	—	71	—	—	121	—	—
22	—	—	72	35.45	—	122	—	—
23	—	—	73	—	—	123	27.90	—
24	33.40	—	74	—	—	124	41.30	—
25	—	—	75	25.25	—	125	32.95	—
26	33.60	—	76	—	—	126	—	—
27	43.20	—	77	40.05	—	127	28.15	—
28	枯損	No93へ代替	78	40.15	—	128	41.15	—
29	—	—	79	—	—	129	34.05	26.5
30	32.35	—	80	36.40	—	130	—	—
31	30.20	26.6	81	—	—	131	44.40	25.9
32	—	—	82	—	—	132	—	—
33	—	—	83	—	—	133	—	—
34	—	—	84	41.95	—	134	—	—
35	29.60	—	85	—	—	135	34.95	—
36	—	—	86	—	—	136	—	—
37	42.50	29.1	87	25.20	—	137	—	—
38	27.80	—	88	—	—	138	40.15	—
39	—	—	89	—	—	139	—	—
40	—	—	90	34.80	—	140	—	—
41	—	—	91	46.80	—	141	—	—
42	40.15	—	92	—	—	142	—	—
43	30.70	—	93	25.85	24.9	143	28.00	—
44	—	—	94	—	—	144	—	—
45	—	—	95	—	—	145	—	—
46	—	—	96	—	—	146	35.15	—
47	—	—	97	37.75	—	147	—	—
48	28.20	—	98	—	—	148	—	—
49	—	—	99	44.50	29.1	149	32.90	—
50	27.30	—	100	—	—	150	29.10	—

附表-2. 胸高直径と樹高
入山 ヒノキ 504A(強度間伐区) つづき

2015.10			2015.10		
No.	DBH(cm)	樹高(m)	No.	DBH(cm)	樹高(m)
151	—	—	201	35.85	27.9
152	56.00	—	202	—	—
153	36.80	27	203	—	—
154	—	—	204	—	—
155	37.45	—	205	—	—
156	—	—	206	36.45	—
157	38.75	—	207	29.00	—
158	—	—	208	—	—
159	—	—	209	35.60	—
160	24.20	—	210	39.85	—
161	—	—	211	37.35	—
162	—	—	212	—	—
163	21.55	25.3	213	31.85	—
164	—	—	214	—	—
165	枯損	—	215	—	—
166	24.60	—	216	38.85	—
167	—	—	217	—	—
168	—	—	218	34.70	—
169	—	—	219	—	—
170	26.25	—	220	—	—
171	—	—	221	32.35	—
172	44.40	—	222	—	—
173	34.95	—	223	48.25	—
174	—	—	224	—	—
175	38.75	—	225	28.40	23.9
176	33.95	—	226	—	—
177	37.90	—	227	—	—
178	—	—	228	枯損	—
179	—	—	229	—	—
180	49.90	—	230	—	—
181	22.15	25.7	231	35.70	—
182	27.90	—	232	—	—
183	—	—	233	27.55	—
184	—	—	234	40.35	25.8
185	—	—	235	—	—
186	43.30	—	236	22.70	—
187	—	—	237	31.15	—
188	—	—	238	29.30	—
189	44.50	28.9			
190	—	—			
191	29.95	—			
192	31.60	—			
193	36.50	—			
194	—	—			
195	36.95	—			
196	—	—			
197	—	—			
198	35.40	—			
199	26.75	26			
200	—	—			

附表-2. 胸高直径と樹高
入山 ヒノキ 504B(弱度間伐区)

2015.10			2015.10			2015.10		
No.	DBH(cm)	樹高(m)	No.	DBH(cm)	樹高(m)	No.	DBH(cm)	樹高(m)
1	21.00	—	51	枯損	—	101	32.20	—
2	28.85	—	52	34.30	—	102	—	—
3	27.10	—	53	43.70	—	103	35.30	28.5
4	36.55	—	54	—	—	104	—	—
5	—	—	55	30.10	—	105	枯損	—
6	34.55	—	56	31.85	—	106	—	—
7	—	—	57	31.90	—	107	23.95	—
8	—	—	58	—	—	108	26.70	—
9	32.50	—	59	—	—	109	—	—
10	—	—	60	28.55	—	110	28.10	—
11	枯損	—	61	—	—	111	24.95	—
12	—	—	62	25.75	—	112	42.95	—
13	48.45	29.7	63	39.05	—	113	—	—
14	—	—	64	37.90	—	114	32.70	—
15	28.60	26.9	65	—	—	115	枯損	—
16	38.30	—	66	—	—	116	39.50	—
17	28.30	—	67	35.80	—	117	—	—
18	—	—	68	—	—	118	34.50	—
19	35.70	—	69	27.65	—	119	—	—
20	25.65	—	70	21.10	24.6	120	—	—
21	—	—	71	37.45	—	121	19.60	—
22	27.45	—	72	—	—	122	25.05	—
23	23.50	—	73	26.90	—	123	33.20	—
24	21.05	—	74	36.90	—	124	41.40	—
25	枯損	—	75	—	—	125	21.05	—
26	38.80	—	76	—	—	126	38.65	—
27	31.75	—	77	—	—	127	—	—
28	20.55	—	78	41.85	—	128	25.40	—
29	28.60	27.3	79	—	—	129	34.70	—
30	25.35	26.1	80	—	—	130	—	—
31	枯損	—	81	—	—	131	21.20	—
32	—	—	82	37.50	—	132	—	—
33	39.00	—	83	33.50	—	133	36.75	—
34	33.75	27.8	84	27.25	24.8	134	—	—
35	—	—	85	枯損	—	135	—	—
36	35.05	—	86	39.20	—	136	—	—
37	36.65	—	87	22.05	—	137	29.05	—
38	23.50	—	88	28.65	—	138	26.20	—
39	22.30	—	89	33.00	—	139	—	—
40	—	—	90	—	—	140	39.80	—
41	—	—	91	40.35	27.6	141	—	—
42	33.85	—	92	—	—	142	29.30	—
43	—	—	93	—	—	143	37.70	—
44	33.35	—	94	—	—	144	30.65	—
45	31.95	—	95	—	—	145	40.30	27.1
46	—	—	96	—	—	146	31.95	—
47	31.50	—	97	37.15	—	147	39.75	—
48	41.75	—	98	枯損	—	148	45.70	—
49	—	—	99	36.00	—	149	—	—
50	—	—	100	37.25	28.7	150	27.55	24.7

附表-2. 胸高直径と樹高
入山 ヒノキ 504B(弱度間伐区) つづき

2015.10			2015.10		
No.	DBH(cm)	樹高(m)	No.	DBH(cm)	樹高(m)
151	枯損	No164へ代替	201	—	—
152	28.70	—	202	—	—
153	—	—	203	—	—
154	—	—	204	—	—
155	—	—	205	枯損	—
156	32.35	—	206	22.70	—
157	34.15	—	207	—	—
158	34.35	—	208	25.25	—
159	枯損	—	209	20.15	—
160	—	—	210	—	—
161	—	—	211	—	—
162	36.80	—	212	—	—
163	—	—	213	—	—
164	21.75	25.0	214	23.60	—
165	—	—	215	枯損	—
166	30.50	—	216	36.80	—
167	38.05	—	217	枯損	—
168	40.05	—	218	—	—
169	35.95	—	219	—	—
170	—	—	220	—	—
171	38.55	—	221	24.20	—
172	36.35	—	222	24.35	—
173	22.40	—	223	35.45	—
174	27.70	—	224	33.35	—
175	26.20	—	225	23.20	—
176	—	—	226	—	—
177	23.85	—	227	—	—
178	24.30	—	228	—	—
179	—	—	229	31.00	—
180	—	—	230	—	—
181	—	—	231	—	—
182	—	—	232	—	—
183	—	—	233	枯損	—
184	24.70	22.4	234	—	—
185	33.65	30	235	—	—
186	29.80	23.5	236	—	—
187	29.35	—	237	37.35	—
188	33.35	—	238	33.20	—
189	—	—	239	—	—
190	37.45	28.4	240	27.0	—
191	28.50	26.5	241	30.75	—
192	—	—	242	枯損	—
193	—	—			
194	—	—			
195	—	—			
196	—	—			
197	32.75	27.1			
198	21.55	—			
199	23.60	—			
200	28.15	—			

高德佳絵ら
秩父演習林における人工林固定測定試験地成長資料(2014~2017年)

附表-2. 胸高直径と樹高
入山 ヒノキ 504C(無間伐区)

2015.10			2015.10			2015.10		
No.	DBH(cm)	樹高(m)	No.	DBH(cm)	樹高(m)	No.	DBH(cm)	樹高(m)
1	27.20	—	51	32.50	25.5	101	—	—
2	41.25	—	52	—	—	102	—	—
3	—	—	53	26.85	—	103	24.55	—
4	—	—	54	—	—	104	34.10	—
5	21.80	—	55	23.40	—	105	27.60	—
6	—	—	56	21.85	—	106	30.95	26.7
7	39.65	—	57	—	—	107	26.85	—
8	21.70	—	58	24.85	—	108	30.20	—
9	—	—	59	—	—	109	24.60	—
10	44.35	—	60	25.25	26.5	110	26.65	26.4
11	—	—	61	27.60	—	111	41.50	28.5
12	39.90	—	62	32.35	—	112	—	—
13	35.65	—	63	—	—	113	27.85	—
14	23.25	—	64	34.10	28.2	114	—	—
15	22.30	—	65	—	—	115	41.45	—
16	39.25	—	66	20.30	—	116	—	—
17	—	—	67	24.90	—	117	39.70	—
18	42.90	—	68	18.70	—	118	—	—
19	—	—	69	—	—	119	—	—
20	26.95	—	70	23.90	—	120	—	—
21	26.20	24.4	71	23.20	—	121	29.45	—
22	34.85	—	72	28.40	—	122	37.45	—
23	—	—	73	32.60	—	123	35.10	—
24	—	—	74	29.25	—	124	28.55	—
25	—	—	75	27.85	—	125	—	—
26	21.65	—	76	—	—	126	—	—
27	38.50	—	77	—	—	127	—	—
28	—	—	78	44.20	—	128	38.70	27.6
29	26.70	—	79	37.05	—	129	—	—
30	枯損	—	80	28.65	—	130	—	—
31	36.00	—	81	23.75	26.5	131	—	—
32	25.10	—	82	34.45	25.8	132	—	—
33	38.70	—	83	29.80	—	133	39.00	—
34	23.75	—	84	26.35	—	134	27.35	—
35	28.00	—	85	—	—	135	—	—
36	枯損	—	86	25.60	—	136	—	—
37	34.75	—	87	21.15	25.1	137	32.80	—
38	30.30	—	88	39.25	—	138	—	—
39	—	—	89	—	—	139	—	—
40	—	—	90	—	—	140	—	—
41	31.80	—	91	40.90	—	141	27.75	—
42	36.55	—	92	—	—	142	37.50	—
43	枯損	—	93	—	—	143	29.55	—
44	30.30	—	94	29.80	—	144	—	—
45	33.40	—	95	枯損	—	145	32.25	—
46	—	—	96	—	—	146	39.00	—
47	30.45	—	97	32.85	—	147	29.45	—
48	20.85	—	98	—	—	148	—	—
49	22.85	—	99	—	—	149	—	—
50	—	—	100	29.70	24.7	150	—	—

附表-2. 胸高直径と樹高
入山 ヒノキ 504C(無間伐区) つづき

2015.10			2015.10		
No.	DBH(cm)	樹高(m)	No.	DBH(cm)	樹高(m)
151	—	—	201	32.80	26.8
152	—	—	202	32.90	27.3
153	26.05	25.5	203	—	—
154	25.15	22.2	204	27.40	—
155	—	—	205	37.60	—
156	38.75	—	206	24.65	—
157	—	—	207	枯損	—
158	27.35	—	208	35.35	—
159	—	—	209	—	—
160	27.00	—	210	—	—
161	36.65	—	211	—	—
162	30.10	—	212	枯損	—
163	—	—	213	枯損	—
164	36.70	—	214	23.05	—
165	—	—	215	—	—
166	—	—	216	26.25	—
167	37.55	—	217	枯損	—
168	—	—	218	—	—
169	37.35	—	219	—	—
170	29.60	—	220	—	—
171	—	—	221	—	—
172	—	—	222	44.75	—
173	—	—	223	—	—
174	50.40	—	224	—	—
175	41.45	—	225	—	—
176	—	—	226	—	—
177	—	—	227	29.20	—
178	38.05	—	228	37.90	—
179	33.50	27.2			
180	40.10	28			
181	32.55	—			
182	30.20	—			
183	36.45	—			
184	—	—			
185	枯損	—			
186	—	—			
187	—	—			
188	—	—			
189	24.25	—			
190	23.40	—			
191	41.90	—			
192	—	—			
193	—	—			
194	—	—			
195	枯損	No87へ代替			
196	—	—			
197	—	—			
198	29.85	—			
199	—	—			
200	32.45	—			

高德佳絵ら
秩父演習林における人工林固定測定試験地成長資料(2014~2017年)

附表-2. 胸高直径と樹高
矢竹沢 ヒノキ 033F(無間伐後1回間伐)

2014.11			2014.11			2014.11		
No.	DBH(cm)	樹高(m)	No.	DBH(cm)	樹高(m)	No.	DBH(cm)	樹高(m)
1	—	—	51	—	—	101	—	—
2	—	—	52	22.50	—	102	38.80	—
3	—	—	53	23.30	—	103	19.35	25.5
4	44.90	—	54	—	—	104	—	—
5	—	—	55	—	—	105	—	—
6	40.25	—	56	—	—	106	—	—
7	—	—	57	34.10	—	107	—	—
8	40.30	—	58	32.25	—	108	—	—
9	33.65	—	59	—	—	109	—	—
10	—	—	60	—	—	110	—	—
11	35.60	—	61	—	—	111	31.05	—
12	43.45	—	62	22.75	—	112	43.20	—
13	33.40	—	63	27.85	26.5	113	39.65	—
14	44.60	—	64	—	—	114	30.70	—
15	—	—	65	26.30	—	115	38.15	—
16	—	—	66	35.05	—	116	30.30	—
17	—	—	67	—	—	117	34.35	—
18	26.00	—	68	32.75	—	118	34.45	28.5
19	—	—	69	39.55	—	119	30.75	26.6
20	—	—	70	—	—	120	23.45	23.8
21	38.25	—	71	37.30	—	121	18.90	—
22	32.80	25.7	72	22.05	23.1	122	—	—
23	24.85	20.9	73	23.15	26.5	123	—	—
24	30.95	—	74	23.75	27.0	124	25.80	—
25	24.85	—	75	25.05	—	125	—	—
26	29.65	—	76	25.50	—	126	27.95	—
27	19.80	—	77	37.70	27.4	127	—	—
28	—	—	78	—	—	128	31.30	—
29	44.90	—	79	34.75	—	129	—	—
30	—	—	80	—	—	130	20.50	—
31	28.70	—	81	—	—	131	35.90	—
32	31.75	—	82	—	—	132	24.70	—
33	29.25	—	83	—	—			
34	37.30	—	84	33.75	26.9			
35	枯損	—	85	31.00	27.3			
36	28.95	—	86	23.10	—			
37	—	—	87	35.25	—			
38	25.25	—	88	—	—			
39	—	—	89	44.05	30.4			
40	33.85	—	90	17.70	24.9			
41	30.00	—	91	28.45	—			
42	31.15	—	92	25.75	—			
43	29.35	28.3	93	25.85	—			
44	19.65	—	94	—	—			
45	34.15	—	95	—	—			
46	36.20	—	96	—	—			
47	29.60	—	97	34.45	—			
48	34.55	—	98	32.05	—			
49	—	—	99	22.90	—			
50	38.85	—	100	33.60	—			

高德佳絵ら
秩父演習林における人工林固定測定試験地成長資料(2014~2017年)

附表-2. 胸高直径と樹高
矢竹沢 ヒノキ 033G(間伐後2回間伐)

2014.11			2014.11			2014.11		
No.	DBH(cm)	樹高(m)	No.	DBH(cm)	樹高(m)	No.	DBH(cm)	樹高(m)
1	34.95	—	51	—	—	101	—	—
2	—	—	52	38.30	—	102	32.20	—
3	—	—	53	31.35	—	103	枯損	No61へ代替
4	—	—	54	36.80	—	104	—	—
5	—	—	55	28.50	—	105	—	—
6	37.30	—	56	—	—	106	—	—
7	42.10	25.9	57	—	—	107	31.80	26.7
8	—	—	58	—	—	108	—	—
9	—	—	59	—	—	109	31.25	27.0
10	—	—	60	41.85	—	110	—	—
11	—	—	61	28.85	25.2	111	48.60	—
12	—	—	62	—	—	112	—	—
13	39.20	—	63	23.85	22.1	113	—	—
14	36.80	—	64	—	—	114	—	—
15	—	—	65	—	—	115	—	—
16	—	—	66	—	—	116	—	—
17	—	—	67	—	—	117	—	—
18	—	—	68	—	—	118	38.10	—
19	55.85	—	69	34.15	—	119	—	—
20	—	—	70	—	—	120	30.80	27.5
21	41.45	28.0	71	29.55	—	121	—	—
22	—	—	72	—	—	122	27.45	26.0
23	32.15	26.4	73	—	—	123	—	—
24	—	—	74	—	—	124	27.20	—
25	38.20	—	75	—	—	125	—	—
26	—	—	76	42.85	27.7	126	—	—
27	48.50	—	77	—	—	127	—	—
28	—	—	78	—	—	128	—	—
29	34.05	—	79	35.05	—	129	—	—
30	—	—	80	—	—	130	—	—
31	37.00	—	81	—	—	131	—	—
32	—	—	82	39.65	27.9	132	—	—
33	40.10	—	83	—	—	133	—	—
34	—	—	84	—	—	134	—	—
35	31.00	—	85	—	—	135	36.70	—
36	—	—	86	37.75	—	136	35.60	—
37	30.05	—	87	—	—	137	—	—
38	—	—	88	—	—	138	—	—
39	—	—	89	37.25	27.8	139	—	—
40	—	—	90	—	—	140	40.70	—
41	—	—	91	—	—	141	37.60	27.6
42	36.85	—	92	35.40	—	142	43.50	30.2
43	43.55	—	93	—	—	143	—	—
44	—	—	94	25.10	22.8	144	30.10	28.4
45	—	—	95	29.85	—	145	—	—
46	—	—	96	—	—	146	—	—
47	33.65	—	97	—	—	147	—	—
48	—	—	98	—	—	148	55.20	—
49	—	—	99	37.65	—	149	—	—
50	—	—	100	—	—	150	—	—

附表-2. 胸高直径と樹高
矢竹沢 ヒノキ 033G(間伐後2回間伐) つづき

2014.11		
No.	DBH(cm)	樹高(m)
151	—	—
152	—	—
153	35.75	—
154	—	—
155	—	—
156	40.65	—
157	—	—
158	34.55	—
159	—	—
160	40.35	—
161	—	—
162	—	—
163	—	No122へ代替
164	41.00	—
165	—	—
166	—	—

高德佳絵ら
秩父演習林における人工林固定測定試験地成長資料(2014～2017年)

附表-2. 胸高直径と樹高
要倉沢 サワラ 007A(間伐後1回間伐)

2017.10			2017.10			2017.10		
No.	DBH(cm)	樹高(m)	No.	DBH(cm)	樹高(m)	No.	DBH(cm)	樹高(m)
1	—	—	51	—	—	101	33.05	—
2	40.95	31.0	52	41.25	—	102	37.15	29.0
3	—	—	53	—	—	103	—	—
4	33.25	28.8	54	枯損	—	104	27.20	23.8
5	—	—	55	—	—	105	—	—
6	—	—	56	40.45	—	106	32.00	—
7	—	—	57	30.45	—	107	—	—
8	—	—	58	39.40	—	108	—	—
9	—	—	59	—	—	109	—	—
10	—	—	60	—	—	110	—	—
11	40.45	33.8	61	34.60	—	111	33.65	—
12	40.55	31.8	62	—	—	112	—	—
13	—	—	63	36.85	—	113	36.35	—
14	—	—	64	—	—	114	—	—
15	47.25	—	65	37.75	—	115	枯損	No87へ代替
16	28.45	—	66	—	—	116	—	—
17	33.60	—	67	25.15	—	117	36.85	—
18	—	—	68	—	—	118	—	—
19	—	—	69	41.55	—	119	36.50	—
20	—	—	70	—	—	120	—	—
21	45.00	—	71	—	—	121	30.80	28.3
22	—	—	72	34.20	—	122	—	—
23	34.60	—	73	—	—	123	37.10	—
24	—	—	74	—	—	124	—	—
25	—	—	75	34.75	—	125	—	—
26	28.15	28.3	76	31.75	—	126	—	—
27	36.05	28.3	77	—	—	127	31.80	—
28	—	—	78	—	—	128	36.30	29.2
29	—	—	79	—	—	129	—	—
30	35.80	28.7	80	—	—	130	29.95	—
31	—	—	81	—	—	131	39.65	—
32	35.45	—	82	34.85	—	132	26.15	—
33	—	—	83	—	—	133	—	—
34	—	—	84	39.55	—	134	34.35	—
35	—	—	85	29.15	28.9	135	—	—
36	—	—	86	—	—	136	38.45	—
37	49.05	33.8	87	22.40	25.7	137	—	—
38	55.80	33.8	88	23.40	—	138	—	—
39	—	—	89	—	—	139	34.65	—
40	42.65	—	90	—	—	140	40.75	—
41	—	—	91	38.90	—	141	—	—
42	—	—	92	31.05	—	142	37.80	—
43	—	—	93	44.00	31.0	143	41.25	—
44	—	—	94	—	—	144	—	—
45	—	—	95	31.15	—	145	—	—
46	—	—	96	37.30	—	146	35.05	—
47	30.35	—	97	—	—	147	—	—
48	39.45	—	98	—	—	148	—	—
49	—	—	99	—	—	149	36.85	—
50	31.00	26.9	100	52.20	34.8	150	25.85	—

附表-2. 胸高直径と樹高
要倉沢 サワラ 007A(間伐後1回間伐) つづき

No.	2017.10	
	DBH(cm)	樹高(m)
151	—	—
152	25.65	—

高德佳絵ら
秩父演習林における人工林固定測定試験地成長資料(2014~2017年)

附表-2. 胸高直径と樹高
要倉沢 サワラ 007B(無間伐区)

2017.10			2017.10			2017.10		
No.	DBH(cm)	樹高(m)	No.	DBH(cm)	樹高(m)	No.	DBH(cm)	樹高(m)
1	36.35	-	51	25.40	-	101	33.20	-
2	-	-	52	-	-	102	13.60	-
3	35.30	-	53	39.05	-	103	45.70	-
4	-	-	54	24.60	-	104	25.70	-
5	26.15	-	55	34.10	-	105	40.70	-
6	30.95	-	56	-	-	106	-	-
7	43.70	-	57	-	-	107	26.95	-
8	25.10	-	58	37.30	-	108	24.20	-
9	30.05	-	59	-	-	109	34.00	-
10	-	-	60	40.10	-	110	29.15	-
11	30.05	28.9	61	40.15	29.8	111	-	-
12	-	-	62	-	-	112	39.05	-
13	38.35	29.6	63	21.00	24.2	113	-	-
14	枯損	-	64	28.10	-	114	-	-
15	39.50	-	65	20.00	-	115	-	-
16	枯損	-	66	33.00	28.5			
17	25.95	-	67	26.75	26.7			
18	31.40	-	68	23.60	25.7			
19	24.55	-	69	39.05	29.7			
20	46.85	-	70	31.45	-			
21	39.25	-	71	33.45	-			
22	-	-	72	30.95	-			
23	31.10	-	73	29.60	-			
24	49.25	-	74	26.80	-			
25	-	-	75	32.00	-			
26	-	-	76	29.70	-			
27	-	-	77	33.70	-			
28	42.90	-	78	34.95	-			
29	-	-	79	-	-			
30	-	-	80	45.00	-			
31	枯損	-	81	33.10	-			
32	-	-	82	-	-			
33	39.50	30.6	83	31.35	-			
34	25.05	28.2	84	38.60	-			
35	-	-	85	24.75	-			
36	26.40	27.3	86	-	-			
37	30.55	-	87	45.80	-			
38	-	-	88	42.80	30.3			
39	-	-	89	33.80	32.3			
40	32.60	-	90	枯損	-			
41	31.50	-	91	36.55	-			
42	31.20	-	92	-	-			
43	枯損	-	93	25.40	-			
44	-	-	94	18.30	-			
45	-	-	95	38.25	-			
46	39.25	-	96	-	-			
47	-	-	97	21.60	-			
48	枯損	-	98	39.25	-			
49	-	-	99	20.50	-			
50	枯損	-	100	21.85	-			

高德佳絵ら
秩父演習林における人工林固定測定試験地成長資料(2014~2017年)

附表-2. 胸高直径と樹高
入山 サワラ 505A(強度間伐区)

2015.10			2015.10			2015.10		
No.	DBH(cm)	樹高(m)	No.	DBH(cm)	樹高(m)	No.	DBH(cm)	樹高(m)
1	—	—	51	19.70	21.7	101	—	—
2	—	—	52	—	—	102	32.15	—
3	43.60	—	53	—	—	103	42.00	—
4	—	—	54	—	—	104	—	—
5	—	—	55	—	—	105	—	—
6	—	—	56	—	—	106	—	—
7	—	—	57	35.70	—	107	26.25	—
8	—	—	58	—	—	108	—	—
9	—	—	59	23.85	—	109	—	—
10	—	—	60	—	—	110	—	—
11	34.75	—	61	28.20	—	111	41.35	—
12	—	—	62	—	—	112	29.50	—
13	45.80	—	63	—	—	113	43.70	—
14	22.95	—	64	—	—	114	—	—
15	—	—	65	35.65	—	115	—	—
16	—	—	66	25.05	23.9	116	25.00	—
17	—	—	67	—	—	117	—	—
18	38.00	26.9	68	—	—	118	30.85	—
19	33.15	25.5	69	39.50	—	119	—	—
20	—	—	70	27.95	—	120	37.10	—
21	39.05	26.7	71	26.00	—	121	—	—
22	—	—	72	39.10	—	122	39.50	—
23	34.15	25.5	73	—	—	123	—	—
24	—	—	74	25.30	24.7	124	18.00	—
25	—	—	75	32.45	—	125	—	—
26	36.05	28.4	76	—	—	126	—	—
27	27.35	—	77	21.95	—	127	36.15	—
28	39.35	—	78	—	—	128	—	—
29	38.85	—	79	33.80	—	129	—	—
30	—	—	80	28.90	—	130	25.80	—
31	—	—	81	29.15	—	131	—	—
32	27.90	28.8	82	36.20	—	132	41.85	—
33	42.00	—	83	—	—	133	—	—
34	33.95	30.4	84	48.80	—	134	—	—
35	—	—	85	—	—	135	40.30	—
36	32.85	—	86	25.55	—	136	38.35	—
37	33.65	—	87	—	—	137	—	—
38	36.45	—	88	—	—	138	29.85	—
39	—	—	89	30.40	—	139	36.25	—
40	—	—	90	—	—	140	32.90	—
41	27.55	28.7	91	—	—	141	—	—
42	—	—	92	34.65	—	142	32.60	—
43	—	—	93	—	—	143	—	—
44	—	—	94	—	—	144	—	—
45	—	—	95	—	—	145	—	—
46	—	—	96	—	—	146	47.95	—
47	36.00	30.5	97	21.15	26.5	147	—	—
48	—	—	98	38.95	30.3	148	—	—
49	—	—	99	—	—	149	—	—
50	—	—	100	38.30	27.3	150	41.95	—

注)No142樹種ヒノキ

高德佳絵ら
秩父演習林における人工林固定測定試験地成長資料(2014~2017年)

附表-2. 胸高直径と樹高
入山 サワラ 505A(強度間伐区) つづき

2015.10			2015.10			2015.10		
No.	DBH(cm)	樹高(m)	No.	DBH(cm)	樹高(m)	No.	DBH(cm)	樹高(m)
151	22.30	—	201	—	—	251	27.80	—
152	—	—	202	—	—	252	—	—
153	—	—	203	25.85	—	253	—	—
154	51.80	—	204	—	—	254	20.15	—
155	—	—	205	—	—	255	—	—
156	—	—	206	—	—	256	31.15	—
157	—	—	207	—	—	257	—	—
158	—	—	208	43.80	—	258	—	—
159	—	—	209	—	—	259	—	—
160	—	—	210	49.45	—	260	29.70	—
161	—	—	211	—	—	261	26.00	—
162	—	—	212	—	—	262	—	—
163	—	—	213	—	—	263	—	—
164	40.75	—	214	27.75	—	264	46.75	—
165	—	—	215	—	—	265	—	—
166	—	—	216	43.40	—	266	—	—
167	—	—	217	—	—	267	51.45	—
168	—	—	218	—	—	268	—	—
169	—	—	219	39.50	—	269	—	—
170	—	—	220	—	—	270	38.65	—
171	—	—	221	47.20	—	271	—	—
172	—	—	222	—	—	272	—	—
173	—	—	223	45.10	—	273	—	—
174	23.95	—	224	—	—	274	40.15	—
175	—	—	225	—	—	275	—	—
176	48.90	—	226	—	—	276	—	—
177	—	—	227	—	—	277	41.30	—
178	28.40	—	228	21.25	—	278	—	—
179	—	—	229	—	—	279	28.55	—
180	32.50	—	230	39.90	—	280	—	—
181	—	—	231	—	—	281	—	—
182	26.20	—	232	—	—	282	—	—
183	—	—	233	31.25	—	283	44.65	—
184	—	—	234	—	—	284	44.70	32.5
185	—	—	235	—	—	285	—	—
186	45.50	—	236	50.05	—	286	—	—
187	20.60	24.2	237	—	—	287	—	—
188	30.10	—	238	—	—	288	—	—
189	26.85	—	239	—	—	289	38.20	—
190	—	—	240	—	—	290	40.90	—
191	—	—	241	—	—	291	28.65	—
192	—	—	242	—	—	292	36.30	—
193	—	—	243	24.50	—	293	—	—
194	32.85	—	244	—	—	294	枯損	—
195	31.30	—	245	—	—	295	—	—
196	—	—	246	44.35	—	296	—	—
197	28.15	—	247	—	—	297	—	—
198	—	—	248	19.90	—	298	—	—
199	45.95	30.2	249	—	—	299	—	—
200	—	—	250	—	—	300	—	—

附表-2. 胸高直径と樹高
入山 サワラ 505A(強度間伐区) つづき

2015.10			2015.10		
No.	DBH(cm)	樹高(m)	No.	DBH(cm)	樹高(m)
301	—	—	351	—	—
302	42.85	33.6	352	—	—
303	—	—	353	34.65	—
304	—	—	354	—	—
305	31.55	—	355	—	—
306	36.95	—	356	37.60	—
307	—	—	357	28.20	—
308	—	—	358	—	—
309	33.10	—	359	27.00	—
310	—	—			
311	—	—			
312	48.80	—			
313	—	—			
314	—	—			
315	—	—			
316	—	—			
317	—	—			
318	—	—			
319	—	—			
320	31.90	—			
321	34.35	—			
322	—	—			
323	—	—			
324	50.45	—			
325	—	—			
326	40.75	—			
327	—	—			
328	—	—			
329	—	—			
330	—	—			
331	—	—			
332	38.60	—			
333	21.50	—			
334	—	—			
335	—	—			
336	—	—			
337	—	—			
338	—	—			
339	51.85	—			
340	—	—			
341	—	—			
342	—	—			
343	31.90	—			
344	—	—			
345	30.10	25.5			
346	—	—			
347	—	—			
348	—	—			
349	23.95	—			
350	19.90	—			

附表-2. 胸高直径と樹高
入山 サワラ 505B(弱度間伐区)

2015.10			2015.10			2015.10		
No.	DBH(cm)	樹高(m)	No.	DBH(cm)	樹高(m)	No.	DBH(cm)	樹高(m)
1	—	—	51	—	—	101	34.35	—
2	52.10	—	52	—	—	102	27.45	—
3	32.05	—	53	—	—	103	—	—
4	—	—	54	—	—	104	36.10	28.4
5	—	—	55	—	—	105	—	—
6	42.30	—	56	36.10	—	106	28.85	—
7	39.40	—	57	39.20	—	107	22.55	—
8	43.65	—	58	—	—	108	—	—
9	—	—	59	—	—	109	—	—
10	28.35	—	60	34.75	—	110	42.65	—
11	—	—	61	24.20	—	111	28.10	—
12	—	—	62	44.10	—	112	27.00	—
13	—	—	63	21.65	—	113	27.10	—
14	20.15	—	64	—	—	114	32.30	28.9
15	—	—	65	35.10	28.3	115	—	—
16	26.00	—	66	—	—	116	37.65	—
17	—	—	67	40.25	29.4	117	—	—
18	—	—	68	—	—	118	—	—
19	30.10	—	69	—	—	119	39.30	—
20	31.15	—	70	—	—	120	—	—
21	—	—	71	44.30	—	121	—	—
22	24.75	—	72	—	—	122	36.00	—
23	—	—	73	—	—	123	—	—
24	34.70	—	74	44.15	—	124	31.75	—
25	40.00	—	75	—	—	125	26.50	—
26	25.55	25.7	76	—	—	126	—	—
27	23.15	24.3	77	33.05	—	127	—	—
28	—	—	78	—	—	128	34.20	—
29	—	—	79	27.90	—	129	27.95	—
30	30.80	—	80	—	—	130	—	—
31	—	—	81	—	—	131	—	—
32	—	—	82	—	—	132	35.95	—
33	—	—	83	—	—	133	—	—
34	45.05	—	84	30.00	—	134	22.45	24.7
35	33.25	—	85	33.40	—	135	—	—
36	44.15	—	86	35.85	—	136	—	—
37	—	—	87	—	—	137	32.85	—
38	20.10	—	88	30.25	—	138	—	—
39	—	—	89	28.95	—	139	—	—
40	—	—	90	—	—	140	枯損	—
41	—	—	91	—	—	141	37.15	—
42	—	—	92	—	—	142	—	—
43	—	—	93	—	—	143	枯損	No206へ代替
44	—	—	94	26.60	—	144	—	—
45	45.40	—	95	—	—	145	—	—
46	29.50	—	96	28.50	—	146	—	—
47	—	—	97	—	—	147	—	—
48	42.25	—	98	36.50	—	148	26.25	—
49	17.35	—	99	—	—	149	33.90	—
50	38.70	—	100	25.15	29.3	150	21.55	—

附表-2. 胸高直径と樹高
入山 サワラ 505B(弱度間伐区) つづき

2015.10			2015.10			2015.10		
No.	DBH(cm)	樹高(m)	No.	DBH(cm)	樹高(m)	No.	DBH(cm)	樹高(m)
151	—	—	201	31.35	—	251	21.05	—
152	—	—	202	—	—	252	—	—
153	45.05	—	203	—	—	253	—	—
154	—	—	204	39.15	28.5	254	—	—
155	30.85	—	205	—	—	255	22.55	—
156	—	—	206	21.35	23.7	256	23.65	—
157	28.85	—	207	—	—	257	28.00	—
158	—	—	208	32.85	—	258	42.95	—
159	—	—	209	24.10	—	259	—	—
160	—	—	210	28.95	—	260	40.50	—
161	26.15	—	211	—	—	261	—	—
162	21.20	—	212	枯損	—	262	28.20	—
163	45.95	—	213	—	—	263	—	—
164	—	—	214	23.00	—	264	40.70	—
165	37.90	—	215	—	—	265	—	—
166	—	—	216	23.35	—	266	32.55	—
167	—	—	217	—	—	267	—	—
168	—	—	218	—	—	268	41.30	—
169	35.10	—	219	31.85	—	269	—	—
170	25.15	—	220	—	—	270	41.00	—
171	25.45	—	221	33.00	—	271	22.65	—
172	—	—	222	—	—	272	—	—
173	—	—	223	26.80	—	273	20.20	—
174	枯損	—	224	—	—	274	—	—
175	40.95	—	225	35.95	—	275	31.60	—
176	23.80	—	226	—	—	276	枯損	—
177	—	—	227	—	—	277	20.20	23.6
178	31.05	—	228	21.75	—	278	21.65	—
179	—	—	229	—	—	279	28.05	—
180	31.55	—	230	—	—	280	29.90	—
181	23.80	—	231	26.05	—	281	39.00	—
182	35.65	—	232	—	—	282	17.40	22.0
183	—	—	233	—	—	283	43.40	—
184	29.00	—	234	46.65	—	284	—	—
185	—	—	235	24.30	—	285	—	—
186	25.55	—	236	—	—	286	—	—
187	37.95	—	237	—	—	287	31.30	—
188	—	—	238	34.10	—	288	—	—
189	枯損	No282へ代替	239	30.60	—	289	—	—
190	34.60	26.9	240	—	—	290	21.50	23.9
191	32.05	27.2	241	—	—	291	39.30	—
192	—	—	242	41.75	—	292	21.60	—
193	32.95	—	243	—	—	293	—	—
194	—	—	244	枯損	No277へ代替	294	—	—
195	—	—	245	32.60	—	295	32.15	—
196	—	—	246	—	—	296	—	—
197	35.85	29.8	247	24.20	—	297	—	—
198	37.85	—	248	—	—	298	—	—
199	25.50	—	249	—	—	299	21.85	No299へ代替
200	—	—	250	33.65	—	300	—	—

高德佳絵ら
秩父演習林における人工林固定測定試験地成長資料(2014~2017年)

附表-2. 胸高直径と樹高
入山 サワラ 505B(弱度間伐区) つづき

2015.10			2015.10			2015.10		
No.	DBH(cm)	樹高(m)	No.	DBH(cm)	樹高(m)	No.	DBH(cm)	樹高(m)
301	30.55	—	351	—	—	401	40.70	—
302	—	—	352	24.75	—	402	—	—
303	33.55	—	353	—	—	403	—	—
304	45.05	31.9	354	38.50	27.3	404	—	—
305	—	—	355	—	—	405	43.80	—
306	枯損	—	356	21.80	—	406	—	—
307	25.25	—	357	30.30	—	407	—	—
308	24.30	—	358	41.10	—	408	—	—
309	25.05	—	359	29.00	—	409	—	—
310	31.00	28.9	360	—	—	410	—	—
311	—	—	361	—	—	411	41.60	—
312	27.05	26.9	362	23.60	—	412	—	—
313	—	—	363	—	—	413	38.90	—
314	—	—	364	—	—	414	24.05	—
315	29.80	—	365	—	—	415	—	—
316	—	—	366	—	—	416	45.60	—
317	33.60	—	367	—	—	417	—	—
318	枯損	—	368	33.95	—	418	29.55	—
319	—	—	369	—	—	419	—	—
320	28.15	—	370	29.90	—	420	23.65	—
321	—	—	371	—	—	421	—	—
322	—	—	372	24.80	—	422	29.65	—
323	—	—	373	34.95	—	423	—	—
324	37.25	—	374	22.85	—	424	—	—
325	29.10	—	375	—	—	425	—	—
326	19.20	—	376	41.95	—	426	—	—
327	—	—	377	枯損	—	427	21.95	—
328	41.45	—	378	32.55	—	428	33.05	—
329	—	—	379	43.90	—	429	—	—
330	—	—	380	—	—	430	31.20	—
331	20.35	—	381	38.00	—	431	—	—
332	—	—	382	—	—	432	25.60	—
333	枯損	—	383	37.85	—	433	25.80	—
334	23.65	—	384	—	—	434	21.95	—
335	21.65	24.1	385	—	—	435	—	—
336	36.60	28.8	386	18.60	—	436	18.30	—
337	—	—	387	—	—	437	—	—
338	37.25	—	388	28.40	—	438	45.90	—
339	—	—	389	—	—	439	—	—
340	—	—	390	—	—	440	—	—
341	—	—	391	—	—	441	37.90	—
342	32.00	—	392	33.90	—	442	29.00	—
343	—	—	393	—	—	443	—	—
344	42.40	—	394	37.70	—	444	—	—
345	—	—	395	27.45	—	445	28.60	—
346	—	—	396	44.55	—	446	—	—
347	—	—	397	31.05	—	447	26.85	—
348	33.10	—	398	—	—	448	—	—
349	—	—	399	—	—	449	25.80	—
350	—	—	400	—	—	450	22.95	—

附表-2. 胸高直径と樹高
入山 サワラ 505B(弱度間伐区)つづき

No.	2015.10	
	DBH(cm)	樹高(m)
451	—	—
452	25.90	—
453	—	—
454	—	—
455	30.70	—

高德佳絵ら
秩父演習林における人工林固定測定試験地成長資料(2014~2017年)

附表-2. 胸高直径と樹高
入山 サワラ 505C(無間伐区)

2015.10			2015.10			2015.10		
No.	DBH(cm)	樹高(m)	No.	DBH(cm)	樹高(m)	No.	DBH(cm)	樹高(m)
1	—	—	51	32.70	—	101	31.50	—
2	—	—	52	—	—	102	—	—
3	35.85	—	53	18.60	—	103	—	—
4	51.65	—	54	—	—	104	35.35	—
5	39.40	—	55	—	—	105	—	—
6	—	—	56	34.15	28.4	106	枯損	—
7	30.60	—	57	21.35	—	107	—	—
8	22.50	25.4	58	—	—	108	—	—
9	—	—	59	—	—	109	—	—
10	42.90	—	60	29.75	—	110	—	—
11	—	—	61	20.15	20.2	111	—	—
12	38.00	—	62	28.50	28.7	112	—	—
13	25.05	—	63	37.60	—	113	23.95	—
14	21.35	23.6	64	41.40	32.0	114	22.45	—
15	32.70	28.4	65	—	—	115	30.00	—
16	—	—	66	—	—	116	36.00	—
17	—	—	67	29.50	—	117	—	—
18	枯損	No30へ代替	68	—	—	118	—	—
19	—	—	69	49.75	—	119	—	—
20	34.85	—	70	—	—	120	24.80	—
21	—	—	71	枯損	—	121	—	—
22	36.50	—	72	枯損	—	122	34.60	—
23	26.20	—	73	—	—	123	26.45	—
24	—	—	74	38.05	—	124	—	—
25	—	—	75	—	—	125	枯損	No148へ代替
26	31.65	27.6	76	—	—	126	22.95	—
27	29.95	—	77	25.80	—	127	23.15	—
28	42.00	—	78	—	—	128	24.35	—
29	—	—	79	—	—	129	30.45	—
30	19.65	23.5	80	—	—	130	—	—
31	35.65	—	81	38.35	—	131	—	—
32	33.20	—	82	21.95	—	132	—	—
33	—	—	83	33.15	—	133	—	—
34	—	—	84	22.25	—	134	—	—
35	—	—	85	32.40	—	135	19.15	—
36	36.10	27.2	86	—	—	136	48.80	—
37	23.85	27.5	87	—	—	137	—	—
38	—	—	88	19.95	—	138	19.25	—
39	—	—	89	—	—	139	—	—
40	—	—	90	—	—	140	27.85	—
41	—	—	91	29.75	—	141	—	—
42	—	—	92	—	—	142	—	—
43	—	—	93	—	—	143	—	—
44	25.45	—	94	33.25	—	144	—	—
45	枯損	No61へ代替	95	—	—	145	—	—
46	—	—	96	—	—	146	21.65	—
47	—	—	97	41.75	—	147	36.80	—
48	—	—	98	26.70	—	148	16.35	22.1
49	40.60	—	99	30.85	—	149	—	—
50	—	—	100	—	—	150	—	—

附表-2. 胸高直径と樹高
入山 サワラ 505C(無間伐区) つづき

2015.10			2015.10		
No.	DBH(cm)	樹高(m)	No.	DBH(cm)	樹高(m)
151	35.45	—	201	—	—
152	—	—	202	37.30	—
153	—	—	203	32.55	—
154	22.80	—	204	—	—
155	34.60	—	205	—	—
156	—	—	206	—	—
157	38.75	—	207	38.20	—
158	—	—	208	—	—
159	29.15	—	209	—	—
160	25.00	—	210	—	—
161	—	—	211	—	—
162	34.65	—	212	—	—
163	28.35	—	213	—	—
164	—	—			
165	22.75	25.1			
166	—	—			
167	30.45	—			
168	—	—			
169	枯損	No172へ代替			
170	—	—			
171	17.95	20.8			
172	20.20	22.4			
173	32.05	—			
174	—	—			
175	—	—			
176	—	—			
177	—	—			
178	35.20	29.2			
179	30.45	—			
180	29.70	29.9			
181	—	—			
182	—	—			
183	—	—			
184	—	—			
185	28.45	28.1			
186	枯損	—			
187	—	—			
188	36.15	—			
189	—	—			
190	28.40	—			
191	32.95	—			
192	—	—			
193	30.65	30			
194	39.70	—			
195	枯損	—			
196	30.05	—			
197	27.75	—			
198	—	—			
199	42.15	—			
200	—	—			

附表-2. 胸高直径と樹高
矢竹沢 サワラ 034H(無間伐後1回間伐)

2014.11			2014.11			2014.11		
No.	DBH(cm)	樹高(m)	No.	DBH(cm)	樹高(m)	No.	DBH(cm)	樹高(m)
1	—	—	51	—	—	101	—	—
2	—	—	52	47.95	30.9	102	50.75	29.9
3	—	—	53	—	—	103	—	—
4	—	—	54	—	—	104	—	—
5	—	—	55	—	—	105	—	—
6	—	—	56	—	—	106	—	—
7	35.05	—	57	—	—	107	—	—
8	—	—	58	—	—	108	53.65	30.4
9	34.75	—	59	—	—	109	—	—
10	—	—	60	—	—	110	—	—
11	—	—	61	—	—	111	—	—
12	—	—	62	—	—	112	—	—
13	—	—	63	—	—			
14	33.85	27.9	64	—	—			
15	—	—	65	—	—			
16	—	—	66	—	—			
17	—	—	67	—	—			
18	—	—	68	—	—			
19	—	—	69	—	—			
20	枯損	—	70	—	—			
21	—	—	71	—	—			
22	—	—	72	—	—			
23	—	—	73	—	—			
24	—	—	74	—	—			
25	43.00	28.1	75	42.65	30.8			
26	—	—	76	—	—			
27	—	—	77	—	—			
28	—	—	78	—	—			
29	—	—	79	—	—			
30	—	—	80	枯損	No14に代替			
31	—	—	81	—	—			
32	—	—	82	—	—			
33	—	—	83	—	—			
34	—	—	84	—	—			
35	—	—	85	—	—			
36	—	—	86	—	—			
37	—	—	87	—	—			
38	—	—	88	—	—			
39	—	—	89	—	—			
40	—	—	90	—	—			
41	—	—	91	—	—			
42	—	—	92	—	—			
43	—	—	93	—	—			
44	—	—	94	—	—			
45	—	—	95	—	—			
46	—	—	96	—	—			
47	—	—	97	—	—			
48	—	—	98	—	—			
49	—	—	99	—	—			
50	—	—	100	—	—			

附表-2. 胸高直径と樹高
矢竹沢 サワラ 034I(間伐後1回間伐)

2014.11			2014.11			2014.11		
No.	DBH(cm)	樹高(m)	No.	DBH(cm)	樹高(m)	No.	DBH(cm)	樹高(m)
1	—	—	51	—	—	101	—	—
2	—	—	52	64.70	—	102	47.05	29.9
3	—	—	53	—	—	103	—	—
4	—	—	54	—	—	104	—	—
5	—	—	55	51.45	—	105	67.55	28.3
6	51.10	—	56	—	—	106	—	—
7	—	—	57	—	—	107	—	—
8	—	—	58	—	—	108	53.65	30.4
9	—	—	59	—	—	109	—	—
10	44.05	—	60	56.35	—	110	—	—
11	—	—	61	58.15	27.8	111	—	—
12	—	—	62	66.90	31.2	112	—	—
13	—	—	63	—	—	113	—	—
14	—	—	64	63.30	—	114	—	—
15	—	—	65	59.60	—			
16	—	—	66	—	—			
17	—	—	67	—	—			
18	—	—	68	—	—			
19	—	—	69	—	—			
20	70.29	—	70	—	—			
21	—	—	71	—	—			
22	—	—	72	51.30	—			
23	—	—	73	—	—			
24	—	—	74	—	—			
25	47.70	27.7	75	—	—			
26	—	—	76	—	—			
27	—	—	77	—	—			
28	—	—	78	—	—			
29	55.85	29.3	79	—	—			
30	—	—	80	—	—			
31	—	—	81	—	—			
32	—	—	82	48.15	28.8			
33	—	—	83	—	—			
34	71.91	—	84	—	—			
35	—	—	85	—	—			
36	41.50	—	86	—	—			
37	—	—	87	—	—			
38	—	—	88	—	—			
39	63.25	—	89	—	—			
40	—	—	90	—	—			
41	—	—	91	—	—			
42	—	—	92	—	—			
43	—	—	93	—	—			
44	63.45	—	94	—	—			
45	—	—	95	—	—			
46	—	—	96	—	—			
47	60.05	28.4	97	—	—			
48	—	—	98	—	—			
49	—	—	99	—	—			
50	64.20	30.5	100	—	—			

附表-2. 胸高直径と樹高
入山 カラマツ506A(強度間伐区)

2015.10			2015.10			2015.10		
No.	DBH(cm)	樹高(m)	No.	DBH(cm)	樹高(m)	No.	DBH(cm)	樹高(m)
1	41.30	—	51	—	—	101	—	—
2	—	—	52	—	—	102	33.80	29.3
3	34.65	—	53	20.85	—	103	—	—
4	35.20	—	54	23.75	—	104	31.60	—
5	—	—	55	—	—	105	—	—
6	—	—	56	29.50	—	106	34.55	28.9
7	29.00	—	57	—	—	107	—	—
8	29.35	—	58	26.60	—	108	41.00	29.8
9	—	—	59	34.25	—	109	—	—
10	27.20	—	60	—	—	110	33.05	26.6
11	—	—	61	41.30	—	111	25.55	—
12	—	—	62	39.15	—	112	—	—
13	18.95	—	63	—	—	113	30.40	26.1
14	27.90	—	64	23.10	—	114	—	—
15	—	—	65	23.35	—	115	—	—
16	27.20	—	66	—	—	116	—	—
17	—	—	67	—	—	117	—	—
18	20.75	—	68	27.10	—	118	—	—
19	—	—	69	—	—	119	21.60	—
20	37.00	—	70	40.45	—	120	枯損	—
21	—	—	71	—	—	121	42.75	31.0
22	26.50	—	72	—	—	122	25.65	25.2
23	—	—	73	—	—	123	—	—
24	41.20	—	74	—	—	124	—	—
25	—	—	75	—	—	125	—	—
26	30.75	—	76	40.75	—	126	19.75	—
27	—	—	77	24.80	—	127	34.95	28.1
28	33.45	—	78	34.00	—	128	—	—
29	—	—	79	—	—	129	—	—
30	38.95	—	80	29.55	—	130	29.70	—
31	—	—	81	—	—	131	—	—
32	—	—	82	34.40	—	132	—	—
33	—	—	83	—	—	133	—	—
34	—	—	84	—	—	134	38.30	—
35	—	—	85	26.75	—	135	—	—
36	39.70	—	86	26.85	—	136	27.85	26.7
37	—	—	87	36.75	—	137	—	—
38	—	—	88	—	—	138	19.00	—
39	21.10	—	89	26.05	25.6	139	—	—
40	—	—	90	—	—	140	—	—
41	—	—	91	—	—	141	—	—
42	—	—	92	—	—	142	—	—
43	—	—	93	枯損	—	143	—	—
44	35.55	—	94	—	—	144	32.65	—
45	23.35	—	95	33.45	27.1	145	—	—
46	22.40	—	96	—	—	146	31.75	—
47	—	—	97	25.05	23.9	147	27.65	—
48	—	—	98	24.05	26.9	148	—	—
49	35.55	—	99	29.30	—	149	—	—
50	—	—	100	24.80	—	150	—	—

附表-2. 胸高直径と樹高
入山 カラマツ506A(強度間伐区) つづき

No.	2015.10	
	DBH(cm)	樹高(m)
151	—	—
152	29.70	—
153	40.20	—

附表-2. 胸高直径と樹高
入山 カラマツ506B(弱度間伐区)

2015.10			2015.10			2015.10		
No.	DBH(cm)	樹高(m)	No.	DBH(cm)	樹高(m)	No.	DBH(cm)	樹高(m)
1	22.20	—	51	—	—	101	—	—
2	—	—	52	—	—	102	枯損	No122へ代替
3	34.25	—	53	—	—	103	—	—
4	30.55	—	54	22.45	—	104	26.50	—
5	30.65	—	55	—	—	105	—	—
6	—	—	56	—	—	106	26.45	22.1
7	30.40	—	57	29.80	25.1	107	28.25	—
8	—	—	58	20.70	—	108	—	—
9	36.70	—	59	27.15	—	109	—	—
10	—	—	60	枯損	—	110	—	—
11	39.05	28.1	61	27.85	—	111	—	—
12	—	—	62	—	—	112	23.85	—
13	—	—	63	枯損	No33へ代替	113	—	—
14	—	—	64	—	—	114	—	—
15	27.20	25.3	65	23.55	—	115	35.20	27.4
16	—	—	66	24.30	—	116	—	—
17	—	—	67	—	—	117	—	—
18	枯損	—	68	19.95	—	118	24.80	—
19	—	—	69	—	—	119	31.30	—
20	—	—	70	29.80	—	120	—	—
21	—	—	71	23.70	—	121	39.55	—
22	—	—	72	20.80	21.3	122	20.60	22.7
23	—	—	73	28.10	—	123	31.55	—
24	—	—	74	—	—	124	—	—
25	—	—	75	—	—	125	—	—
26	28.75	—	76	—	—	126	—	—
27	—	—	77	—	—	127	—	—
28	—	—	78	22.30	—	128	39.20	—
29	31.30	—	79	—	—	129	27.35	—
30	26.75	—	80	—	—	130	—	—
31	—	—	81	枯損	—	131	26.15	25.8
32	34.90	—	82	33.55	—	132	36.70	25.1
33	23.00	21.1	83	23.35	—	133	—	—
34	—	—	84	22.60	—	134	—	—
35	—	—	85	29.80	—	135	—	—
36	—	—	86	19.85	17.1	136	31.70	26.7
37	—	—	87	40.85	—	137	28.05	26.5
38	30.20	—	88	—	—	138	—	—
39	—	—	89	37.60	—	139	41.30	—
40	25.75	23.9	90	—	—	140	—	—
41	22.60	—	91	—	—	141	25.05	—
42	30.35	—	92	24.00	—	142	—	—
43	—	—	93	32.15	—	143	30.95	—
44	—	—	94	34.90	—	144	—	—
45	19.15	—	95	—	—	145	—	—
46	—	—	96	—	—	146	26.55	—
47	25.50	—	97	34.95	—	147	29.50	—
48	27.20	—	98	21.00	—	148	—	—
49	—	—	99	26.35	—	149	—	—
50	枯損	—	100	—	—	150	—	—

附表-2. 胸高直径と樹高
入山 カラマツ506B(弱度間伐区) つづき

No.	2015.10	
	DBH(cm)	樹高(m)
151	—	—
152	—	—
153	32.00	—
154	—	—
155	—	—
156	—	—
157	22.45	—
158	—	—
159	—	—
160	—	—
161	—	—
162	—	—
163	—	—
164	—	—
165	—	—
166	—	—

高德佳絵ら
秩父演習林における人工林固定測定試験地成長資料(2014~2017年)

附表-2. 胸高直径と樹高
入山 カラマツ506C(無間伐区)

2015.10			2015.10			2015.10		
No.	DBH(cm)	樹高(m)	No.	DBH(cm)	樹高(m)	No.	DBH(cm)	樹高(m)
1	枯損	—	51	43.50	—	101	—	—
2	37.40	—	52	—	—	102	—	—
3	20.80	—	53	21.20	20.3	103	—	—
4	—	—	54	—	—	104	—	—
5	24.65	—	55	—	—	105	41.15	—
6	—	—	56	24.95	—	106	35.95	—
7	—	—	57	22.80	—	107	—	—
8	34.30	—	58	—	—	108	21.90	—
9	25.25	—	59	—	—	109	23.45	—
10	—	—	60	—	—	110	—	—
11	枯損	—	61	—	—	111	22.30	21.8
12	51.80	—	62	27.50	—	112	40.15	—
13	—	—	63	38.20	—	113	—	—
14	—	—	64	—	—	114	—	—
15	—	—	65	—	—	115	22.80	—
16	—	—	66	—	—	116	—	—
17	28.80	—	67	—	—	117	30.65	—
18	35.35	—	68	—	—	118	19.85	—
19	24.10	—	69	—	—	119	—	—
20	—	—	70	34.25	27.6	120	—	—
21	21.15	—	71	—	—	121	23.35	—
22	27.70	—	72	25.35	—	122	27.90	—
23	—	—	73	—	—	123	—	—
24	29.10	—	74	25.95	—	124	—	—
25	23.15	—	75	—	—	125	—	—
26	33.50	—	76	—	—	126	32.80	—
27	—	—	77	枯損	No111~代替	127	27.00	—
28	—	—	78	35.85	—	128	—	—
29	43.15	—	79	—	—	129	—	—
30	—	—	80	41.30	—	130	—	—
31	—	—	81	—	—	131	24.60	—
32	—	—	82	—	—	132	32.55	—
33	—	—	83	30.75	24.3	133	25.35	—
34	—	—	84	—	—	134	27.70	—
35	—	—	85	—	—	135	—	—
36	—	—	86	—	—	136	46.75	—
37	—	—	87	34.05	—	137	40.35	—
38	—	—	88	—	—	138	—	—
39	—	—	89	27.55	24.0	139	—	—
40	25.25	—	90	20.30	19.9	140	—	—
41	—	—	91	枯損	—	141	30.20	—
42	20.10	—	92	19.10	—	142	—	—
43	—	—	93	29.45	24.9	143	—	—
44	—	—	94	—	—	144	27.80	—
45	28.75	—	95	—	—	145	—	—
46	—	—	96	25.45	—	146	—	—
47	—	—	97	33.00	—	147	—	—
48	—	—	98	—	—	148	23.40	24.8
49	35.40	—	99	—	—	149	23.30	—
50	枯損	—	100	28.20	—	150	40.00	—

注)No108は2005年測定時に枯損となっていたが生きていた

附表-2. 胸高直径と樹高
入山 カラマツ506C(無間伐区) つづき

2015.10			2015.10		
No.	DBH(cm)	樹高(m)	No.	DBH(cm)	樹高(m)
151	—	—	201	—	—
152	—	—	202	—	—
153	—	—	203	—	—
154	—	—	204	—	—
155	—	—	205	25.00	—
156	41.70	—	206	—	—
157	36.25	—	207	—	—
158	29.90	—	208	—	—
159	—	—	209	枯損	—
160	—	—	210	35.05	—
161	—	—	211	—	—
162	28.20	No174へ代替	212	35.25	—
163	—	—	213	—	—
164	21.35	22.4	214	21.10	—
165	—	—	215	32.50	25.7
166	—	—	216	42.80	27.1
167	—	—	217	—	—
168	—	—	218	—	—
169	—	—	219	30.20	—
170	28.50	—	220	23.10	—
171	—	—	221	40.05	—
172	20.30	—	222	30.10	—
173	枯損	—			
174	29.70	27.2			
175	—	—			
176	枯損	No148へ代替			
177	24.50	—			
178	—	—			
179	—	—			
180	39.20	28.8			
181	—	—			
182	枯損	—			
183	26.25	—			
184	39.15	—			
185	28.30	—			
186	—	—			
187	31.15	—			
188	—	—			
189	25.40	—			
190	24.10	—			
191	34.40	—			
192	40.05	—			
193	枯損	—			
194	—	—			
195	—	—			
196	—	—			
197	—	—			
198	—	—			
199	—	—			
200	—	—			