

**Otsuchi Marine Research Center, Ocean Research Institute
The University of Tokyo**
PUBLICATION LIST (1997)

**東京大学海洋研究所大槌臨海研究センター
研究業績一覧（1997年）**

リプリントは各著者に請求してください。

Requests for reprints should be directed to individual authors.

- 637 Goggin, C. L. and Bouland, C. 1997. The ciliate *Orchitophrya* cf. *stellarum* and other parasites and commensals of the northern Pacific seastar *Asterias amurensis* from Japan. *Int. J. Parasitol.* 27: 1415–1418.
- 638 Goodall, R. N. P., Baker, A. N., Best, P. B., Meyer, M. and Miyazaki, N. 1997. On the biology of the hourglass dolphin, *Lagenorhynchus cruciger* (Quoy and Gaimard, 1824). *Rep. Int. Whal. Commn.* 47: 985–999.
- 639 Hirano, T. and Nishida, H. 1997. Developmental fates of larval tissues after metamorphosis in ascidian, *Halocynthia roretzi*. I. Origin of mesodermal tissues of the juvenile. *Dev. Biol.* 192: 199–210.
- 640 Hori, S., Saitoh, T., Matsumoto, M., Makabe, K. W. and Nishida, H. 1997. Notch homologue from *Halocynthia roretzi* is preferentially expressed in the central nervous system during ascidian embryogenesis. *Dev. Genes Evol.* 207: 371–380.
- 641 Kanda, T., Nose, Y., Wuchiyama, J., Uyama, T., Moriyama, Y. and Michibata, H. 1997. Identification of a vanadium-associated protein from the vanadium-rich ascidian, *Ascidia sydneiensis samea*. *Zool. Sci.* 14: 37–42.
- 642 Kawaminami, S. and Nishida, H. 1997. Induction of trunk lateral cells, the blood cell precursors, during ascidian embryogenesis. *Dev. Biol.* 181: 14–20.
- 643 Kikuchi, S and Matsumasa M. 1997. Ultrastructural evidence for osmoregulatory function of the sternal epithelia in some gammaridean amphipods. *J. Crust. Biol.* 17: 377–388.
- 644 Kojima, T., Segawa, R., Hashimoto, J. and Ohta, S. 1997. Molecular phylogeny of vestimentiferans collected around Japan revealed by the nucleotide sequences of mitochondrial DNA. *Mar. Biol.* 127: 507–513.
- 645 Koyota, S., Swarna Wimalasiri K. M. and Hoshi, M. 1997. Structure of the main saccharide chain in the acrosome reaction-inducing substance of the starfish, *Asterias amurensis*. *J. Biol. Chem.* 272: 10372–10376.
- 646 Madhusree, B., Tanabe, S., Ozturk, A. A., Tatsukawa, R., Miyazaki, N., Ozdamar, E., Aral, O., Samsun, O. and Ozturk, B. 1997. Contamination by butyltin compounds in harbour porpoise (*Phocoena phocoena*) from the Black Sea. *Fresenius J. Anal. Chem.* 359: 244–248.
- 647 Matsumasa, M. and Kikuchi, S. 1993. Blood osmoregulatory type and gill ultrastructure of an estuarine crab *Hemigrapsus penicillatus* (de Haan) (Crustacea; Brachyura). *Ann. Rep. Iwate Med. U. Sch. Lib. Arts & Sci.* 28: 37–45.
- 648 Michibata, H. and Kanamori, K. 1998. Selective accumulation of vanadium by ascidians from sea water. In *Vanadium in the environment. Part 1: chemistry and biochemistry*. Nriagu, J. O. (ed.), pp. 217–249, John Wiley & Sons, Inc.
- 649 Miya, T. and Satoh, N. 1997. Isolation and characterization of cDNA clones for β -tubulin genes as a molecular marker for neural marker for neural cell differentiation in the ascidian embryo. *Int. J. Dev. Biol.* 41: 551–557.
- 650 Miya, T., Morita, K., Suzuki, A., Ueno, N. and Satoh, N. 1997. Functional analysis of an ascidian homologue of vertebrate *Bmp-2/Bmp-4* suggests its role in the inhibition of neural fate specification. *Development* 124: 5149–5159.
- 651 Miyazaki, N. and Nakahara, F. 1997. Establishment of receiving system of whale sound using submarine cables. In *Proceedings of International Workshop on Scientific Use of Submarine Cables*, pp. 78–81, February 26–28, 1997, Okinawa, Japan.
- 652 Miyazaki, N. and Shikano, C. 1997. Preliminary study on comparative skull morphology and vertebral formula among the six species of the genus *Lagenorhynchus* (Cetacea: Delphinidae). 1997. *Mammalia* 61: 573–587.
- 653 Miyazaki, N. and Shikano, C. 1997. Comparison of growth and skull morphology of Pacific white-sided dolphin, *Lagenorhynchus obliquidens*, between the coastal waters of Iki Island and the oceanic waters of the western North Pacific. *Mammalia* 61: 561–572.
- 654 Nakaoka, M. 1997. Demography of the marine bivalve *Yoldia notabilis* in fluctuating environments: an analysis using stochastic matrix model. *Oikos* 79: 59–68.
- 655 Nakata, H., Tanabe, S., Tatsukawa, R., Amano, M., Miyazaki, N. and Petrov, E. A. 1997. Bioaccumulation profiles of polychlorinated byphenyls including coplanar congeners and possible toxicological implications in Baikal seal (*Phoca sibirica*). *Environmental Pollution* 95: 56–65.
- 656 Nakatami, Y. and Nishida, H. 1997. Ras is an essential component for notochord formation during ascidian

- embryogenesis. *Mech. Dev.* 68: 81–89.
- 657 Nishida, H. 1997. Cell fate specification by localized cytoplasmic determinants and cell interactions in ascidian embryos. *Int. Rev. Cytol.* 176: 245–306.
- 658 Nishida, H. 1997. Cell lineage and timing of fate restriction, determination and gene expression in ascidian embryos. *Sem. Cell Dev. Biol.* 8: 359–365.
- 659 Nishida, H. and Kumano, G. 1997. Analysis of the temporal expression of endoderm-specific alkaline phosphatase during development of the ascidian, *Halocynthia roretzi*. *Develop. Growth Differ.* 39: 199–205.
- 660 Nose, Y., Hayashi, M., Uyama, T., Moriyama, Y. and Michibata, H. 1997. Specific increase in the number of vanadium-containing blood cells by some ionophores and inhibitors of proton-ATPases in the ascidian, *Ascidia sydneiensis samea*. *Zool. Sci.* 14: 205–210.
- 661 Persson, P., Johannsson, S. H., Takagi, Y. and Björnsson, B. T. 1997. Estradiol-17 β and nutritional status affect calcium balance, scale and bone resorption, and bone formation in rainbow trout, *Oncorhynchus mykiss*. *J. Comp. Physiol. B* 167: 468–473.
- 662 Prudente, M., Tanabe, S., Watanabe, M., Subramanian, A., Miyazaki, M., Suarez, P. and Tatsukawa, R. 1997. Organochlorine contamination in some odontoceti species from the North Pacific and Indian Ocean. *Mar. Env. Res.* 44: 415–427.
- 663 Satou, Y. and Satoh, N. 1997. *posterior end mark2 (pem-2), pem-4, pem-5 and pem-6*: Maternal genes with localized mRNA in the ascidian embryo. *Dev. Biol.* 192: 467–481.
- 664 Shogomori, H., Chiba, K. and Hoshi, M. 1997. Association of the major ganglioside in sea urchin eggs with yolk lioproteins. *Glycobiology* 7: 391–398.
- 665 Tagawa, K., Jeffery, W. R. and Satoh, N. 1997. The recently-described ascidian species *Molgula tectiformis* is a direct developer. *Zool. Sci.* 14: 297–303.
- 666 Takagi, Y. 1997. Meshwork arrangement of mitochondria-rich, Na⁺, K⁺-ATPase-rich cells in the saccular epithelium of rainbow trout (*Oncorhynchus mykiss*) inner ear. *Anatomical Record* 248: 483–489.
- 667 Takagi, Y. and Björnsson, B. T. 1997. Cortisol inhibits glycosaminoglycan synthesis in cultured rainbow trout cartilage. *Gen. Comp. Endocrinol.* 108: 80–86.
- 668 Takahashi, H., Ishida, K., Makabe, K. W. and Satoh, N. 1997. Isolation of cDNA clones for genes that are expressed in the tail region of the ascidian tailbud embryo. *Int. J. Dev. Biol.* 41: 691–698.
- 669 Takeuchi, I. and Hino, A. 1997. Community structure of caprellid amphipods (Crustacea) on seagrasses in Otsuchi Bay, northeastern Japan, with reference to the association of *Caprella japonica* (Schurin) and *Phyllospadix iwatensis* Makino. *Fisheries Science* 63: 327–331.
- 670 Tanabe, S., Madhusree, B., Ozturk, A. A., Tatsukawa, R., Miyazaki, N., Ozdamar, E., Aral, O., Samsun, O. and Ozturk, B. 1997. Persistent organochlorine residues in harbour porpoise (*Phocoena phocoena*) from the Black Sea. *Mar. Poll. Bull.* 34: 338–347.
- 671 Tanabe, S., Madhusree, B., Ozturk, A. A., Tatsukawa, R., Miyazaki, N., Ozdamar, E., Aral, O., Samsun, O. and Ozturk, B. 1997. Isomer-specific analysis of polychlorinated biphenyls in harbour porpoise (*Phocoena phocoena*) from the Black Sea. *Mar. Poll. Bull.* 34: 712–720.
- 672 Uchida, K., Kaneko, T., Yamaguchi, A., Ogasawara, T. and Hirano, T. 1997. Reduced hypoosmoregulatory ability and alteration in gill chloride cell distribution in mature chum salmon (*Oncorhynchus keta*) migrating upstream for spawning. *Marine Biol.* 129: 247–253.
- 673 Uyama, T., Yamamoto, K., Kanamori, K. and Michibata, H. 1998. Glucose-6-phosphate dehydrogenase in the pentose phosphate pathway is localized in vanadocytes of the vanadium-rich ascidian, *Ascidia sydneiensis samea*. *Zool. Sci.* 15: 441–446.
- 674 Uyama, T., Kinoshita, T., Takahashi, H., Satoh, N., Kanamori, K. and Michibata, H. 1998. 6-phosphoglucuronate dehydrogenase is a 45-kDa antigen recognized by S4D5, a monoclonal antibody specific to vanadocytes in the vanadium-rich ascidian, *Ascidia sydneiensis samea*. *J. Biochem.* 124: 377–382.
- 675 Uyama, T., Nose, Y., Wuchiyama, J., Moriyama, Y. and Michibata, H. 1997. Finding of the same antigens in the polychaete, *Pseudopotamilla occelata*, as those in the vanadium-rich ascidian, *Ascidia sydneiensis samea*. *Zool. Sci.* 14: 43–47.
- 676 Wada, H., Holland, P. W. H., Sato, S., Yamamoto, H. and Satoh, N. 1997. Neural tube is partially dorsalized by overexpression of *HrPax-37*: The ascidian homologue of *Pax-3* and *Pax-7*. *Dev. Biol.* 187: 240–252.
- 677 Wada, M. R., Nakayama, H. and Nishikata, T. 1997. Cloning of the ascidian Y-box protein gene with a convenient and reliable amplification protocol of 3' ends of mRNAs. *Mem. Konan Univ. Sci. Ser.* 44: 45–51.
- 678 Wuchiyama, J., Nose, Y., Uyama, T. and Michibata, H. 1997. Preparation and localization of a monoclonal antibody against a vanadium-associated protein extracted from the blood cells of the vanadium-rich ascidian, *Ascidia sydneiensis samea*. *Zool. Sci.* 14: 409–414.
- 679 Yosida, S., Satou, Y. and Satoh, N. 1997. Maternal genes with localized mRNA and pattern formation of the ascidian embryo. In *Cold Spring Harbor Symposia on Quantitative Biology*, Volume LXII. Pp. 89–96. Cold Spring Harbor Laboratory Press, New York.
- 680 天野雅男・オズトゥルク天羽綾郁. 1997. ハセイルカ *Delphinus capensis* Gray, 1828. 日本の希少な野生水生生物に関する基礎資料 (IV). 日本水産資源保護協会. Pp. 406–409.
- 681 早川康博・伊澤瑞夫・松谷 育. 1997. 海産藻類個体群密度の時間変動モデル. *月刊海洋* 29: 456–461.
- 682 金子豊二. 1997. 魚類におけるイオン調節と塩類細胞：様々なイオン環境への適応と塩類細胞の機能の多様性. *化学と生物* 35: 376–382.
- 683 細谷俊雄・宮崎信之. 1997. クジラ目・海牛目. 「レッドデータ日本哺乳類学会編」(日本哺乳類学会編)

- pp. 139–187, 221–233. 文一総合出版.
- 684 Kuo, J.・相生啓子. 1997. オーストラリアの海草とマリンボール. 水草研究会会報 62: 1–7.
- 685 道端 齊. 1997. ホヤのバナジウム濃縮に携わる特異な細胞、バナドサイトの謎を探る. 生物物理 209: 315–320.
- 686 宮崎信之. 1997. バイカル湖国際共同研究のトピックス—バイカルアザラシから地球環境を考える—. Security, 84: 48–51.
- 687 宮崎信之. 1997. 地球規模の海洋汚染—イルカ・アザラシからのメッセージ. シュプリンガー・サイエンス. 12: 6–9.
- 688 長澤一雄・山田 格・進藤順治・天野雅男・大場總. 1997. 山形県庄内海岸における1995年から1997年までの漂着鯨類. 日本海セトロジー研究・日本海の鯨たち 7: 13–26.
- 689 西田宏記. 1997. 感覚器の発生学. 「感覚情報—生物の巧みなシグナルのやりとり」(津田 基 編) pp. 111–116. 吉岡書店.
- 690 乙部弘隆. 1997. 新しい海象・気象観測装置(SEACOM大槌)の紹介. 大槌臨海研究センター報告 22: 39–44.
- 691 乙部弘隆・加賀明美・大槻眞理子・盛田孝一・平野健一・黒沢正隆・岩間祐吉. 1997. 海象・気象観測結果(1996年版). 大槌臨海研究センター報告 22: 75–92.
- 692 オズトゥルク天羽綾郁・天野雅男. 1997. マイルカ *Delphinus delphis* Linnaeus, 1758. 日本の希少な野生水生生物に関する基礎資料(IV). 日本水産資源保護協会. Pp. 399–405.
- 693 西駕秀俊. 1997. ホヤ頭部形成におけるホメオボックス遺伝子の発現. 細胞工学 16: 367–372.
- 694 竹内一郎・沼波秀樹. 1997. 南極のペントス. 「第24回特別展 海底の動物—ペントスの世界—」 pp. 35–37. 大阪市立自然史博物館.
- 695 立川賢一・小松輝久・相生啓子. 1997. 音響測深機による海草藻類分布量の評価. 月刊海洋 29: 489–493.
- 696 土田英治・佐々木猛智・黒住耐二. 1997. 岩手県大槌湾とその周辺海域の貝類相(7) カサガイ目. 大槌臨海研究センター報告 22: 24–38.
- 697 柳 研介・瀬川 進. 1977. 大槌湾周辺潮間帯の *Anthopleura*属(花虫綱: イソギンチャク目) 3種について. 大槌臨海研究センター報告 22: 1–13.
- 補遺(1996年以前)
- 698 Gee, J. M. and Warwick, R. M. 1996. A study of global biodiversity of patterns in the marine motile fauna of hard substrata. J. mar. biol. Ass. U.K. 76: 177–184.
- 699 Hori, S. and Tsuchida, E. 1995. A revision of systematic position of genus *Leucotina* (Gastropoda: Heterostropha). Venus 54: 279–293.
- 700 Iizumi, H. 1996. Temporal and spatial variability of leaf production of *Zostera marina* L. at Otsuchi, Northern Japan. Seagrass Biology: Proceedings of an International Workshop: 143–148.
- 701 Kuris, A. M., Lafferty, K. D., and Grygier, M. J. 1996. Detection and preliminary evaluation of natural enemies for possible biological control of the northern Pacific seastar, *Asterias amurensis*. Centre for Research on Introduced marine Pests, Technical Report No. 3. Division of Fisheries, CSIRO, Australia.
- 702 野島 哲. 1996. 海草藻場群集の多様性と安定化機構. 日本生態学会誌 46: 327–337.