Date.	2a	Time of Occurrence.	Successive Time Difference.	Date.	2a	Time of Occurrence.	Successive Time Difference.
X 5, 1916.	μ 2* 4* 7* 45 5* 8* 21 3*	15.16 A.M. 55.33 58.18 7.08.21 09.48 36.48 39.00 41.14	m s 17 2 45 10 6 1 24 2 12 2 14	X 6, 1916.	7* 209 45* 95 4*	9.25.59 a.m. 26.12 26.29 26.46 10.40.24	m s 13 17 17

^{*} indicates an unfelt shock.

CHAPTER V. FREQUENCY OF THE ERUPTIONS.

15. Occurrence of stronger explosion. The dates of the stronger Asama-yama explosions during the 24 years, 1894–1917, are shown in Table XI; the outbursts which occurred in quick succession and evidently formed a group being indicated by a The intervals between the successive eruptions, or the commencements of the different eruption groups, are shown in Table XII. With the exception of July 1894 to Feb. 1899, and Sept. 1902 to Dec. 1907, when the eruptions were very few, the intervals in question varied between 4 and 179 days, being, as shown in Table XIII, most frequently 4 to 11 days, with the mean This is nearly similar to the result mentioned in § 16 with respect to the recurrence of the maximum frequency of the small outbursts in 1913. Further, the stronger eruptions indicates amongst the others an interval of 167 to 179, with the mean of 170 days.

16. Time interval between successive maximum frequency groups of eruptions, in 1913. The dates of commencement of the different maximum frequency groups of the Asama-yama eruptions in 1913 are as follows:—

Da	ate.	Daily Frequency.		Da	ite.	Daily Frequency.
May	13th.	9		Aug.	3rd.	269
	25th.	2			8th.	32
\mathbf{J} une	2nd.	3			12th.	158
	21st.	168			17th.	58
July	1st.	12			21st.	23
	5th.	475			27th.	269
	10th.	6		Sept.	1st.	255
	18th.	5		Oct.	15th.	693
	26th.	7				•

The intervals between the successive dates under consideration were mostly from 4 to 8 days, with the mean of 6 days, as follows:—

Time Interval.	Number of Cases.	Time Interval.	Number of Cases.
4 days	3	10 days	1
5	4	12	1
6	1 • • • • •	19	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
8 248	4	44	,1

17. Variation in hourly frequency of eruptions. In the observations during the year 1913 at the Asama-yama stations several unbroken sets of closely succeeding volcanic outbursts have been completely registered, their hourly distribution for the interval between May 1st and Oct. 31st being shown in Table XXII. Amongst the others there were nine well marked eruption groups, as follows:

Group.	Month.	Most Active Epoch.	Duration.		
i	June.	21st, 8–9 p.m 22nd, 0–1 a.m.	5 hours.		
ii	,,	23rd, 5-6 p.m 23rd, 10-11 p.m.	6		
ix	July.	5th, 4-5 p.m 6th, 0-1 p.m.	21		
vii	August.	3rd, 8-9 p.m 4th, 10-11 a.m	15		
iii	,,	4th, 9-10 p.m5th, 2-3 a.m.	6		
iv	"	5th, 10-11 p.m6th, 3-4 a.m.	6		
V) ;	27th, 7-8 p.m28th, 5-6 a.m.	11		
vi	September.	2nd, 8–9 p.m 3rd, 7–8 a.m.	11		
viii .	October.	15th, 3-4 a.m15th, 1-2 p.m.	11		


The duration of the greatest eruptive frequency in these different cases was about 6 hours, 12 hours, and 21 hours respectively for the groups (i) to (iv), (v) to (viii), and (ix). The duration of these three species of the eruptive epochs were thus approximately in the ratios of 1:2:3. This fact will also be seen from Table XIV, which gives the hourly frequency of the eruptions in the nine groups in question. Thus, comparing together all the different cases, we see that the frequency which became first pronounced at about 4 p.m. was reduced more or less distinctly to a minimum at about noon and next at about 8 a.m., suggesting the possibility of the existence of a period of 8-hours length.

Figs. 11 and 12. Variation in the Hourly Frequency of the Asama-yama Explosions. (y=Hourly Number of Explosions)

III....Aug. 4th-5th, 1913.


IV....Aug. 5th-6th, 1913.


V ... Aug. 27th-28th, " VI .. Sept. 2nd-3rd, "



Figs. 13 and 14. Variation in the Hourly Frequency of the Asama-yama Explosions. (y=Hourly Number of Explosions.)

I.....June 21st-22rd, 1913. II....June 23rd-24th, 1913. IX....July 5th-6th, "






Figs. 15 and 16. Average Course of the Hourly Frequency Variation of the Asama-yama Explosions. (Table XV.)


x=Hourly Interval. y=Hourly Summation Number of Explosions.

 S_1Aug. 3rd-4th; and 5th-6th, 1913.

 $S_{\,\mathbf{2}}\ldots$ Sept. 1st 2nd; Oct. 15th; and Aug. 27th–28th, 1913.

 S_3Aug. 5th-6th and 4th-5th; and June 21st-22nd, and 23rd-24th, 1913.





From Table XIV and from the diagrams in figs. 11 to 14 it will be seen that the groups (i) to (ix) show among themselves certain similarities in the time of occurrence and the course of the frequency variation, such that, in Table XV, (S_3) , i, ii, iii, and iv; (S_2) , v, vi, and vii; and (S_1) , viii and ix, have been respectively taken together. The results of the summation are illustrated in figs. 15 and 16. In S_2 and S_3 , whose duration was short, the increase and decrease of the eruptive frequency were quick; the principal portion of the variation indicating a mean rate of 55 to 85 per hour. In S_1 , which is complex and lengthy in duration, the variation was slow: the increase was at first in the rate of 34 per hour, while the average decrease rate was about 15 per hour.

18. 10-minutes frequency of eruptions. In Table XVI is indicated the 10-minutes frequency of the Asama-yama eruptions during the following 7 epochs in 1913, when the disturbances occurred in close succession:—

- (i) June, 21st to 24th.
- (v) Aug., 27th and 28th.
- (ii) July 5th and 6th.
- (vi) Sept. 1st and 2nd.
- (iii) Aug., 3rd to 6th.
- (vii) Oct. 15th.
- (iv) Aug., 12th to 15th.

The maximum frequency during the epochs in question was 40, and gave the average quickest rate of one eruption in every $1\frac{1}{2}$ minutes. This interval is much longer than the successive time difference in the case of the A-type, or non-eruptive, seismic disturbances (§ 12).


From the graphical representations in figs. 17, 18, and 19, it will be seen that the three activity epochs on Aug. 27th-28th,

Sept. 1st-2nd, and on Oct. 15th, were of an equal length, namely, about 11 hours. On the two occasions of July 5th-6th and of Aug. 3rd-4th, the duration was a little longer. (See figs. 20 and 21.) Again, in the eruptions on Aug. 27th-28th, the increase to a maximum and the decrease therefrom of the frequency were quite gradual, but in the other cases illustrated in figs. 18 and 19, the increase in the number of the eruptions took place quickly, sometimes in only about 40 to 80 minutes; the frequency, subject to fluctuations, remaining on the whole constant for a considerable portion of the subsequent stage.

Figs. 17 to 21 show more or less distinctly the periodic fluctuations in the frequency variation, with the average lengths of about 6, 2, and 1 hours, as follows:—

	$300^{\mathrm{min.}}$	$100^{ m min.}$		6	$0^{\mathrm{min.}}$
	3 2 0	120		6	5
	360	127		mean, 6	2
	360	mean, 116			
	360		•		
	380				
mean,	35 0				

Figs. 17, 18, and 19. Variation in the 10 Minutes Frequency of the Asama-yama Explosions.



y=10 Minutes Number of Explosions.

Fig. 17. Oct. 15th, 1913.

Fig. 18. Sept. 1st-2nd, 1913,

Fig. 19. Aug. 27th-28th, 1913.


Fig. 21.

Aug. 3rd-4th, 1913.

Fig. 20. July 5th-6th, 1913.

y=10 Minutes Number of Explosions.

Figs. 20 and 21. Variation in the 10 Minutes Frequency of the Asama-yama Explosions.



19. Explosion Frequency on 12th-15th, August, 1913. In the interval between the 12th and the 15th, August, the number of the volcanic outbursts was maximum at frequent epochs (fig. 22), as follows:

Date.	Maximum 10-Minutes Frequency.	Time of Maximum.	Successive Time Interval.
12th.	5	5 39 a.m.	7 50 m
,,	12	1 20 p.m.	
,,	34	11 40 p.m.	
13th.	25	9 20 a.m.	9 40
,,,	40	5 50 n.m.	8 30
,,	12	11 50 p.m.	
14th.	24	7 40 a.m.	····· 7 50
	22	2 20 p.m.	6 40
" 75+15		10 00 a.m.	19 40
15th.	16 24	7 00 p.m.	7 00

Thus the successive maximum frequencies occurred at the intervals of $6^{\text{h}}00^{\text{m}}$ to $10^{\text{h}}20^{\text{m}}$, with the exception of one case, the mean value being $8^{\text{h}}00^{\text{m}}$. This result is in accord with that inferred from Table XIV.




Fig. 22. Variation in the Hourly Frequency of the Asama-yama Explosions, Aug. 12th-15th, 1913. (y=Hourly Number of Explosions.)

TABLE XI. DATES OF THE STRONGER ASAMA-YAMA EXPLOSIONS. 1894—1919.

		10513	.515.		
1894	1901	1909	1911	1913	1913
IV, 6	V, 25	V, 31	∫II, 4	∫IV, 18	XI, 14
" 11	VI, 10	VII, 6	l "6	, 21	" 20
, 17	" 15	VIII, 21	,, 10	V, 16	1914
(,, 28	VII, 21	XI, 10] ,, 13	(,, 27	(I, 11
1 ,, 30	VIII, 6	XII, 7	(III, 21] ,, 2)] " 12
V, 5	" 1 5	1910	, 21	VI, 13	(,, 26
" 13	,, 2 9	II, 12	,, 22	(,, 17	" 27
" 25	X, 13	V, 2	,, 24	, 18	{ " 27
VI, 14	1902	VII, 5	, 25	(,, 20	" 28
[No outburst	II, 7	" 11	(IV, 2	(,, 24	, 29
till 1899.]	VIII, 5	X, 21	,, 2	,, 26	11, 14
1899	1903	XI, 7] ,, 3	, ₂₆	(,, 24
III, 11	v, 28	XII, 2	,, 4	VII, 1	1 ,, 27
VII, 10	VI, 30	(,, 15	/ ,, 7	(,, 7	ш, з
,, 15	1904	1, 16	,, 8	,, 7	(" 14
VIII, 7	VIII, 4	" 25] ,, 9	(" 8	, 15
1900	1905	1911] ,, 11	., 13	,, 23
1, 22	X, 21	(I, 3	,, 13	(,, 18	1 ,, 25
" 31	1906	1 ,, 6	, 16	1, 19	" 30
(II, 7	IV, 6	,, 16	v, 8	VIII, 12	(1V, 6
(,, 9	" 20	,, 17	X, 22	" 12	1 ,, 9
,, 14	V, 7	,, 17	XII, 3	} ,, 15	V, 5
(" * 19	1907	" 18	1912	,, 15	,, 9
1 " 21	I, 18	', 18	I, 28	,, 15	" 19
III, 1	III, 28	,, 18	II, 13	IX, 21	VI, 24
(" 18	VIII, 24	,, 19	,, 22	(X, 15	(XI, 12
1 ,, 21	1908	\ , 19	IV, 9	1, 17	12
" 31	П, 13	,, 19	" 15	,, 26) ,, 15
IV, 6	" 19	" 20	(X, 2	/XI, 3	, 16
VIII, 30	VIII, 5	" 21	1, 3	,, 3	(XII, 14
XI, 19	" 16	,, 21	(,, 7	,, 4	, 15
XII, 14	IX, 21	,, 22	1, 9	,, 5	,, 16
" 21	.1909	,, 23	XII, 13	,, 5	[No outburst
1901	1, 29	, 23	1913	,, 6	till the commence- ment of 1919.]
III, 11	II, 2		II, 11	,, 6	1919
IV, 20	IV, 2			(,, 6	III, 14
i i	1	1	1	1	1

TABLE XII. INTERVAL BETWEEN THE SUCCESSIVE STRONGER ASAMA-YAMA EXPLOSIONS. 1894—1919.

/1004) = 7	(1001)		
(1894) 5 days.	(1901) 9 days.	(1910) 64 days.	(1913) 4 days.
6	5	6	7
$\frac{11}{7}$	54	102	7
8	$(1902) \frac{117}{179}$	17	6
. 12	(1903) 296	25	6
21	33	13 10	5 or
[No outburst till 1899]	$(1904) \frac{33}{401}$	9	25 4 0
(1899) 5	$(1905)_{443}^{401}$	$(1911) \frac{3}{13}$	$egin{array}{cccccccccccccccccccccccccccccccccccc$
23	(1906) 167	19	11
168	14	6	8
$(1900) \frac{100}{9}$	17	39	11
7	255	12	6
7	$(1907) \frac{255}{69}$	5	52
5	149	31	(1914) 15
10	173	167	19
17	(1908) 6	42	10
13	168	56	7
6	11	(191 2) 16	11
146	36	9	9
81	130	47	7
2 5	(1909) 4	6	7
7	59	170	29
(1901) 80	59	5	4
40	36	67	10
35	46	(1012) 60	36
16	81	(1913) $\frac{66}{66}$	141
.5	27	28	32
36	(1910) 67	11	
16	79	17	

TABLE XIII. VARIATION IN THE INTERVAL BETWEEN THE DATES OF THE SUCCESSIVE STRONGER ASAMA-YAMA EXPLOSIONS, 1894—1914.

	Number of Cases.	Successive Interval.	Number of Cases			
4 days.	. 3	47 days.	1			
5	8	52	1			
6	10	54	1			
7	10	56	1			
8	2	59	2			
9	5	60	1			
10	4	64	1			
11	5	66	1			
	·	67	2			
12	2	69	1			
13	3	79	. 1			
14	1	80	1			
15	1	81	2			
16	3	102	1			
17	3	117	1			
19	2	130	1			
21	1	141	1			
23	1	146	1			
f 24	$\hat{1}$	149	1			
25	$\overline{3}$					
27	1	167	2			
28	1	168	2			
29	$\hat{1}$	170	1			
31	1	173	1			
32	$\frac{1}{2}$	179	1			
33	1					
35	$\frac{1}{1}$	255	1			
36	$\overline{4}$	296	1			
39	1	401	1			
40	$\frac{1}{2}$	443	. 1			
f 42	1					
$\frac{1}{46}$	1					

TABLE XIV. HOURLY NUMBER OF THE ASAMA-YAMA EXPLOSIONS DURING THE EPOCHS OF MAXIMUM ERUPTIVE ACTIVITY IN 1913.

Month.	June.	June.	Aug.	Aug.	Aug.	Sept.	Aug.	July.	Oct.
0- 1 p.m. 1- 2 2- 3 3- 4	21st 6 3	23rd 1 9 5 2	4th	5th	27th	2nd	3rd	5th	15th
4- 5 5- 6 6- 7 7- 8 8- 9 9-10 10-11 11-12	11 7 4 10 31 34 28 34	12 24 19 16 39 39 40 12	$\frac{4}{70}$ 91 92	16 96	1 2 25 65 89 54 33	3 82 96 73	10 56 20 80 103	20 17 19 31 69 138 90 84	
0- 1 a.m. 1- 2 2- 3 3- 4 4- 5 5- 6 6- 7 7- 8	22nd 22 7 4 4 1	24th 4 3 — 1	5th 37 32 19	6th 82 59 87 25 2	28th 41 87 123 158 90 31 2	3rd 88 100 85 98 19 41 49 21	4th 89 76 119 114 88 87 60 61	6th 40 62 85 51 80 66 61 48	1 14 70 72 63 58
8- 9 9-10 10-11 11-12 0- 1 p.m. 1- 2 2- 3 3- 4 4- 5 5- 6 6- 7							82 67 40 3 1	73 56 50 79 41 11 5 4 8 3	72 97 82 69 68 25

TABLE XV. COMPARISON OF THE VARIATION IN THE HOURLY FREQUENCY OF THE ASAMA-YAMA EXPLOSIONS DURING THE EPOCHS OF MAXIMUM ERUPTIVE ACTIVITY IN 1913.

*********		,									
VIII,	VIII,	VI,	VI,	Sum	IX,	Х,	VIII,	Sum	VIII,	VII,	Sum
5-6	4-5	21-22	23-24	$=S_3$	1-2	15	27–28	$=S_2$	3-4	5-6	$=S_{\mathbf{i}}$
		6	1	7			1	1		7	7
		3	9	12		1	. 2	. 3		20	20
		11	5	.16	3	14	25	42	, ,	17	17
š		7	2	9	82	70	65	217		19	19
	4	4	12	20	96	72	89	257	10	31	41
0	0	10	24	34	73	63	54	190	56	69	125
16	70	31	19	136	83	58	33	179	20	138	153
96	91	34	16	237	100	72	41	213	80	90	170
82	92	23	39	241	85	97	87	269	103	84	187
59	37	34	39	169	93	82	123	303	89	40	129
87	32	22	40	181	19	69	158	246	76	62	138
25	19	7	12	63	41	68	90	199	119	85	204
2	0	4	4	10	49	25	31	105	114	51	165
3	0	4	3	10	21	0	2	23	88	80	168
0	Ó	. 1	0	1	0	0	0	0	87	66	153
									60	61	121
									61	48	109
			•					}	82	73	15 5
									67	56	123
									4.0	50	90
									3	79	82
									1	41	42
				,					0	11	11
									51	5	56
									10	4	14
										-8	8
								*		3	. 3
i							,		-	1 1	1
				-						0	0

TABLE XVI. 10-MINUTES FREQUENCY OF THE ASAMA-YAMA EXPLOSIONS DURING THE EPOCHS OF MAXIMUM ERUPTIVE ACTIVITY IN 1913.

Minute.	0-10	10–20	20-30	30–40	40-50	50-60	Minute.	0-10	10-20	20-30	30-40	40-50	50–60
(i) Ju	ıne 2	21st 1	to 24	th, 1	1913.		(ii) J	uly	5th a	nd 9	th, 1	1913.	
21st; 2 p m.	1	2		1		2	5th; 3 p.m.		-	1	0	4	2
. 3		1		-	1	1	. 4	3	3	3	3	5	3
4		2		_	6	3	5	1	2	4	2	3	5
5	4	2		1			6	4	6	2	1	3	3
6		1		1	1	1	7	2	4	9	2	11	3
7		1	1	3	3	2	8	4	10	11	11	17	16
8	2	3	6	6	6	8	9	25	20	27	. 18	23	25
9 .	2	7	5	8	8	4	1 0	17	15	18	17	10	13
		1	5	4	7	8	11 .	10	15	14	17	19	9
10	3										9		
11	3	7	9	6	5	. 4	6th; 0 a.m.	9	8	5		6	3
22nd; 0 a.m.	3	6	6	2	2	3	1	6	5	10	15	11	15
1	1	2	1	1	1	1	2	13	15	18	17	16	6
2		_	1	3	-	-	3	8	8	4	8	. 11	12
3	_	<u> </u>	3	1		-	4	15	10	15	19	10	11
4	1	_	-				5	10	7	7	8	17	17
23rd; 0 p.m.	1	-	-		-		. 6	11	7	13	11	8	11
1 .	2	1	1	5	-	-	7	12	7	4	7	6	12
2	1	-	_	1	2	. 1	.8	12	7	16	12	12	14
3		-		1	1	-	9	2	5	11	11	17	10
4	1	_	2	3	3	3	10	6	15	7	7	5	10
5	7	2	4	1	3	7	11	9	17	15	14	13	11
- 6	5	6	1	4	3	_	0 p.m.	12	11	8	. 5	4	1
7	2		2	1	3	8	1	3	1	3	1	1	2
8	12	6	6	3	6	6	2	1	2	1	1	-	_
9	3	10	9	4	4	9	3				4		_
10	7	7	6	8	7	5	4				2	2	4
. 11	3	1	5	2	1		5		_			1	2
24th; 0 a.m.	2	-	2	-		-	6	1		_		-	
1	1			2		-							

		}							1		<u> </u>]		
Minute.	0-10	10–20	20-30	30-40	40-50	50-60	Minute. Hour.	0-10	10–20	20-30	30–40	40-50	50-60	
(iii) Aug. 3rd to 6th, 1913.							(iii) Continued.							
3rd; 7 p.m.		-	-		5	5	2 p.m.	-	-	-	-		4	
8	9	15	13	13	6		3	2	6	_				
9		2	8	4	2	4	4	2	_			_		
10	7	17	8	9	21	18	5	5	-					
11	18	17	17	15	14	22	10				1	2	-13	
	18	21	11	17	14	8	11	6	10	19	18	17	17	
4th; 0 a.m.								1	19					
1	9	11	14	13	12	17	6th; 0 a.m.	12	13	14	12	17	14	
2	19	19 19	20	19	19	23	$egin{array}{c} 1 \ 2 \end{array}$	11	6 16	5 19	10 15	11 10	13 12	
3	21 23	24:	23 14	13 14	17 6	21 7	3	15 8	5	5	4	10	2	
4 5	23 7	10	15	16	18	21	4	0	3	1	1	1	<u> </u>	
6	15	9	10	5	8	13	5			3				
7	2		5	17	15	22		110°.	ւ — 12։են	1	5th	1913	1 "	
8	10	20	11	13	18	10	12th; 4 a.m.	.ug• . 1 —		1)	1010		
9	-8	7	5	9	26	12	5	1	_	5	1	5		
10	8	7	6	12	3	4	11		1	_		2		
11	2			1		_	0 p.m.	1						
0 p.m.			1	_		_	1		5	12	6	8	6	
2		4	25	6	3	13	4	1	_			_	_	
3	1		6	- 3			7	_	_			5		
7	1	-	2	1			11		1.	17	31	34	14	
9		4	8	20	8	30	13th; 9 a.m.	· —	25	24	_			
10	21	12	12	15	14	14	0 p.m.		1		5	-	2	
11	17	12	21	16	13	13	1		-		8	_	-	
5th; 0 a.m	9	12	5	5		6	5				-	40	9	
1.	9	8	9	2	4		6	24	25		.3	23	- 3	
2	4	4	4	5	1	1	7	·	-	1	-	-	_	
6		·	_	2			9		-		-	-	5	
7		-	2		1	4	10	-	-		1	5		
8	1		2		_		11	1 :	_		-	-	12	
9	1	_	-		_		14th; 0 a.m.	-		1	1	-		
10	1		1	5	3	3	2	-		_	-		2	
11	1	_			_	-	3	1	1	2	2			

Minute. Hour.	0-10	10–2 0	20-30	3 0- 4 0	40–50	50-60	Minute, Hour.	0-10	10-20	20-30	30-40	4 0–50	50–6 0
	(v) Continued.												
13th; 4 p.m.	-	2	1	1	1		28th; 0 p.m.	6	10	7	8.	5	5
5	1	_	_	3	2	· 1	1	10	10	10	21	22	14
14th; 6 a.m.	2	2	-5	1		3	2	14	21	22	22	26	18
7		1	12	20	24	2	3	22	27	26	27	34	22
8		_		٠	-	1	4	21	15	13	14	19	8
9		1		1	1		5	5	5	12	8	1	
11	2		2	11	2	1	(vi) S	ent.	ี 1st ย		2nd,	1913	•
0 p.m.		9	_	2	_	1	.1st; 8 p.m.	-		· -		1 1	2
1					1	2	9	9	16	10	15	18	14
2	6	6	22	3			10	19	15	16	19	14	13
3					1	_	11	. 14	13	16	12	9	9
5		10	3	6			2nd; 0 a.m.	8	17	10	16	19	18
7	8		_	٠			1	16	19	18	13	16	18
15th; 7 a.m.				1	-	-	2	22	10	12	17	12	12
8	2		_				3	18	18	11	16	17	18
9			-			16	4.	12	3	1	1	1	1
10	8	. 2					5			2	9	14	16
0 p.m.		-	_		'	1	6	14	14	7	6	5	3
2	_		2			_	7	9	6	1	4	l —	1
· 3	1	_	_	1	2	8	(11)						
4	20			2	5.	24	15th; 2 a.m.		-		-	1	-
5	17	23	9	6	2	2	3	. 1	2	1	3	6	1
6 7	3	3	2	3	3	1	4	8	17	10	5	19	11
	. —	1			•	1	5	17	7	10	12	10	16
(v) Au	_	th a		estn,	1913	5.	6	16	13	6	8	9	11
27th; 5 p.m.		-	1		_		7	13	14	12	11	. 4	4 15
6	1	1		_	_		. 8	7	10	17	10 17	13 14	17
7 8	1	5	3	9	1 12	11 15	9 1 0	13 17	17 14	19 15	15	8	13
o. 9	11 19	15	11 13	15	10	17	10 11	13	10	11	9	13	13
10	11	11	4	10	7	11	0 p.m.	15	15	14	12	6	6
11	7	9	5	4	5	3	1	9	3	7	5	1	_