

Bibliography

- Aase, J. K. and Siddoway, F. H. (1981), "Assessing Winter Wheat Dry Matter Production Via Spectral Reflectance Measurements", *Remote Sensing of Environment*, vol. 11, pp. 267-277.
- Akaike, H. (1974), "A New Look at the Statistical Model Identification", *IEEE Transactions on Automatic Control*, vol. AC-19, pp. 716-721.
- Aselmann, I. and Crutzen, P. J. (1989), "Global Distribution of Natural Freshwater Wetlands and Rice Paddies, Their net Primary Productivity, Seasonality and Possible Methane Emissions", *Journal of Atmospheric Chemistry*, vol. 8, pp. 307-358.
- Asrar, G., Kanemasu, E. T. and Yoshida, M. (1985), "Estimates of Leaf Area Index from Spectral Reflectance of Wheat under Different Cultural Practices and Solar Angle", *Remote Sensing of Environment*, vol. 17, pp. 1-11.
- Babey, S. K. and Soffer, R. J. (1993), "Radiometric Calibration of the Compact Airborne Spectrographic Imager(casi)", *Canadian J. Remote Sensing*, vol. 18, pp.233-242.
- Baret, F. and Guyot, G. (1991), "Potentials and Limit of Vegetation Indices for LAI and APAR Assessment", *Remote Sensing of Environment*, vol. 35, pp. 161-173.
- Barnett, T. L. and Thompson, D. R. (1982), "The Use of Large-Area Spectral Data in Wheat Yield Estimation", *Remote Sensing of Environment*, vol. 12, pp. 509-518.
- Barrett, E. C. and Curtis, L. F.(1976), *Introduction to Environmental Remote Sensing*, Third Edition, Chapman & Hall.
- Benediktsson, J. A., Sveinsson, J. R. and Arnason, K. (1995), "Classification and Feature Extraction of AVIRIS Data", *IEEE Trans. Geoscience and Remote Sensing*, vol. 33, pp. 1194-1205.
- Buntine, W. (1996), "A Guide to the Literature on Learning Networks from Data", *IEEE Transactions on Knowledge and Data Engineering*, vol. 08, pp. 195-210.
- Butera, M. K. (1983), "Remote Sensing of Wetlands", *IEEE Trans. Geoscience Remote Sensing*, vol. 21, pp. 383-392.
- Christensen, E. J., Jensen, J. R., Ramsey, E. W. and Jr., H. E. M. (1988), "Aircraft MSS Data Registration and Vegetation Classification for Wetland Change Detection", *International Journal of Remote Sensing*, vol. 9, pp. 23-38.

- Curran, P. J., Foody, G. M., Kondratyev, K. Y., Kozoderov, V. V. and Fedchenko, P. (1990), *Remote Sensing of Soils and Vegetation in the USSR*, Taylor & Francis.
- Dauane, S., Kennedy, A. D., Pendleton, B. J. and Roweth, D. (1987), "Hybrid Monte Carlo", *Physics Letters B*, vol. 195, pp. 216-222.
- Foody, G. and Curran, P. (1994), *Environmental Remote Sensing from Regional to Global Scales*, John Wiley & Sons.
- Fujimura, S. and Kiyasu, S. (1996), "Significance-Weighted Feature Extraction from Hyper-Dimensional Data and Its Applications", *Second International Airborne Remote Sensing Conference and Exhibition*, vol. III, pp. 288-297.
- Gallo, K. P., Daughtry, C. S. T. and Bauer, M. E. (1985), "Spectral Estimation of Absorbed Photosynthetically Active Radiation in Corn Canopies", *Remote Sensing of Environment*, vol. 17, pp. 221-232.
- Giri, N. C. (1977), *Multivariate Statistical Inference*, Academic Press.
- Gong, P., Miller, R. and Spanner, M. (1994), "Forest Canopy Closure from Classification and Spectral Unmixing of Scene Components", *IEEE Trans. Geoscience and Remote Sensing*, vol. 32, pp. 1067-1080.
- Green, A. A., Whitehouse, G. and Outhet, D. (1983), "Causes of Flood Streamlines Observed Landsat Images and Their Use as Indicators of Floodways", *International Journal of Remote Sensing*, vol. 4.
- Harsanyi, C. and Chang, C. (1994), "Hyperspectral Image Classification and Dimensionality Reduction: an Orthogonal Subspace Projection Approach", *IEEE Trans. Geoscience and Remote Sensing*, vol. 33, pp. 779-785.
- Hatfield, J. L., Kanemasu, E. T., Asrar, G., Jackson, R. D., Pinter, P. J., Reginato Jr., R. J. and Idso, S. B. (1985), "Leaf-Area Estimates from Spectral Measurement over Various Planting Dates of Wheat", *International Journal of Remote Sensing*, vol. 6, pp. 167-175.
- Heckerman, D. (1995), "A Tutorial on Learning With Bayesian Networks", *Technical Report MSR-TR-95-06*.
- Hoffbeck, J. P. and Landgrebe, D. A. (1996), "Classification of remote Sensing Images Having High Spectral Resolution", *Remote Sensing of Environment*, vol. 57, pp. 119-126.
- Huete, A. R. (1988), "A Soil-Adjusted Vegetation Index (SAVI)", *Remote Sensing of Environment*, vol. 25, pp. 295-309.
- Imhoff, M. L., Vermillion, C., Story, M. H., Choudhury, A. M., Gafoor, A. and Polcyn, F. (1987), "Monsoon Flood Boundary Delineation and Damage Assessment Using


- Space Borne Imaging Radar and Landsat Data", *Photogrammetric Engineering and Remote Sensing*, vol. 53, pp. 405-413.
- Inamura, M. (1987), "Analysis of Remotely Sensed Image Data by means of Category Decomposition", *Japanese J. Electric Information Communication*, vol. J70-C, pp. 241-250.
- Ingebritsen, S. E. and Lyon, R. J. P. (1985), "Principal Components Analysis of Multitemporal Image Pairs", *International Journal of remote Sensing*, vol. 6, pp. 687-696.
- Ito, T. and Fujimura, S. (1987), "Estimation of Cover Area of Each Category in a Pixel by Pixel Decomposition into Categories", *Japanese J. SICE*, vol. 23, pp.800-805
- Jackson, R. D. (1983), "Spectral Indices in n-Space", *Remote Sensing of Environment*, vol. 13, pp. 409-421.
- Jackson, R. D., Slater, P. N. and Pinter, P. J. (1983), "Discrimination of Growth and Water Stress in Wheat by Various Vegetation Indices through Clear and Turbid Atmospheres", *Remote Sensing of Environment*, vol. 13, pp. 187-208.
- Jensen, J. R., Christensen, E. J. and Sharitz, R. (1984), "Nontidal Wetland Mapping in South Carolina Using Airborne Multispectral Scanner Data", *Remote Sensing Environment*, vol. 16, pp. 1-12.
- Khorram, S. (1981), "Water Quality Mapping from Landsat Digital Data", *International Journal of Remote Sensing*, vol. 2, pp. 145-153.
- Kiyasu, S. and Fujimura, S. (1995), "Successive Feature Extraction from High-Dimensional Data Based on significance Weighted Criterion", *Japanese J. SICE*, vol. 31, pp. 1245-1251.
- Kohonnen, T.(1977), "Associative Memory-a System Theoretical Approach", Berlin-Hidelberg-New York, Springer Verlag.
- Koller, D. and Sahami, M. (July 1996), "Toward Optimal Feature Selection", *Proceedings of the 13th International Conference on Machine Learning (ML)*, Bari, Italy, pp. 284-292.
- Kramer, H. J.(1992), *Earth Observation Remote Sensing-Survey of Missions and Sensors*, Springer-Verlag.
- Lathrop, R. G. and Lillesand, T. M. (1986), "Use of Thematic Mapper Data to Assess Water Quality in Green Bay and Central Lake Michigan", *Photogrammetric Engineering and Remote Sensing*, vol. 52, pp. 671-680.
- Madigan, D. and Raftery, A. E. (1994), "Model Selection and Accounting for Model Uncertainty in Graphical Models Using Occam's Window", *Journal of the American Statistical Association*, vol. 89, pp. 1535-1546.


- Malinowski, E. R. (1991), "*Factor Analysis in Chemistry*", John Wiley & Sons.
- Masing, V., Svirezhev, Y. M., Löffler, H. and Patten, B. C. (1990), "Wetlands in the Biosphere", *Wetlands and Shallow Continental Water Bodies*, vol. 1, pp. 313-344.
- Matthews, E. and Fung, I. (1987), "Methane Emission from Natural Wetlands: Global Distribution, Area, and Environmental Characteristics of Sources", *Global Biogeochemical Cycles*, vol. 1, pp. 61-86.
- Michie, D., Spiegelhalter, D. J. and eds., C. C. T. (1994), "*Machine Learning: Neural and Statistical Classification*", Ellis Horwood.
- Miller, L. D., Yang, Y., Matthews, M. and Irons, R. T. (1983), "Correlations of Rice Yields to Radiometric Estimates of Canopy Biomass as a Function of Growth Stage", *Proceedings of the Fourth Asian Conference on Remote Sensing Held in Colombo, Sri Lanka*, vol. A.6.1-A.6.21
- Mintzer, I. M. (1992), "*Confronting Climate Change: Risks, Implications and Responses*", Cambridge University Press.
- Myers, N. (1984), "*Gaia: An Atlas of Planet Management*", Anchor Books.
- Neal, R. M. (1994), "Priors for Infinite Networks", *Technical Report CRG-TR-94-1, Department of Computer Science, University of Toronto*,
- Neal, R. M. (1996), "*Bayesian Learning for neural network*", New York, Springer-verlagi.
- Neal, R. M. (1997), "Monte Carlo Implementation of Gaussian Process Models for Bayesian Regression and Classification", *Technical Report, Department of Statistics, University of Toronto*, No. 9702,
- Oguma, H. and Yamagata, Y. (1996), "Study of Effective Spectral Bands to Classify Wetland Vegetation using Two Seasonal Airborne MSS data", *J. Japan Soc. Photogrammetry and Remote Sensing*, vol. 35, pp. 36-45.
- Oja, E. (1984), "*Subspace Methods of Pattern Recognition*", Research Studies Press.
- Patel, N. K., Singh, T. P., Sahai, B. and Patel, M. (1985), "Spectral Response of Rice Crop and its Relation to Yield and Yield Attributes", *International Journal of remote Sensing*, vol. 6, pp. 657-664.
- Pinter Jr., J. P., Jackson, R. D., Idso, S. B. and Reginato, R. J. (1981), "Multidate Spectral Reflectance as Predictors of Yield in Water-Stressed Wheat and Barley", *International Journal of Remote Sensing*, vol. 2, pp. 43-48.
- Press, W., Flannery, B., Teukolsky, S. and Vetterling, W. (1990), "Numerical Recipes", *The Art of Scientific Computing*, pp. 275-275.
- Price, J. C. (1987), "Calibration of Satellite Radiometers and the Comparison of Vegetation Indices", *Remote Sensing of Environment*, vol. 21, pp. 15-27.

- Qi, J., Chehbouni, A., Heute, A. R. and Kerr, Y. H. (1994), "Modified Soil Adjusted Vegetation Index (MSAVI)", *Remote Sensing of Environment*, vol. 48, pp. 119-126.
- Raftery, A. E. (1995), *Bayesian Model Selection in Social Research*, Sociological Methodology.
- Rammooorthi, A. S. and Rao, P. S. (1985), "Inundation mapping of the Sahibi River Flood of 1977", *International Journal of Remote Sensing*, vol. 6, pp. 443-445.
- Rauber, T. W., Barata, M. M. and Steiger-Garcia, A. S. (1993), "A Toolbox for Analysis and Visualization of Sensor Data in Supervision", *Tooldiag '93-International Conference on Fault Diagnosis*, vol. 5-7 April,
- Richards, J. A. (1984), "Thematic Mapping from Multitemporal Image Data Using the Principal Components Transformation", *Remote Sensing of Environment*, vol. 16, pp. 35-46.
- Richards, J. A. (1986), *"Remote Sensing Digital Image Analysis"*, Springer-Verlag.
- Richardson, A. J. and Wiegand, C. L. (1977), "Distinguishing Vegetation from Soil Background Information", *Photogrammetric Engineering and Remote Sensing*, vol. 43, pp. 1541-1552.
- Ripley, B. D. (1995), *"Statistical Ideas for Selecting Network Architectures"*, London, Springer.
- Ripley, B. D. (1996), *"Pattern Recognition and Neural Networks"*, Cambridge University Press.
- Rondeaux, G. (1996), "Optimization of soil-adjusted vegetation indices", *Remote Sens. Environ.*, vol. 55, pp. 95-107.
- Schowengerdt, R. A. (1983), *"Techniques for Image Processing and Classification in Remote Sensing"*, Academic Press.
- Settle, J. J. and Drake, N. A. (1993), "Linear Mixing and the Estimation of Ground Cover Proportions", *Int. J. Remote Sensing*, vol. 14, pp. 1159-1177.
- Shibayama, M. and Munakata, K. (1986), "A Spectroradiometer for Field Use IV. Radiometric Prediction of Grain Yields for Ripening Rice Plants", *Japanese Journal of Crop Science*, vol. 55, pp. 53-59.
- Shibayama, M., Wiegand, C. L., Akiyama, T. and Yamagata, Y. (1988), "Radiometric Estimates for Rice Canopy Agronomic Variables Using a Visible to Mid-infrared Spectroradiometer", *Proc. Int. Conf. ISPRS, Kyoto, Japan*, pp. 508-517.
- Singh, A. and Harrison, A. (1985), "Standardized Principal Components", *International Journal of Remote Sensing*, vol. 6, pp. 883-896.

- Townshend, J. R. G. and Justice, C. O. (1980), "Unsupervised Classification of MSS Landsat Data for Mapping Spatially Complex Vegetation", *International Journal of Remote Sensing*, vol. 1, pp. 105-120.
- Townshend, J. R. G. (1984), "Agricultural Land-Cover Discrimination Using Thematic Mapper Spectral Bands", *International Journal of Remote Sensing*, vol. 5, pp. 681-698.
- Tucker, C. J., Holben, B. N., Elgin Jr., J. H. and McMurtrey III, J. E. (1980), "Relationship of Spectral Data to Grain Yield Variation", *Photogrammetric Engineering and Remote Sensing*, vol. 46, pp. 657-666.
- Watanabe, S. (1969), "*Knowing and Guessing-a Quantitative Study of Inference and Information*", New York, John Wiley.
- Wessman, C. (1994), "*Estimating canopy biochemistry through imaging spectrometry*", Imaging Spectrometry, Kluwer Academic Press, pp.57-69
- Wiegand, C. L., Richardson, A. J. and Kanemasu, E. T. (1979), "Leaf Area Index Estimates for Wheat from Landsat and Their Implications for Evapotranspiration and Crop Modeling", *Agron. J.*, vol. 71, pp. 336-342.
- Wiegand, C. L. and Richardson, A. J. (1982), "Comparisons among a New Soil Index and Other Two- and Four-Dimensional Vegetation Indices", *Tech. Pap. Am. Soc. Photogramm.*, pp. 210-227.
- Wiegand, C. L. (1984), "The Value of Direct Observations of Crop Canopies for Indicating Growing Conditions and Yield", *Proc. 18th Int. Symp. Remote Sensing of Environment*, pp. 1551-1560.
- Wiegand, C. L. and Richardson, A. J. (1984), "Leaf Area, Light Interception, and Yield Estimates from Spectral Components Analysis", *Agron. J.*, vol. 76, pp. 543-548.
- Wiegand, C. L. and Richardson, A. J. (1987), "Spectral Components Analysis. Rationale, and Results for Three Crops", *Int. J. Remote Sensing*, vol. 8, pp. 1011-1032.
- Williams, C. K. and Rasmussen, C. E. (1996), "Gaussian Processes for Regression", *Advances in Neural Information Processing Systems*, vol. 8,
- Yamagata, Y. and Akiyama, T. (1988), "Flood Damage Analysis Using Multitemporal Landsat Thematic Mapper Data", *International Journal of Remote Sensing*, vol. 9, pp. 503-514.
- Yamagata, Y., Wiegand, C., Akiyama, T. and Shibayama, M. (1988), "Water Turbidity and Perpendicular Vegetation Indices for Paddy Rice Flood Damage Analyses", *Remote Sensing of Environment*, vol. 26, pp. 241-251.

- Yamagata, Y., Yasuoka, Y., Miyazaki, T., Oguma, H., Moriyama, T., Nakatani, Y. (1995), "Selection of Effective Spectral Bands using Airborne MSS Data to Classify Wetland Vegetation", *Japanese J Remote Sensing*, vol. 15, pp. 26-35.
- Yamagata, Y., Yasuoka, Y. and Iwakuma, T. (1996a), "Wetland Monitoring using Overlaid CASI Image and Detailed Elevation Data", *Japanese J. Remote Sensing*, vol. 16, pp. 33-40.
- Yamagata, Y., Oguma, H., and Fujita, H. (1996b), "Wetland Vegetation Classification using Multitemporal Landsat TM Images", *J. Japan Soc. Photogrammetry and Remote Sensing*, vol. 35, pp. 9-17.
- Yamagata, Y. (1996c), "Unmixing with Subspace Method and Application to Hyper Spectral Image", *J. Japan Soc. Photogrammetry and Remote Sensing*, vol. 35, pp. 34-42.
- Yamagata, Y. and Iwakuma, T. (1996d), "Monitoring Akaiyachi Mire with Overlaid CASI Images and a Detailed Digital Elevation Model", *Mires of Japan*, 12, pp.89-94.
- Yamagata, Y. and Sugita, M. (1996e), "Land Cover Monitoring with a Vegetation-Soil-Water Index", *Mire of Japan*, 15, pp.105-108.
- Yamagata, Y., Oguma, H. and Fujita, H. (1996f), "Wetland Vegetation Classification with Multi-temporal Landsat TM Data", *Mires of Japan*, 16, pp.109-114.
- Yamagata, Y. and Oguma, H. (1996g), "Selection of Effective Spectral Bands from Airborne MSS data to Classify Wetland Vegetation", *Mire of Japan*, 17, pp.115-121.
- Yamagata, Y. (1996h), "Unmixing Wetland Vegetation Types with a Subspace Method using Hyperspectral CASI Imagery", *Mires of Japan*, 18, pp.123-127.
- Yamagata, Y. and Yasuoka, Y. (1996i), "Unmixing Wetland Vegetation Types by Subspace Method Using Hyperspectral CASI Image", *International Archives of Photogrammetry and remote Sensing*, vol. XXXI, pp. 781-787.
- Yamagata, Y. (1997a), "Development of vegetation-Soil-Water Index algorithms and applications", *Japanese J. Remote Sensing*, vol. 17, pp. 54-64.
- Yamagata, Y. (1997b), "Bayesian Feature Selection for Classifying Multitemporal SAR and TM Data", IGARSS'97 (Singapore)
- Yamagata, Y. (1997c), "Classification of Satellite Remote Sensing Data using Gaussian Process", *Japanese J. SICE*, to be appeared.
- Young, T. Y. and eds., K. S. F.(1986), "Handbook of Pattern Recognition and Image Processing", Academic Press.





Kodak Color Control Patches

© Kodak, 2007 TM Kodak

Blue

Cyan

Green

Yellow

Red

Magenta

White

3/Color

Black



Kodak Gray Scale



© Kodak, 2007 TM Kodak

A

1

2

3

4

5

6

M

8

9

10

11

12

13

14

15

B

17

18

19

