

博士論文 (要約)

**Investigation of the role of Prostaglandin D₂
in asthma**

(喘息におけるプロスタグランジン D₂ の役割解明)

前原 都有子

Contents

【Chapter 1 Introduction】	3
【Chapter 2 Material and Methods】	4
【Chapter 3 H-PGDS-derived PGD ₂ attenuated OVA-induced asthma】	5
【Chapter 4 Enhancement of PGD ₂ signaling attenuated asthma】	6
【Chapter 5 Discussion】	6
【Chapter 6 Summary】	8
【Chapter 7 References】	9
Acknowledgment.....	21

【Chapter 1 Introduction】

本章の内容は、学術雑誌論文として出版する計画があるため公表できない。5年以内に出版予定。

【Chapter 2 Material and Methods】

本章の内容は、学術雑誌論文として出版する計画があるため公表できない。5年以内に出版予定。

【Chapter 3 H-PGDS-derived PGD₂ attenuated OVA-induced asthma】

本章の内容は、学術雑誌論文として出版する計画があるため公表できない。5年以内に出版予定。

【Chapter 4 Enhancement of PGD₂ signaling attenuated asthma】

本章の内容は、学術雑誌論文として出版する計画があるため公表できない。5年以内に出版予定。

【Chapter 5 Discussion】

本章の内容は、学術雑誌論文として出版する計画があるため公表できない。5年以内に出版予定。

【Chapter 6 Summary】

本章の内容は、学術雑誌論文として出版する計画があるため公表できない。5年以内に出版予定。

【Chapter 7 References】

1. Platts-Mills, T.A., and Wheatley, L.M. The role of allergy and atopy in asthma.
Curr Opin Pulm Med. 1996; 2:29-34.
2. Pawankar, R. Allergic diseases and asthma: a global public health concern and a call to action. *World Allergy Organ J.* 2014; 7:12.
3. Ichinose, M., et al. Japanese guidelines for adult asthma 2017. *Allergol Int.* 2017; 66:163-189.
4. Kay, A.B. "Helper" (CD4+) T cells and eosinophils in allergy and asthma. *Am Rev Respir Dis.* 1992; 145:S22-26.
5. Bradding, P., et al. Interleukin-4, -5, and -6 and tumor necrosis factor-alpha in normal and asthmatic airways: evidence for the human mast cell as a source of these cytokines. *Am J Respir Cell Mol Biol.* 1994; 10:471-480.
6. Jarjour, N.N., Calhoun, W.J., Kelly, E.A., Gleich, G.J., Schwartz, L.B., and Busse, W.W. The immediate and late allergic response to segmental bronchopulmonary provocation in asthma. *Am J Respir Crit Care Med.* 1997; 155:1515-1521.
7. De Monchy, J.G., et al. Bronchoalveolar eosinophilia during allergen-induced late asthmatic reactions. *Am Rev Respir Dis.* 1985; 131:373-376.

8. Fahy, J.V. Eosinophilic and neutrophilic inflammation in asthma: insights from clinical studies. *Proc Am Thorac Soc*. 2009;6:256-259.
9. Fulkerson, P.C., Fischetti, C.A., McBride, M.L., Hassman, L.M., Hogan, S.P., and Rothenberg, M.E. A central regulatory role for eosinophils and the eotaxin/CCR3 axis in chronic experimental allergic airway inflammation. *Proc Natl Acad Sci U S A*. 2006;103:16418-16423.
10. Bateman, E.D., et al. Global strategy for asthma management and prevention: GINA executive summary. *Eur Respir J*. 2008;31:143-178.
11. Buchman, A.L. Side effects of corticosteroid therapy. *J Clin Gastroenterol*. 2001;33:289-294.
12. van Essen-Zandvliet, E.E., Hughes, M.D., Waalkens, H.J., Duiverman, E.J., and Kerrebijn, K.F. Remission of childhood asthma after long-term treatment with an inhaled corticosteroid (budesonide): can it be achieved? Dutch CNSLD Study Group. *Eur Respir J*. 1994;7:63-68.
13. Nials, A.T., and Uddin, S. Mouse models of allergic asthma: acute and chronic allergen challenge. *Dis Model Mech*. 2008;1:213-220.
14. Kumar, R.K., Herbert, C., and Foster, P.S. The "classical" ovalbumin challenge model of asthma in mice. *Curr Drug Targets*. 2008;9:485-494.

15. Blyth, D.I., Pedrick, M.S., Savage, T.J., Hessel, E.M., and Fattah, D. Lung inflammation and epithelial changes in a murine model of atopic asthma. *Am J Respir Cell Mol Biol.* 1996;14:425-438.
16. Kostenis, E., and Ulven, T. Emerging roles of DP and CRTH2 in allergic inflammation. *Trends Mol Med.* 2006;12:148-158.
17. Forman, B.M., Tontonoz, P., Chen, J., Brun, R.P., Spiegelman, B.M., and Evans, R.M. 15-Deoxy-delta 12, 14-prostaglandin J2 is a ligand for the adipocyte determination factor PPAR gamma. *Cell.* 1995;83:803-812.
18. Kliewer, S.A., Lenhard, J.M., Willson, T.M., Patel, I., Morris, D.C., and Lehmann, J.M. A prostaglandin J2 metabolite binds peroxisome proliferator-activated receptor gamma and promotes adipocyte differentiation. *Cell.* 1995;83:813-819.
19. Lennon, A.M., Ramauge, M., Dessouroux, A., and Pierre, M. MAP kinase cascades are activated in astrocytes and preadipocytes by 15-deoxy-Delta(12-14)-prostaglandin J(2) and the thiazolidinedione ciglitazone through peroxisome proliferator activator receptor gamma-independent mechanisms involving reactive oxygenated species. *J Biol Chem.* 2002;277:29681-29685.
20. Murray, J.J., et al. Release of prostaglandin D2 into human airways during acute antigen challenge. *N Engl J Med.* 1986;315:800-804.

21. Raible, D.G., Schulman, E.S., DiMuzio, J., Cardillo, R., and Post, T.J. Mast cell mediators prostaglandin-D2 and histamine activate human eosinophils. *J Immunol.* 1992;148:3536-3542.
22. Fajt, M.L., et al. Prostaglandin D(2) pathway upregulation: relation to asthma severity, control, and TH2 inflammation. *J Allergy Clin Immunol.* 2013;131:1504-1512.
23. Matsuoka, T., et al. Prostaglandin D2 as a mediator of allergic asthma. *Science.* 2000;287:2013-2017.
24. Hall, I.P., et al. Efficacy of BI 671800, an oral CRTH2 antagonist, in poorly controlled asthma as sole controller and in the presence of inhaled corticosteroid treatment. *Pulm Pharmacol Ther.* 2015;32:37-44.
25. Hammad, H., et al. Activation of the D prostanoid 1 receptor suppresses asthma by modulation of lung dendritic cell function and induction of regulatory T cells. *J Exp Med.* 2007;204:357-367.
26. Mohri, I., et al. Prostaglandin D2-mediated microglia/astrocyte interaction enhances astrogliosis and demyelination in twitcher. *J Neurosci.* 2006;26:4383-4393.

27. Satoh, T., et al. Prostaglandin D2 plays an essential role in chronic allergic inflammation of the skin via CRTH2 receptor. *J Immunol.* 2006.1 177:2621-2629.
28. Nakamura, T., et al. PGD2 deficiency exacerbates food antigen-induced mast cell hyperplasia. *Nat Commun.* 2015.1 6:7514.
29. Nakagome, K., Matsushita, S., and Nagata, M. Neutrophilic inflammation in severe asthma. *Int Arch Allergy Immunol.* 2012.1 158 Suppl 1:96-102.
30. Moore, W.C., et al. Sputum neutrophil counts are associated with more severe asthma phenotypes using cluster analysis. *J Allergy Clin Immunol.* 2014.1 133:1557-1563 e1555.
31. Mullane, K.M., Kraemer, R., and Smith, B. Myeloperoxidase activity as a quantitative assessment of neutrophil infiltration into ischemic myocardium. *J Pharmacol Methods.* 1985.1 14:157-167.
32. Davis, W.B., Fells, G.A., Sun, X.H., Gadek, J.E., Venet, A., and Crystal, R.G. Eosinophil-mediated injury to lung parenchymal cells and interstitial matrix. A possible role for eosinophils in chronic inflammatory disorders of the lower respiratory tract. *J Clin Invest.* 1984.1 74:269-278.

33. Kampf, C., Relova, A.J., Sandler, S., and Roomans, G.M. Effects of TNF-alpha, IFN-gamma and IL-beta on normal human bronchial epithelial cells. *Eur Respir J.* 1999;14:84-91.
34. Fischer, B.M., Rochelle, L.G., Voynow, J.A., Akley, N.J., and Adler, K.B. Tumor necrosis factor-alpha stimulates mucin secretion and cyclic GMP production by guinea pig tracheal epithelial cells in vitro. *Am J Respir Cell Mol Biol.* 1999;20:413-422.
35. Sperber, K., Goswami, S.K., Gollub, E., Mayer, L., and Marom, Z. Mucus secretagogue production by a human macrophage hybridoma. *J Allergy Clin Immunol.* 1991;87:490-498.
36. Larivee, P., Levine, S.J., Martinez, A., Wu, T., Logun, C., and Shelhamer, J.H. Platelet-activating factor induces airway mucin release via activation of protein kinase C: evidence for translocation of protein kinase C to membranes. *Am J Respir Cell Mol Biol.* 1994;11:199-205.
37. Levine, S.J., Larivee, P., Logun, C., Angus, C.W., Ognibene, F.P., and Shelhamer, J.H. Tumor necrosis factor-alpha induces mucin hypersecretion and MUC-2 gene expression by human airway epithelial cells. *Am J Respir Cell Mol Biol.* 1995;12:196-204.

38. Babu, K.S., Davies, D.E., and Holgate, S.T. Role of tumor necrosis factor alpha in asthma. *Immunol Allergy Clin North Am.* 2004;24:583-597, v-vi.
39. Andreakos, E., et al. Distinct pathways of LPS-induced NF-kappa B activation and cytokine production in human myeloid and nonmyeloid cells defined by selective utilization of MyD88 and Mal/TIRAP. *Blood.* 2004;103:2229-2237.
40. !!! INVALID CITATION !!!1.
41. Nakae, S., Lunderius, C., Ho, L.H., Schafer, B., Tsai, M., and Galli, S.J. TNF can contribute to multiple features of ovalbumin-induced allergic inflammation of the airways in mice. *J Allergy Clin Immunol.* 2007;119:680-686.
42. Howarth, P.H., et al. Tumour necrosis factor (TNFalpha) as a novel therapeutic target in symptomatic corticosteroid dependent asthma. *Thorax.* 2005;60:1012-1018.
43. Nakae, S., et al. Mast cell-derived TNF contributes to airway hyperreactivity, inflammation, and TH2 cytokine production in an asthma model in mice. *J Allergy Clin Immunol.* 2007;120:48-55.
44. Hammad, H., de Heer, H.J., Soullie, T., Hoogsteden, H.C., Trottein, F., and Lambrecht, B.N. Prostaglandin D2 inhibits airway dendritic cell migration and

- function in steady state conditions by selective activation of the D prostanoid receptor 1. *J Immunol.* 2003;171:3936-3940.
45. Kobayashi, K., Tsubosaka, Y., Hori, M., Narumiya, S., Ozaki, H., and Murata, T. Prostaglandin D2-DP signaling promotes endothelial barrier function via the cAMP/PKA/Tiam1/Rac1 pathway. *Arterioscler Thromb Vasc Biol.* 2013;133:565-571.
46. Wall, E.A., et al. Suppression of LPS-induced TNF-alpha production in macrophages by cAMP is mediated by PKA-AKAP95-p105. *Sci Signal.* 2009;1:ra28.
47. Zhang, Y., Luo, Y., Zhai, Q., Ma, L., and Dorf, M.E. Negative role of cAMP-dependent protein kinase A in RANTES-mediated transcription of proinflammatory mediators through Raf. *FASEB J.* 2003;17:734-736.
48. Paplinska-Goryca, M., Chazan, R., and Grubek-Jaworska, H. PDE4 inhibitors have no effect on eotaxin expression in human primary bronchial epithelial cells. *Acta Biochim Pol.* 2012;59:371-375.
49. Kobayashi, I., et al. Regulatory mechanisms of Th2 cytokine-induced eotaxin-3 production in bronchial epithelial cells: possible role of interleukin 4 receptor and nuclear factor-kappaB. *Ann Allergy Asthma Immunol.* 2004;93:390-397.

50. Spik, I., et al. Activation of the prostaglandin D2 receptor DP2/CRTH2 increases allergic inflammation in mouse. *J Immunol.* 2005.1 174:3703-3708.
51. Kataoka, N., Satoh, T., Hirai, A., Saeki, K., and Yokozeki, H. Indomethacin inhibits eosinophil migration to prostaglandin D2 : therapeutic potential of CRTH2 desensitization for eosinophilic pustular folliculitis. *Immunology.* 2013.1 140:78-86.
52. Murata, T., et al. Anti-inflammatory role of PGD2 in acute lung inflammation and therapeutic application of its signal enhancement. *Proc Natl Acad Sci U S A.* 2013.1 110:5205-5210.
53. Ueki, S., et al. Expression of PPARgamma in eosinophils and its functional role in survival and chemotaxis. *Immunol Lett.* 2003.1 86:183-189.
54. Busse, W.W., et al. Safety and efficacy of the prostaglandin D2 receptor antagonist AMG 853 in asthmatic patients. *J Allergy Clin Immunol.* 2013.1 131:339-345.
55. Buhl, R. Anti-IgE antibodies for the treatment of asthma. *Curr Opin Pulm Med.* 2005.1 11:27-34.
56. Scow, D.T., Luttermoser, G.K., and Dickerson, K.S. Leukotriene inhibitors in the treatment of allergy and asthma. *Am Fam Physician.* 2007.1 75:65-70.

57. Dogne, J.M., de Leval, X., Benoit, P., Rolin, S., Pirotte, B., and Masereel, B. Therapeutic potential of thromboxane inhibitors in asthma. *Expert Opin Investig Drugs*. 2002;11:275-281.
58. Hamberg, M., and Fredholm, B.B. Isomerization of prostaglandin H₂ into prostaglandin D₂ in the presence of serum albumin. *Biochim Biophys Acta*. 1976;431:189-183.
59. Iwanaga, K., et al. Mast cell-derived prostaglandin D₂ inhibits colitis and colitis-associated colon cancer in mice. *Cancer Res*. 2014;74:3011-3019.
60. Murata, T., et al. Prostaglandin D₂ is a mast cell-derived antiangiogenic factor in lung carcinoma. *Proc Natl Acad Sci U S A*. 2011;108:19802-19807.
61. Johnston, S.L., Freezer, N.J., Ritter, W., O'Toole, S., and Howarth, P.H. Prostaglandin D₂-induced bronchoconstriction is mediated only in part by the thromboxane prostanoid receptor. *Eur Respir J*. 1995;8:411-415.
62. Uller, L., et al. Antagonism of the prostaglandin D₂ receptor CRTH2 attenuates asthma pathology in mouse eosinophilic airway inflammation. *Respir Res*. 2007;8:16.

63. Gonem, S., et al. Fevipiprant, a prostaglandin D2 receptor 2 antagonist, in patients with persistent eosinophilic asthma: a single-centre, randomised, double-blind, parallel-group, placebo-controlled trial. *Lancet Respir Med.* 2016;4:699-707.
64. Ordonez, C.L., et al. Mild and moderate asthma is associated with airway goblet cell hyperplasia and abnormalities in mucin gene expression. *Am J Respir Crit Care Med.* 2001;163:517-523.
65. Cosmi, L., Annunziato, F., Galli, M.I.G., Maggi, R.M.E., Nagata, K., and Romagnani, S. CRTH2 is the most reliable marker for the detection of circulating human type 2 Th and type 2 T cytotoxic cells in health and disease. *Eur J Immunol.* 2000;30:2972-2979.
66. Burgel, P.R., and Nadel, J.A. Roles of epidermal growth factor receptor activation in epithelial cell repair and mucin production in airway epithelium. *Thorax.* 2004;59:992-996.
67. Ueno, R., Ishikawa, Y., Nakayama, T., and Hayaishi, O. Prostaglandin D2 induces sleep when microinjected into the preoptic area of conscious rats. *Biochem Biophys Res Commun.* 1982;109:576-582.
68. Urade, Y., and Hayaishi, O. Prostaglandin D2 and sleep regulation. *Biochim Biophys Acta.* 1999;1436:606-615.

69. Eguchi, N., et al. Lack of tactile pain (allodynia) in lipocalin-type prostaglandin D synthase-deficient mice. *Proc Natl Acad Sci U S A*. 1999.1 96:726-730.
70. Tokudome, S., et al. Glucocorticoid protects rodent hearts from ischemia/reperfusion injury by activating lipocalin-type prostaglandin D synthase-derived PGD2 biosynthesis. *J Clin Invest*. 2009.1 119:1477-1488.
71. Ito, H., et al. PGD2-CRTH2 pathway promotes tubulointerstitial fibrosis. *J Am Soc Nephrol*. 2012.1 23:1797-1809.
72. Joo, M., and Sadikot, R.T. PGD synthase and PGD2 in immune response. *Mediators Inflamm*. 2012.1 2012:503128.

Acknowledgment

I gratefully acknowledge the continuous support of Dr. Takahisa Murata, Department of animal radiology, University of Tokyo. I thank Dr. Yoshihiro Urade and Dr. Kosuke Aritake (University of Tsukuba) for providing *H-pgde*^{-/-} mice and Dr. Masataka Nakamura (Tokyo Medical and Dental University) for providing *CRTH2*^{-/-} mice. I thank Dr. Tatsuro Nakamura and Dr. Shingo Maeda for technical assistance and their advice for the writing the manuscripts. I also thank the number of Animal radiology and my family for supporting both officially and privately. I sincerely hope that the animals' splits sacrificed for this research are appeased.